

COMPASS SPEC GUIDE & PARTS LIST



APPLICATION GUIDELINES

Types of Surfaces.....	3
Gallery Panel Planning.....	3
Connection Types - Panel Doors	4
Connection Types - Sliding Doors.....	5
Connection Types - Fillers	6

PANELS

Standard Monolithic Panels

Non-Powered Capable Fabric	7
Powered Capable Fabric	8

Standard Glazed Non-Powered Panels

Non-Powered Fabric/Clear Acrylic	9
Non-Powered Fabric/Frosted Acrylic	11
Non-Powered Fabric/Clear Glass.....	13
Non-Powered Fabric/Frosted Glass.....	15

Standard Glazed Powered Panels

Powered Fabric/Clear Acrylic	17
Powered Fabric/Frosted Acrylic	19
Powered Fabric/Clear Glass.....	21
Powered Fabric/Frosted Glass.....	23

Elevated Panels

Elevated Monolithic Fabric Panel	25
Elevated Fabric/Clear Acrylic.....	26
Elevated Fabric/Frosted Acrylic.....	28
Elevated Fabric/Clear Glass	30
Elevated Fabric/Frosted Glass	32

Gallery Horizontal Woodgrain Panels

Horizontal Grain Single Span Middle	34
Horizontal Grain Double Span Middle.....	35
Horizontal Grain Single Span End No Cutout.....	36
Horizontal Grain Single Span End With Cutout.....	37
Horizontal Grain Double Span End No Cutout.....	38
Horizontal Grain Double Span End With Cutout.....	39

Gallery Vertical Woodgrain Panels

Vertical Grain Single Span Middle	40
Vertical Grain Double Span Middle	41
Vertical Grain Single Span End No Cutout	42

Vertical Grain Single Span End With Cutout	43
Vertical Grain Double Span End No Cutout.....	44
Vertical Grain Double Span End With Cutout.....	45

Gallery Solid Panels

Solid Single Span Middle	46
Solid Double Span Middle.....	47
Solid Single Span End No Cutout	48
Solid Single Span End With Cutout.....	49
Solid Double Span End No Cutout.....	50
Solid Double Span End With Cutout.....	51

Frameless Blade Panels

Standard & Elevated Panel Mounted Acrylic	52
Standard & Elevated Panel Mounted Glass.....	53
Gallery Panel Mounted Acrylic.....	54
Gallery Panel Mounted Glass	55

Panel Mounted Add-Ons

Whiteboard	56
Tackboard.....	57

DOORS

Hinged Doors.....	58
Sliding Acrylic Doors.....	59

CONNECTIONS & TRIMS

2-Way Connections.....	61
3-Way T Connections.....	62
4-Way X Connections.....	63
Top Cap	64
End Trims.....	64
T Fillers.....	65
90 Degree Fillers.....	65
Partial Height Straight Filler.....	66
Partial Height Gallery Panel Filler	66
Adjustable Connections and Trims	67

WORKSURFACES

Straight Worksurface.....	68
Extended Corner with Curved Front.....	70
5-Sided Corner with Straight Front	71

5-Sided Corner with Curved Front72

Panel Mounted D-Table.....73

Panel Mounted J-Table74

C-Table Extension75

U-Table Extension76

Laminate Countertop.....77

Transaction Top..... 79

SUPPORTS

Standard Panel Ladder Gable80

Gallery Panel Ladder Gable.....81

Freestanding Ladder Gable82

Standard Panel Laminate Gable83

Gallery Panel Laminate Gable.....84

Freestanding Laminate Gable85

Standard Panel Wrap Gable.....86

Gallery Panel Wrap Gable87

Cantilevers88

Standard Panel Mount Corner Bracket89

Flush Plate89

Fixed Credenza Support Bracket.....90

Horizontal Surface Support.....90

ELECTRICS

Power Module91

Connector Harness92

Starter Harness93

Male to Female Extension Harness93

Power Pole.....94

Communication Kit95

Conversion Kit.....95

STORAGE

Overhead Flipper Cabinet.....96

Overhead Metal Shelf.....97

ACCESSORIES

Cable Manager.....98

Panel Mounted Tasklight.....99

Work Organizers.....100


Accessory Rail101

Drawers.....102


APPLICATION GUIDELINES

TYPES OF SURFACES


No Grommet



With Grommet





GALLERY PANEL PLANNING





CONNECTION TYPES - PANEL DOORS



2-Way 90° Connection





2-Way 180° Connection





3-Way Connection, 1 Door





3-Way Connection, 2 Doors



4-Way Connection, 1 Door




4-Way Connection, 2 Doors




CONNECTION TYPES - SLIDING DOORS


2-Way 90° Connection




2-Way 180° Connection



3-Way Connection, 1 Door




3-Way Connection, 2 Doors




CONNECTION TYPES - FILLERS

2-Way 90° Connection

Type A Connection




Type B Connection




2-Way 180° Connection

Type A Connection




Type B Connection




3-Way Connection


Type A Connection




Type B Connection



Type C Connection




Type D Connection



STANDARD MONOLITHIC PANELS

NON-POWERED CAPABLE FABRIC PANEL



What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60", 66", 72"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal


*66" high available up to 60" wide, 82" high available up to 48" wide

Code	H (in.)	W (in.)
L-PPF0-3424-N	34	24
L-PPF0-3430-N	34	30
L-PPF0-3436-N	34	36
L-PPF0-3442-N	34	42
L-PPF0-3448-N	34	48
L-PPF0-3454-N	34	54
L-PPF0-3460-N	34	60
L-PPF0-3466-N	34	66
L-PPF0-3472-N	34	72
L-PPF0-4224-N	42	24
L-PPF0-4230-N	42	30
L-PPF0-4236-N	42	36
L-PPF0-4242-N	42	42

Code	H (in.)	W (in.)
L-PPF0-4248-N	42	48
L-PPF0-4254-N	42	54
L-PPF0-4260-N	42	60
L-PPF0-4266-N	42	66
L-PPF0-4272-N	42	72
L-PPF0-5024-N	50	24
L-PPF0-5030-N	50	30
L-PPF0-5036-N	50	36
L-PPF0-5042-N	50	42
L-PPF0-5048-N	50	48
L-PPF0-5054-N	50	54
L-PPF0-5060-N	50	60
L-PPF0-5066-N	50	66

Code	H (in.)	W (in.)
L-PPF0-5072-N	50	72
L-PPF0-6624-N	66	24
L-PPF0-6630-N	66	30
L-PPF0-6636-N	66	36
L-PPF0-6642-N	66	42
L-PPF0-6648-N	66	48
L-PPF0-6654-N	66	54
L-PPF0-6660-N	66	60
L-PPF0-8224-N	82	24
L-PPF0-8230-N	82	30
L-PPF0-8236-N	82	36
L-PPF0-8242-N	82	42
L-PPF0-8248-N	82	48

POWERED CAPABLE FABRIC PANEL



What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Power capable panel with bracket for power module.

Power module must be specified separately.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60", 66", 72"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*66" high available up to 60" wide, 82" high available up to 48" wide

Code	H (in.)	W (in.)
L-PPF0-3424-E	34	24
L-PPF0-3430-E	34	30
L-PPF0-3436-E	34	36
L-PPF0-3442-E	34	42
L-PPF0-3448-E	34	48
L-PPF0-3454-E	34	54
L-PPF0-3460-E	34	60
L-PPF0-3466-E	34	66
L-PPF0-3472-E	34	72
L-PPF0-4224-E	42	24
L-PPF0-4230-E	42	30
L-PPF0-4236-E	42	36
L-PPF0-4242-E	42	42

Code	H (in.)	W (in.)
L-PPF0-4248-E	42	48
L-PPF0-4254-E	42	54
L-PPF0-4260-E	42	60
L-PPF0-4266-E	42	66
L-PPF0-4272-E	42	72
L-PPF0-5024-E	50	24
L-PPF0-5030-E	50	30
L-PPF0-5036-E	50	36
L-PPF0-5042-E	50	42
L-PPF0-5048-E	50	48
L-PPF0-5054-E	50	54
L-PPF0-5060-E	50	60
L-PPF0-5066-E	50	66

Code	H (in.)	W (in.)
L-PPF0-5072-E	50	72
L-PPF0-6624-E	66	24
L-PPF0-6630-E	66	30
L-PPF0-6636-E	66	36
L-PPF0-6642-E	66	42
L-PPF0-6648-E	66	48
L-PPF0-6654-E	66	54
L-PPF0-6660-E	66	60
L-PPF0-8224-E	82	24
L-PPF0-8230-E	82	30
L-PPF0-8236-E	82	36
L-PPF0-8242-E	82	42
L-PPF0-8248-E	82	48

NON-POWERED STANDARD GLAZED PANELS

NON-POWERED FABRIC/CLEAR ACRYLIC PANEL



OOE-N
One 8" clear acrylic
segment on top



OOS-N
One 16" clear acrylic
segment on top



OOT-N
One 24" clear acrylic
segment on top



OEE-N
Two 8" clear acrylic
segments on top



OES-N
One 8" & One 16" clear
acrylic segment on top



OSS-N
Two 16" clear acrylic
segments on top



OTS-N
One 24" & One 16" clear
acrylic segment on top



OTT-N
Two 24" clear acrylic
segments on top



ESS-N
One 8" & Two 16" clear
acrylic segments on top



SSS-N
Three 16" clear acrylic
segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

NON-POWERED FABRIC/CLEAR ACRYLIC PANEL

Code	H (in.)	W (in.)
One 8" clear acrylic segment		
L-PPFCA-4224-00E-N	42	24
L-PPFCA-4230-00E-N	42	30
L-PPFCA-4236-00E-N	42	36
L-PPFCA-4242-00E-N	42	42
L-PPFCA-4248-00E-N	42	48
L-PPFCA-4254-00E-N	42	54
L-PPFCA-4260-00E-N	42	60
L-PPFCA-5024-00E-N	50	24
L-PPFCA-5030-00E-N	50	30
L-PPFCA-5036-00E-N	50	36
L-PPFCA-5042-00E-N	50	42
L-PPFCA-5048-00E-N	50	48
L-PPFCA-5054-00E-N	50	54
L-PPFCA-5060-00E-N	50	60
One 16" clear acrylic segment		
L-PPFCA-5024-00S-N	50	24
L-PPFCA-5030-00S-N	50	30
L-PPFCA-5036-00S-N	50	36
L-PPFCA-5042-00S-N	50	42
L-PPFCA-5048-00S-N	50	48
L-PPFCA-5054-00S-N	50	54
L-PPFCA-5060-00S-N	50	60
L-PPFCA-6624-00S-N	66	24
L-PPFCA-6630-00S-N	66	30
L-PPFCA-6636-00S-N	66	36
L-PPFCA-6642-00S-N	66	42
L-PPFCA-6648-00S-N	66	48
L-PPFCA-6654-00S-N	66	54
L-PPFCA-6660-00S-N	66	60
L-PPFCA-8224-00S-N	82	24

Code	H (in.)	W (in.)
L-PPFCA-8230-00S-N	82	30
L-PPFCA-8236-00S-N	82	36
L-PPFCA-8242-00S-N	82	42
L-PPFCA-8248-00S-N	82	48
One 24" clear acrylic segment		
L-PPFCA-6624-00T-N	66	24
L-PPFCA-6630-00T-N	66	30
L-PPFCA-6636-00T-N	66	36
L-PPFCA-6642-00T-N	66	42
L-PPFCA-6648-00T-N	66	48
L-PPFCA-6654-00T-N	66	54
L-PPFCA-6660-00T-N	66	60
Two 8" clear acrylic segments		
L-PPFCA-6624-0EE-N	66	24
L-PPFCA-6630-0EE-N	66	30
L-PPFCA-6636-0EE-N	66	36
L-PPFCA-6642-0EE-N	66	42
L-PPFCA-6648-0EE-N	66	48
L-PPFCA-6654-0EE-N	66	54
L-PPFCA-6660-0EE-N	66	60
One 8" & one 16" clear acrylic segment		
L-PPFCA-6624-0ES-N	66	24
L-PPFCA-6630-0ES-N	66	30
L-PPFCA-6636-0ES-N	66	36
L-PPFCA-6642-0ES-N	66	42
L-PPFCA-6648-0ES-N	66	48
L-PPFCA-6654-0ES-N	66	54
L-PPFCA-6660-0ES-N	66	60
Two 16" clear acrylic segments		
L-PPFCA-8224-0SS-N	82	24
L-PPFCA-8230-0SS-N	82	30

Code	H (in.)	W (in.)
L-PPFCA-8236-0SS-N	82	36
L-PPFCA-8242-0SS-N	82	42
L-PPFCA-8248-0SS-N	82	48
One 24" & one 16" clear acrylic segment		
L-PPFCA-8224-0TS-N	82	24
L-PPFCA-8230-0TS-N	82	30
L-PPFCA-8236-0TS-N	82	36
L-PPFCA-8242-0TS-N	82	42
L-PPFCA-8248-0TS-N	82	48
Two 24" clear acrylic segments		
L-PPFCA-8224-0TT-N	82	24
L-PPFCA-8230-0TT-N	82	30
L-PPFCA-8236-0TT-N	82	36
L-PPFCA-8242-0TT-N	82	42
L-PPFCA-8248-0TT-N	82	48
One 8" & two 16" clear acrylic segments		
L-PPFCA-8224-ESS-N	82	24
L-PPFCA-8230-ESS-N	82	30
L-PPFCA-8236-ESS-N	82	36
L-PPFCA-8242-ESS-N	82	42
L-PPFCA-8248-ESS-N	82	48
Three 16" clear acrylic segments		
L-PPFCA-8224-SSS-N	82	24
L-PPFCA-8230-SSS-N	82	30
L-PPFCA-8236-SSS-N	82	36
L-PPFCA-8242-SSS-N	82	42
L-PPFCA-8248-SSS-N	82	48

NON-POWERED FABRIC/FROSTED ACRYLIC



OOE-N

One 8" frosted acrylic segment on top



OOS-N

One 16" frosted acrylic segment on top



OOT-N

One 24" frosted acrylic segment on top



OEE-N

Two 8" frosted acrylic segments on top



OES-N

One 8" & One 16" frosted acrylic segment on top



OSS-N

Two 16" frosted acrylic segments on top



OTS-N

One 24" & One 16" frosted acrylic segment on top



OTT-N

Two 24" frosted acrylic segments on top



ESS-N

One 8" & Two 16" frosted acrylic segments on top



SSS-N

Three 16" frosted acrylic segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

NON-POWERED FABRIC/FROSTED ACRYLIC

Code	H (in.)	W (in.)
One 8" frosted acrylic segment		
L-PPFFA-4224-00E-N	42	24
L-PPFFA-4230-00E-N	42	30
L-PPFFA-4236-00E-N	42	36
L-PPFFA-4242-00E-N	42	42
L-PPFFA-4248-00E-N	42	48
L-PPFFA-4254-00E-N	42	54
L-PPFFA-4260-00E-N	42	60
L-PPFFA-5024-00E-N	50	24
L-PPFFA-5030-00E-N	50	30
L-PPFFA-5036-00E-N	50	36
L-PPFFA-5042-00E-N	50	42
L-PPFFA-5048-00E-N	50	48
L-PPFFA-5054-00E-N	50	54
L-PPFFA-5060-00E-N	50	60
One 16" frosted acrylic segment		
L-PPFFA-5024-00S-N	50	24
L-PPFFA-5030-00S-N	50	30
L-PPFFA-5036-00S-N	50	36
L-PPFFA-5042-00S-N	50	42
L-PPFFA-5048-00S-N	50	48
L-PPFFA-5054-00S-N	50	54
L-PPFFA-5060-00S-N	50	60
L-PPFFA-6624-00S-N	50	24
L-PPFFA-6630-00S-N	50	30
L-PPFFA-6636-00S-N	50	36
L-PPFFA-6642-00S-N	50	42
L-PPFFA-6648-00S-N	50	48
L-PPFFA-6654-00S-N	50	54
L-PPFFA-6660-00S-N	50	60
L-PPFFA-8224-00S-N	82	24

Code	H (in.)	W (in.)
L-PPFFA-8230-00S-N	82	30
L-PPFFA-8236-00S-N	82	36
L-PPFFA-8242-00S-N	82	42
L-PPFFA-8248-00S-N	82	48
One 24" frosted acrylic segment		
L-PPFFA-6624-00T-N	66	24
L-PPFFA-6630-00T-N	66	30
L-PPFFA-6636-00T-N	66	36
L-PPFFA-6642-00T-N	66	42
L-PPFFA-6648-00T-N	66	48
L-PPFFA-6654-00T-N	66	54
L-PPFFA-6660-00T-N	66	60
Two 8" frosted acrylic segments		
L-PPFFA-6624-0EE-N	66	24
L-PPFFA-6630-0EE-N	66	30
L-PPFFA-6636-0EE-N	66	36
L-PPFFA-6642-0EE-N	66	42
L-PPFFA-6648-0EE-N	66	48
L-PPFFA-6654-0EE-N	66	54
L-PPFFA-6660-0EE-N	66	60
One 8" & one 16" frosted acrylic segment		
L-PPFFA-6624-0ES-N	66	24
L-PPFFA-6630-0ES-N	66	30
L-PPFFA-6636-0ES-N	66	36
L-PPFFA-6642-0ES-N	66	42
L-PPFFA-6648-0ES-N	66	48
L-PPFFA-6654-0ES-N	66	54
L-PPFFA-6660-0ES-N	66	60
Two 16" frosted acrylic segments on top		
L-PPFFA-8224-0SS-N	82	24
L-PPFFA-8230-0SS-N	82	30

Code	H (in.)	W (in.)
L-PPFFA-8236-0SS-N	82	36
L-PPFFA-8242-0SS-N	82	42
L-PPFFA-8248-0SS-N	82	48
One 24" & one 16" frosted acrylic segment		
L-PPFFA-8224-0TS-N	82	24
L-PPFFA-8230-0TS-N	82	30
L-PPFFA-8236-0TS-N	82	36
L-PPFFA-8242-0TS-N	82	42
L-PPFFA-8248-0TS-N	82	48
Two 24" frosted acrylic segments		
L-PPFFA-8224-0TT-N	82	24
L-PPFFA-8230-0TT-N	82	30
L-PPFFA-8236-0TT-N	82	36
L-PPFFA-8242-0TT-N	82	42
L-PPFFA-8248-0TT-N	82	48
One 8" & two 16" frosted acrylic segments		
L-PPFFA-8224-ESS-N	82	24
L-PPFFA-8230-ESS-N	82	30
L-PPFFA-8236-ESS-N	82	36
L-PPFFA-8242-ESS-N	82	42
L-PPFFA-8248-ESS-N	82	48
Three 16" frosted acrylic segments		
L-PPFFA-8224-SSS-N	82	24
L-PPFFA-8230-SSS-N	82	30
L-PPFFA-8236-SSS-N	82	36
L-PPFFA-8242-SSS-N	82	42
L-PPFFA-8248-SSS-N	82	48

NON-POWERED FABRIC/CLEAR GLASS



OOE-N

One 8" clear glass segment on top



OOS-N

One 16" clear glass segment on top



OOT-N

One 24" clear glass segment on top



OEE-N

Two 8" clear glass segments on top



OES-N

One 8" & One 16" clear glass segment on top



OSS-N

Two 16" clear glass segments on top



OTS-N

One 24" & One 16" clear glass segment on top



OTT-N

Two 24" clear glass segments on top



ESS-N

One 8" & Two 16" clear glass segments on top



SSS-N

Three 16" clear glass segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*:	42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60"
Fabric:	Refer to Fabric Cards
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*82" high available up to 48" wide

Code	H (in.)	W (in.)
One 8" clear glass segment		
L-PPFCG-4224-00E-N	42	24
L-PPFCG-4230-00E-N	42	30
L-PPFCG-4236-00E-N	42	36
L-PPFCG-4242-00E-N	42	42
L-PPFCG-4248-00E-N	42	48
L-PPFCG-4254-00E-N	42	54
L-PPFCG-4260-00E-N	42	60
L-PPFCG-5024-00E-N	50	24
L-PPFCG-5030-00E-N	50	30
L-PPFCG-5036-00E-N	50	36
L-PPFCG-5042-00E-N	50	42
L-PPFCG-5048-00E-N	50	48
L-PPFCG-5054-00E-N	50	54
L-PPFCG-5060-00E-N	50	60
One 16" clear glass segment		
L-PPFCG-5024-00S-N	50	24
L-PPFCG-5030-00S-N	50	30
L-PPFCG-5036-00S-N	50	36
L-PPFCG-5042-00S-N	50	42
L-PPFCG-5048-00S-N	50	48
L-PPFCG-5054-00S-N	50	54
L-PPFCG-5060-00S-N	50	60
L-PPFCG-6624-00S-N	66	24
L-PPFCG-6630-00S-N	66	30
L-PPFCG-6636-00S-N	66	36
L-PPFCG-6642-00S-N	66	42
L-PPFCG-6648-00S-N	66	48
L-PPFCG-6654-00S-N	66	54
L-PPFCG-6660-00S-N	66	60
L-PPFCG-8224-00S-N	82	24

Code	H (in.)	W (in.)
L-PPFCG-8230-00S-N	82	30
L-PPFCG-8236-00S-N	82	36
L-PPFCG-8242-00S-N	82	42
L-PPFCG-8248-00S-N	82	48
One 24" clear glass segment		
L-PPFCG-6624-00T-N	66	24
L-PPFCG-6630-00T-N	66	30
L-PPFCG-6636-00T-N	66	36
L-PPFCG-6642-00T-N	66	42
L-PPFCG-6648-00T-N	66	48
L-PPFCG-6654-00T-N	66	54
L-PPFCG-6660-00T-N	66	60
Two 8" clear glass segments		
L-PPFCG-6624-0EE-N	66	24
L-PPFCG-6630-0EE-N	66	30
L-PPFCG-6636-0EE-N	66	36
L-PPFCG-6642-0EE-N	66	42
L-PPFCG-6648-0EE-N	66	48
L-PPFCG-6654-0EE-N	66	54
L-PPFCG-6660-0EE-N	66	60
One 8" & one 16" clear glass segment		
L-PPFCG-6624-0ES-N	66	24
L-PPFCG-6630-0ES-N	66	30
L-PPFCG-6636-0ES-N	66	36
L-PPFCG-6642-0ES-N	66	42
L-PPFCG-6648-0ES-N	66	48
L-PPFCG-6654-0ES-N	66	54
L-PPFCG-6660-0ES-N	66	60
Two 16" clear glass segments		
L-PPFCG-8224-0SS-N	82	24
L-PPFCG-8230-0SS-N	82	30

Code	H (in.)	W (in.)
L-PPFCG-8236-0SS-N	82	36
L-PPFCG-8242-0SS-N	82	42
L-PPFCG-8248-0SS-N	82	48
One 24" & one 16" clear glass segment		
L-PPFCG-8224-0TS-N	82	24
L-PPFCG-8230-0TS-N	82	30
L-PPFCG-8236-0TS-N	82	36
L-PPFCG-8242-0TS-N	82	42
L-PPFCG-8248-0TS-N	82	48
Two 24" clear glass segments		
L-PPFCG-8224-0TT-N	82	24
L-PPFCG-8230-0TT-N	82	30
L-PPFCG-8236-0TT-N	82	36
L-PPFCG-8242-0TT-N	82	42
L-PPFCG-8248-0TT-N	82	48
One 8" & two 16" clear glass segments		
L-PPFCG-8224-ESS-N	82	24
L-PPFCG-8230-ESS-N	82	30
L-PPFCG-8236-ESS-N	82	36
L-PPFCG-8242-ESS-N	82	42
L-PPFCG-8248-ESS-N	82	48
Three 16" clear glass segments		
L-PPFCG-8224-SSS-N	82	24
L-PPFCG-8230-SSS-N	82	30
L-PPFCG-8236-SSS-N	82	36
L-PPFCG-8242-SSS-N	82	42
L-PPFCG-8248-SSS-N	82	48

NON-POWERED FABRIC/FROSTED GLASS



OOE-N
One 8" frosted glass segment on top



OOS-N
One 16" frosted glass segment on top



OOT-N
One 24" frosted glass segment on top



OEE-N
Two 8" frosted glass segments on top



OES-N
One 8" & One 16" frosted glass segment on top



OSS-N
Two 16" frosted glass segments on top



OTS-N
One 24" & One 16" frosted glass segment on top



OTT-N
Two 24" frosted glass segments on top



ESS-N
One 8" & Two 16" frosted glass segments on top



SSS-N
Three 16" frosted glass segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*:	42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60"
Fabric:	Refer to Fabric Cards
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*82" high available up to 48" wide

NON-POWERED FABRIC/FROSTED GLASS

Code	H (in.)	W (in.)
One 8" frosted glass segment		
L-PPFFG-4224-00E-N	42	24
L-PPFFG-4230-00E-N	42	30
L-PPFFG-4236-00E-N	42	36
L-PPFFG-4242-00E-N	42	42
L-PPFFG-4248-00E-N	42	48
L-PPFFG-4254-00E-N	42	54
L-PPFFG-4260-00E-N	42	60
L-PPFFG-5024-00E-N	50	24
L-PPFFG-5030-00E-N	50	30
L-PPFFG-5036-00E-N	50	36
L-PPFFG-5042-00E-N	50	42
L-PPFFG-5048-00E-N	50	48
L-PPFFG-5054-00E-N	50	54
L-PPFFG-5060-00E-N	50	60
One 16" frosted glass segment		
L-PPFFG-5024-00S-N	50	24
L-PPFFG-5030-00S-N	50	30
L-PPFFG-5036-00S-N	50	36
L-PPFFG-5042-00S-N	50	42
L-PPFFG-5048-00S-N	50	48
L-PPFFG-5054-00S-N	50	54
L-PPFFG-5060-00S-N	50	60
L-PPFFG-6624-00S-N	66	24
L-PPFFG-6630-00S-N	66	30
L-PPFFG-6636-00S-N	66	36
L-PPFFG-6642-00S-N	66	42
L-PPFFG-6648-00S-N	66	48
L-PPFFG-6654-00S-N	66	54
L-PPFFG-6660-00S-N	66	60
L-PPFFG-8224-00S-N	82	24

Code	H (in.)	W (in.)
L-PPFFG-8230-00S-N	82	30
L-PPFFG-8236-00S-N	82	36
L-PPFFG-8242-00S-N	82	42
L-PPFFG-8248-00S-N	82	48
One 24" frosted glass segment		
L-PPFFG-6624-00T-N	66	24
L-PPFFG-6630-00T-N	66	30
L-PPFFG-6636-00T-N	66	36
L-PPFFG-6642-00T-N	66	42
L-PPFFG-6648-00T-N	66	48
L-PPFFG-6654-00T-N	66	54
L-PPFFG-6660-00T-N	66	60
Two 8" frosted glass segments		
L-PPFFG-6624-0EE-N	66	24
L-PPFFG-6630-0EE-N	66	30
L-PPFFG-6636-0EE-N	66	36
L-PPFFG-6642-0EE-N	66	42
L-PPFFG-6648-0EE-N	66	48
L-PPFFG-6654-0EE-N	66	54
L-PPFFG-6660-0EE-N	66	60
One 8" & one 16" frosted glass segment		
L-PPFFG-6624-0ES-N	66	24
L-PPFFG-6630-0ES-N	66	30
L-PPFFG-6636-0ES-N	66	36
L-PPFFG-6642-0ES-N	66	42
L-PPFFG-6648-0ES-N	66	48
L-PPFFG-6654-0ES-N	66	54
L-PPFFG-6660-0ES-N	66	60
Two 16" frosted glass segments		
L-PPFFG-8224-0SS-N	82	24
L-PPFFG-8230-0SS-N	82	30

Code	H (in.)	W (in.)
L-PPFFG-8236-0SS-N	82	36
L-PPFFG-8242-0SS-N	82	42
L-PPFFG-8248-0SS-N	82	48
One 24" & one 16" frosted glass segment		
L-PPFFG-8224-0TS-N	82	24
L-PPFFG-8230-0TS-N	82	30
L-PPFFG-8236-0TS-N	82	36
L-PPFFG-8242-0TS-N	82	42
L-PPFFG-8248-0TS-N	82	48
Two 24" frosted glass segments		
L-PPFFG-8224-0TT-N	82	24
L-PPFFG-8230-0TT-N	82	30
L-PPFFG-8236-0TT-N	82	36
L-PPFFG-8242-0TT-N	82	42
L-PPFFG-8248-0TT-N	82	48
One 8" & two 16" frosted glass segments		
L-PPFFG-8224-ESS-N	82	24
L-PPFFG-8230-ESS-N	82	30
L-PPFFG-8236-ESS-N	82	36
L-PPFFG-8242-ESS-N	82	42
L-PPFFG-8248-ESS-N	82	48
Three 16" frosted glass segments		
L-PPFFG-8224-SSS-N	82	24
L-PPFFG-8230-SSS-N	82	30
L-PPFFG-8236-SSS-N	82	36
L-PPFFG-8242-SSS-N	82	42
L-PPFFG-8248-SSS-N	82	48

POWERED STANDARD GLAZED PANELS

POWERED FABRIC/CLEAR ACRYLIC PANEL



OOE-E
One 8" clear acrylic
segment on top



OOS-E
One 16" clear acrylic
segment on top



OOT-E
One 24" clear acrylic
segment on top



OEE-E
Two 8" clear acrylic
segments on top



OES-E
One 8" & One 16" clear
acrylic segment on top



OSS-E
Two 16" clear acrylic
segments on top



OTS-E
One 24" & One 16" clear
acrylic segment on top



OTT-E
Two 24" clear acrylic
segments on top



ESS-E
One 8" & Two 16" clear
acrylic segments on top



SSS-E
Three 16" clear acrylic
segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Power capable panel with bracket for power module.

Power module must be specified separately.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

POWERED FABRIC/CLEAR ACRYLIC PANEL

Code	H (in.)	W (in.)
One 8" clear acrylic segment		
L-PPFCA-4224-00E-E	42	24
L-PPFCA-4230-00E-E	42	30
L-PPFCA-4236-00E-E	42	36
L-PPFCA-4242-00E-E	42	42
L-PPFCA-4248-00E-E	42	48
L-PPFCA-4254-00E-E	42	54
L-PPFCA-4260-00E-E	42	60
L-PPFCA-5024-00E-E	50	24
L-PPFCA-5030-00E-E	50	30
L-PPFCA-5036-00E-E	50	36
L-PPFCA-5042-00E-E	50	42
L-PPFCA-5048-00E-E	50	48
L-PPFCA-5054-00E-E	50	54
L-PPFCA-5060-00E-E	50	60
One 16" clear acrylic segment		
L-PPFCA-5024-00S-E	50	24
L-PPFCA-5030-00S-E	50	30
L-PPFCA-5036-00S-E	50	36
L-PPFCA-5042-00S-E	50	42
L-PPFCA-5048-00S-E	50	48
L-PPFCA-5054-00S-E	50	54
L-PPFCA-5060-00S-E	50	60
L-PPFCA-6624-00S-E	66	24
L-PPFCA-6630-00S-E	66	30
L-PPFCA-6636-00S-E	66	36
L-PPFCA-6642-00S-E	66	42
L-PPFCA-6648-00S-E	66	48
L-PPFCA-6654-00S-E	66	54
L-PPFCA-6660-00S-E	66	60
L-PPFCA-8224-00S-E	82	24

Code	H (in.)	W (in.)
L-PPFCA-8230-00S-E	82	30
L-PPFCA-8236-00S-E	82	36
L-PPFCA-8242-00S-E	82	42
L-PPFCA-8248-00S-E	82	48
One 24" clear acrylic segment		
L-PPFCA-6624-00T-E	66	24
L-PPFCA-6630-00T-E	66	30
L-PPFCA-6636-00T-E	66	36
L-PPFCA-6642-00T-E	66	42
L-PPFCA-6648-00T-E	66	48
L-PPFCA-6654-00T-E	66	54
L-PPFCA-6660-00T-E	66	60
Two 8" clear acrylic segments		
L-PPFCA-6624-0EE-E	66	24
L-PPFCA-6630-0EE-E	66	30
L-PPFCA-6636-0EE-E	66	36
L-PPFCA-6642-0EE-E	66	42
L-PPFCA-6648-0EE-E	66	48
L-PPFCA-6654-0EE-E	66	54
L-PPFCA-6660-0EE-E	66	60
One 8" & one 16" clear acrylic segment		
L-PPFCA-6624-0ES-E	66	24
L-PPFCA-6630-0ES-E	66	30
L-PPFCA-6636-0ES-E	66	36
L-PPFCA-6642-0ES-E	66	42
L-PPFCA-6648-0ES-E	66	48
L-PPFCA-6654-0ES-E	66	54
L-PPFCA-6660-0ES-E	66	60
Two 16" clear acrylic segments		
L-PPFCA-8224-0SS-E	82	24
L-PPFCA-8230-0SS-E	82	30

Code	H (in.)	W (in.)
L-PPFCA-8236-0SS-E	82	36
L-PPFCA-8242-0SS-E	82	42
L-PPFCA-8248-0SS-E	82	48
One 24" & one 16" clear acrylic segment		
L-PPFCA-8224-0TS-E	82	24
L-PPFCA-8230-0TS-E	82	30
L-PPFCA-8236-0TS-E	82	36
L-PPFCA-8242-0TS-E	82	42
L-PPFCA-8248-0TS-E	82	48
Two 24" clear acrylic segments		
L-PPFCA-8224-0TT-E	82	24
L-PPFCA-8230-0TT-E	82	30
L-PPFCA-8236-0TT-E	82	36
L-PPFCA-8242-0TT-E	82	42
L-PPFCA-8248-0TT-E	82	48
One 8" & two 16" clear acrylic segments		
L-PPFCA-8224-ESS-E	82	24
L-PPFCA-8230-ESS-E	82	30
L-PPFCA-8236-ESS-E	82	36
L-PPFCA-8242-ESS-E	82	42
L-PPFCA-8248-ESS-E	82	48
Three 16" clear acrylic segments		
L-PPFCA-8224-SSS-E	82	24
L-PPFCA-8230-SSS-E	82	30
L-PPFCA-8236-SSS-E	82	36
L-PPFCA-8242-SSS-E	82	42
L-PPFCA-8248-SSS-E	82	48

POWERED FABRIC/FROSTED ACRYLIC



OOE-E

One 8" frosted acrylic segment on top



OOS-E

One 16" frosted acrylic segment on top



OOT-E

One 24" frosted acrylic segment on top



OEE-E

Two 8" frosted acrylic segments on top



OES-E

One 8" & One 16" frosted acrylic segment on top



OSS-E

Two 16" frosted acrylic segments on top



OTS-E

One 24" & One 16" frosted acrylic segment on top



OTT-E

Two 24" frosted acrylic segments on top



ESS-E

One 8" & Two 16" frosted acrylic segments on top



SSS-E

Three 16" frosted acrylic segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Power capable panel with bracket for power module.

Power module must be specified separately.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

Code	H (in.)	W (in.)
One 8" frosted acrylic segment		
L-PPFFA-4224-00E-E	42	24
L-PPFFA-4230-00E-E	42	30
L-PPFFA-4236-00E-E	42	36
L-PPFFA-4242-00E-E	42	42
L-PPFFA-4248-00E-E	42	48
L-PPFFA-4254-00E-E	42	54
L-PPFFA-4260-00E-E	42	60
L-PPFFA-5024-00E-E	50	24
L-PPFFA-5030-00E-E	50	30
L-PPFFA-5036-00E-E	50	36
L-PPFFA-5042-00E-E	50	42
L-PPFFA-5048-00E-E	50	48
L-PPFFA-5054-00E-E	50	54
L-PPFFA-5060-00E-E	50	60
One 16" frosted acrylic segment		
L-PPFFA-5024-00S-E	50	24
L-PPFFA-5030-00S-E	50	30
L-PPFFA-5036-00S-E	50	36
L-PPFFA-5042-00S-E	50	42
L-PPFFA-5048-00S-E	50	48
L-PPFFA-5054-00S-E	50	54
L-PPFFA-5060-00S-E	50	60
L-PPFFA-6624-00S-E	50	24
L-PPFFA-6630-00S-E	50	30
L-PPFFA-6636-00S-E	50	36
L-PPFFA-6642-00S-E	50	42
L-PPFFA-6648-00S-E	50	48
L-PPFFA-6654-00S-E	50	54
L-PPFFA-6660-00S-E	50	60
L-PPFFA-8224-00S-E	82	24

Code	H (in.)	W (in.)
L-PPFFA-8230-00S-E	82	30
L-PPFFA-8236-00S-E	82	36
L-PPFFA-8242-00S-E	82	42
L-PPFFA-8248-00S-E	82	48
One 24" frosted acrylic segment		
L-PPFFA-6624-00T-E	66	24
L-PPFFA-6630-00T-E	66	30
L-PPFFA-6636-00T-E	66	36
L-PPFFA-6642-00T-E	66	42
L-PPFFA-6648-00T-E	66	48
L-PPFFA-6654-00T-E	66	54
L-PPFFA-6660-00T-E	66	60
Two 8" frosted acrylic segments		
L-PPFFA-6624-0EE-E	66	24
L-PPFFA-6630-0EE-E	66	30
L-PPFFA-6636-0EE-E	66	36
L-PPFFA-6642-0EE-E	66	42
L-PPFFA-6648-0EE-E	66	48
L-PPFFA-6654-0EE-E	66	54
L-PPFFA-6660-0EE-E	66	60
One 8" & one 16" frosted acrylic segment		
L-PPFFA-6624-0ES-E	66	24
L-PPFFA-6630-0ES-E	66	30
L-PPFFA-6636-0ES-E	66	36
L-PPFFA-6642-0ES-E	66	42
L-PPFFA-6648-0ES-E	66	48
L-PPFFA-6654-0ES-E	66	54
L-PPFFA-6660-0ES-E	66	60
Two 16" frosted acrylic segments on top		
L-PPFFA-8224-0SS-E	82	24
L-PPFFA-8230-0SS-E	82	30

Code	H (in.)	W (in.)
L-PPFFA-8236-0SS-E	82	36
L-PPFFA-8242-0SS-E	82	42
L-PPFFA-8248-0SS-E	82	48
One 24" & one 16" frosted acrylic segment		
L-PPFFA-8224-0TS-E	82	24
L-PPFFA-8230-0TS-E	82	30
L-PPFFA-8236-0TS-E	82	36
L-PPFFA-8242-0TS-E	82	42
L-PPFFA-8248-0TS-E	82	48
Two 24" frosted acrylic segments		
L-PPFFA-8224-0TT-E	82	24
L-PPFFA-8230-0TT-E	82	30
L-PPFFA-8236-0TT-E	82	36
L-PPFFA-8242-0TT-E	82	42
L-PPFFA-8248-0TT-E	82	48
One 8" & two 16" frosted acrylic segments		
L-PPFFA-8224-ESS-E	82	24
L-PPFFA-8230-ESS-E	82	30
L-PPFFA-8236-ESS-E	82	36
L-PPFFA-8242-ESS-E	82	42
L-PPFFA-8248-ESS-E	82	48
Three 16" frosted acrylic segments		
L-PPFFA-8224-SSS-E	82	24
L-PPFFA-8230-SSS-E	82	30
L-PPFFA-8236-SSS-E	82	36
L-PPFFA-8242-SSS-E	82	42
L-PPFFA-8248-SSS-E	82	48

POWERED FABRIC/CLEAR GLASS



OOE-E

One 8" clear glass segment on top



OOS-E

One 16" clear glass segment on top



OOT-E

One 24" clear glass segment on top



OEE-E

Two 8" clear glass segments on top



OES-E

One 8" & One 16" clear glass segment on top



OSS-E

Two 16" clear glass segments on top



OTS-E

One 24" & One 16" clear glass segment on top



OTT-E

Two 24" clear glass segments on top



ESS-E

One 8" & Two 16" clear glass segments on top



SSS-E

Three 16" clear glass segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Power capable panel with bracket for power module.

Power module must be specified separately.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

Code	H (in.)	W (in.)	Code	H (in.)	W (in.)	Code	H (in.)	W (in.)
One 8" clear glass segment			L-PPFCG-8230-00S-E	82	30	L-PPFCG-8236-0SS-E	82	36
L-PPFCG-4224-00E-E	42	24	L-PPFCG-8236-00S-E	82	36	L-PPFCG-8242-0SS-E	82	42
L-PPFCG-4230-00E-E	42	30	L-PPFCG-8242-00S-E	82	42	L-PPFCG-8248-0SS-E	82	48
L-PPFCG-4236-00E-E	42	36	L-PPFCG-8248-00S-E	82	48	One 24" & one 16" clear glass segment		
L-PPFCG-4242-00E-E	42	42	One 24" clear glass segment			L-PPFCG-8224-0TS-E	82	24
L-PPFCG-4248-00E-E	42	48	L-PPFCG-6624-00T-E	66	24	L-PPFCG-8230-0TS-E	82	30
L-PPFCG-4254-00E-E	42	54	L-PPFCG-6630-00T-E	66	30	L-PPFCG-8236-0TS-E	82	36
L-PPFCG-4260-00E-E	42	60	L-PPFCG-6636-00T-E	66	36	L-PPFCG-8242-0TS-E	82	42
L-PPFCG-5024-00E-E	50	24	L-PPFCG-6642-00T-E	66	42	L-PPFCG-8248-0TS-E	82	48
L-PPFCG-5030-00E-E	50	30	L-PPFCG-6648-00T-E	66	48	Two 24" clear glass segments		
L-PPFCG-5036-00E-E	50	36	L-PPFCG-6654-00T-E	66	54	L-PPFCG-8224-0TT-E	82	24
L-PPFCG-5042-00E-E	50	42	L-PPFCG-6660-00T-E	66	60	L-PPFCG-8230-0TT-E	82	30
L-PPFCG-5048-00E-E	50	48	Two 8" clear glass segments			L-PPFCG-8236-0TT-E	82	36
L-PPFCG-5054-00E-E	50	54	L-PPFCG-6624-0EE-E	66	24	L-PPFCG-8242-0TT-E	82	42
L-PPFCG-5060-00E-E	50	60	L-PPFCG-6630-0EE-E	66	30	L-PPFCG-8248-0TT-E	82	48
One 16" clear glass segment			L-PPFCG-6636-0EE-E	66	36	One 8" & two 16" clear glass segments		
L-PPFCG-5024-00S-E	50	24	L-PPFCG-6642-0EE-E	66	42	L-PPFCG-8224-ESS-E	82	24
L-PPFCG-5030-00S-E	50	30	L-PPFCG-6648-0EE-E	66	48	L-PPFCG-8230-ESS-E	82	30
L-PPFCG-5036-00S-E	50	36	L-PPFCG-6654-0EE-E	66	54	L-PPFCG-8236-ESS-E	82	36
L-PPFCG-5042-00S-E	50	42	L-PPFCG-6660-0EE-E	66	60	L-PPFCG-8242-ESS-E	82	42
L-PPFCG-5048-00S-E	50	48	One 8" & one 16" clear glass segment			L-PPFCG-8248-ESS-E	82	48
L-PPFCG-5054-00S-E	50	54	L-PPFCG-6624-0ES-E	66	24	Three 16" clear glass segments		
L-PPFCG-5060-00S-E	50	60	L-PPFCG-6630-0ES-E	66	30	L-PPFCG-8224-SSS-E	82	24
L-PPFCG-6624-00S-E	66	24	L-PPFCG-6636-0ES-E	66	36	L-PPFCG-8230-SSS-E	82	30
L-PPFCG-6630-00S-E	66	30	L-PPFCG-6642-0ES-E	66	42	L-PPFCG-8236-SSS-E	82	36
L-PPFCG-6636-00S-E	66	36	L-PPFCG-6648-0ES-E	66	48	L-PPFCG-8242-SSS-E	82	42
L-PPFCG-6642-00S-E	66	42	L-PPFCG-6654-0ES-E	66	54	L-PPFCG-8248-SSS-E	82	48
L-PPFCG-6648-00S-E	66	48	L-PPFCG-6660-0ES-E	66	60			
L-PPFCG-6654-00S-E	66	54	Two 16" clear glass segments					
L-PPFCG-6660-00S-E	66	60	L-PPFCG-8224-0SS-E	82	24			
L-PPFCG-8224-00S-E	82	24	L-PPFCG-8230-0SS-E	82	30			

POWERED FABRIC/FROSTED GLASS



OOE-E
One 8" frosted glass
segment on top



OOS-E
One 16" frosted glass
segment on top



OOT-E
One 24" frosted glass
segment on top



OEE-E
Two 8" frosted glass
segments on top



OES-E
One 8" & One 16"
frosted glass segment
on top



OSS-E
Two 16" frosted glass
segments on top



OTS-E
One 24" & One 16"
frosted glass segment
on top



OTT-E
Two 24" frosted glass
segments on top



ESS-E
One 8" & Two 16"
frosted glass segments
on top



SSS-E
Three 16" frosted glass
segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, Two (2) raceway covers, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Power capable panel with bracket for power module.

Power module must be specified separately.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*:	42", 50", 66", 82"
Width:	24", 30", 36", 42", 48", 54", 60"
Fabric:	Refer to Fabric Cards
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

*82" high available up to 48" wide


Code	H (in.)	W (in.)
One 8" frosted glass segment		
L-PPFFG-4224-00EE	42	24
L-PPFFG-4230-00E-E	42	30
L-PPFFG-4236-00E-E	42	36
L-PPFFG-4242-00E-E	42	42
L-PPFFG-4248-00E-E	42	48
L-PPFFG-4254-00E-E	42	54
L-PPFFG-4260-00E-E	42	60
L-PPFFG-5024-00E-E	50	24
L-PPFFG-5030-00E-E	50	30
L-PPFFG-5036-00E-E	50	36
L-PPFFG-5042-00E-E	50	42
L-PPFFG-5048-00E-E	50	48
L-PPFFG-5054-00E-E	50	54
L-PPFFG-5060-00E-E	50	60
One 16" frosted glass segment		
L-PPFFG-5024-00S-E	50	24
L-PPFFG-5030-00S-E	50	30
L-PPFFG-5036-00S-E	50	36
L-PPFFG-5042-00S-E	50	42
L-PPFFG-5048-00S-E	50	48
L-PPFFG-5054-00S-E	50	54
L-PPFFG-5060-00S-E	50	60
L-PPFFG-6624-00S-E	66	24
L-PPFFG-6630-00S-E	66	30
L-PPFFG-6636-00S-E	66	36
L-PPFFG-6642-00S-E	66	42
L-PPFFG-6648-00S-E	66	48
L-PPFFG-6654-00S-E	66	54
L-PPFFG-6660-00S-E	66	60
L-PPFFG-8224-00S-E	82	24

Code	H (in.)	W (in.)
L-PPFFG-8230-00S-E	82	30
L-PPFFG-8236-00S-E	82	36
L-PPFFG-8242-00S-E	82	42
L-PPFFG-8248-00S-E	82	48
One 24" frosted glass segment		
L-PPFFG-6624-00T-E	66	24
L-PPFFG-6630-00T-E	66	30
L-PPFFG-6636-00T-E	66	36
L-PPFFG-6642-00T-E	66	42
L-PPFFG-6648-00T-E	66	48
L-PPFFG-6654-00T-E	66	54
L-PPFFG-6660-00T-E	66	60
Two 8" frosted glass segments		
L-PPFFG-6624-0EE-E	66	24
L-PPFFG-6630-0EE-E	66	30
L-PPFFG-6636-0EE-E	66	36
L-PPFFG-6642-0EE-E	66	42
L-PPFFG-6648-0EE-E	66	48
L-PPFFG-6654-0EE-E	66	54
L-PPFFG-6660-0EE-E	66	60
One 8" & one 16" frosted glass segment		
L-PPFFG-6624-0ES-E	66	24
L-PPFFG-6630-0ES-E	66	30
L-PPFFG-6636-0ES-E	66	36
L-PPFFG-6642-0ES-E	66	42
L-PPFFG-6648-0ES-E	66	48
L-PPFFG-6654-0ES-E	66	54
L-PPFFG-6660-0ES-E	66	60
Two 16" frosted glass segments		
L-PPFFG-8224-0SS-E	82	24
L-PPFFG-8230-0SS-E	82	30

Code	H (in.)	W (in.)
L-PPFFG-8236-0SS-E	82	36
L-PPFFG-8242-0SS-E	82	42
L-PPFFG-8248-0SS-E	82	48
One 24" & one 16" frosted glass segment		
L-PPFFG-8224-0TS-E	82	24
L-PPFFG-8230-0TS-E	82	30
L-PPFFG-8236-0TS-E	82	36
L-PPFFG-8242-0TS-E	82	42
L-PPFFG-8248-0TS-E	82	48
Two 24" frosted glass segments		
L-PPFFG-8224-0TT-E	82	24
L-PPFFG-8230-0TT-E	82	30
L-PPFFG-8236-0TT-E	82	36
L-PPFFG-8242-0TT-E	82	42
L-PPFFG-8248-0TT-E	82	48
One 8" & two 16" frosted glass segments		
L-PPFFG-8224-ESS-E	82	24
L-PPFFG-8230-ESS-E	82	30
L-PPFFG-8236-ESS-E	82	36
L-PPFFG-8242-ESS-E	82	42
L-PPFFG-8248-ESS-E	82	48
Three 16" frosted glass segments		
L-PPFFG-8224-SSS-E	82	24
L-PPFFG-8230-SSS-E	82	30
L-PPFFG-8236-SSS-E	82	36
L-PPFFG-8242-SSS-E	82	42
L-PPFFG-8248-SSS-E	82	48

ELEVATED PANELS

ELEVATED MONOLITHIC FABRIC PANEL



What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 34", 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

Code	H (in.)	W (in.)
L-PEF0-3424	34	24
L-PEF0-3430	34	30
L-PEF0-3436	34	36
L-PEF0-3442	34	42
L-PEF0-3448	34	48
L-PEF0-3454	34	54
L-PEF0-3460	34	60
L-PEF0-4224	42	24
L-PEF0-4230	42	30
L-PEF0-4236	42	36
L-PEF0-4242	42	42

Code	H (in.)	W (in.)
L-PEF0-4248	42	48
L-PEF0-4254	42	54
L-PEF0-4260	42	60
L-PEF0-5024	50	24
L-PEF0-5030	50	30
L-PEF0-5036	50	36
L-PEF0-5042	50	42
L-PEF0-5048	50	48
L-PEF0-5054	50	54
L-PEF0-5060	50	60
L-PEF0-6624	66	24

Code	H (in.)	W (in.)
L-PEF0-6630	66	30
L-PEF0-6636	66	36
L-PEF0-6642	66	42
L-PEF0-6648	66	48
L-PEF0-6654	66	54
L-PEF0-6660	66	60
L-PEF0-8224	82	24
L-PEF0-8230	82	30
L-PEF0-8236	82	36
L-PEF0-8242	82	42
L-PEF0-8248	82	48

ELEVATED FABRIC/CLEAR ACRYLIC PANEL



OOE

One 8" clear acrylic segment on top



OOS

One 16" clear acrylic segment on top



OOT

One 24" clear acrylic segment on top



OEE

Two 8" clear acrylic segments on top



OES

One 8" & One 16" clear acrylic segment on top



OSS

Two 16" clear acrylic segments on top



OTS

One 24" & One 16" clear acrylic segment on top



OTT

Two 24" clear acrylic segments on top



ESS

One 8" & Two 16" clear acrylic segments on top



SSS

Three 16" clear acrylic segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

ELEVATED FABRIC/CLEAR ACRYLIC PANEL

Code	H (in.)	W (in.)
One 8" clear acrylic segment		
L-PEFCA-4224-00E	42	24
L-PEFCA-4230-00E	42	30
L-PEFCA-4236-00E	42	36
L-PEFCA-4242-00E	42	42
L-PEFCA-4248-00E	42	48
L-PEFCA-4254-00E	42	54
L-PEFCA-4260-00E	42	60
L-PEFCA-5024-00E	50	24
L-PEFCA-5030-00E	50	30
L-PEFCA-5036-00E	50	36
L-PEFCA-5042-00E	50	42
L-PEFCA-5048-00E	50	48
L-PEFCA-5054-00E	50	54
L-PEFCA-5060-00E	50	60
One 16" clear acrylic segment		
L-PEFCA-5024-00S	50	24
L-PEFCA-5030-00S	50	30
L-PEFCA-5036-00S	50	36
L-PEFCA-5042-00S	50	42
L-PEFCA-5048-00S	50	48
L-PEFCA-5054-00S	50	54
L-PEFCA-5060-00S	50	60
L-PEFCA-6624-00S	66	24
L-PEFCA-6630-00S	66	30
L-PEFCA-6636-00S	66	36
L-PEFCA-6642-00S	66	42
L-PEFCA-6648-00S	66	48
L-PEFCA-6654-00S	66	54
L-PEFCA-6660-00S	66	60
L-PEFCA-8224-00S	82	24

Code	H (in.)	W (in.)
L-PEFCA-8230-00S	82	30
L-PEFCA-8236-00S	82	36
L-PEFCA-8242-00S	82	42
L-PEFCA-8248-00S	82	48
One 24" clear acrylic segment		
L-PEFCA-6624-00T	66	24
L-PEFCA-6630-00T	66	30
L-PEFCA-6636-00T	66	36
L-PEFCA-6642-00T	66	42
L-PEFCA-6648-00T	66	48
L-PEFCA-6654-00T	66	54
L-PEFCA-6660-00T	66	60
Two 8" clear acrylic segments		
L-PEFCA-6624-0EE	66	24
L-PEFCA-6630-0EE	66	30
L-PEFCA-6636-0EE	66	36
L-PEFCA-6642-0EE	66	42
L-PEFCA-6648-0EE	66	48
L-PEFCA-6654-0EE	66	54
L-PEFCA-6660-0EE	66	60
One 8" & one 16" clear acrylic segment		
L-PEFCA-6624-0ES	66	24
L-PEFCA-6630-0ES	66	30
L-PEFCA-6636-0ES	66	36
L-PEFCA-6642-0ES	66	42
L-PEFCA-6648-0ES	66	48
L-PEFCA-6654-0ES	66	54
L-PEFCA-6660-0ES	66	60
Two 16" clear acrylic segments		
L-PEFCA-8224-0SS	82	24
L-PEFCA-8230-0SS	82	30

Code	H (in.)	W (in.)
L-PEFCA-8236-0SS	82	36
L-PEFCA-8242-0SS	82	42
L-PEFCA-8248-0SS	82	48
One 24" & one 16" clear acrylic segment		
L-PEFCA-8224-0TS	82	24
L-PEFCA-8230-0TS	82	30
L-PEFCA-8236-0TS	82	36
L-PEFCA-8242-0TS	82	42
L-PEFCA-8248-0TS	82	48
Two 24" clear acrylic segments		
L-PEFCA-8224-0TT	82	24
L-PEFCA-8230-0TT	82	30
L-PEFCA-8236-0TT	82	36
L-PEFCA-8242-0TT	82	42
L-PEFCA-8248-0TT	82	48
One 8" & two 16" clear acrylic segments		
L-PEFCA-8224-ESS	82	24
L-PEFCA-8230-ESS	82	30
L-PEFCA-8236-ESS	82	36
L-PEFCA-8242-ESS	82	42
L-PEFCA-8248-ESS	82	48
Three 16" clear acrylic segments		
L-PEFCA-8224-SSS	82	24
L-PEFCA-8230-SSS	82	30
L-PEFCA-8236-SSS	82	36
L-PEFCA-8242-SSS	82	42
L-PEFCA-8248-SSS	82	48

ELEVATED FABRIC/FROSTED ACRYLIC PANEL



OOE

One 8" frosted acrylic segment on top



OOS

One 16" frosted acrylic segment on top



OOT

One 24" frosted acrylic segment on top



OEE

Two 8" frosted acrylic segments on top



OES

One 8" & One 16" frosted acrylic segment on top



OSS

Two 16" frosted acrylic segments on top



OTS

One 24" & One 16" frosted acrylic segment on top



OTT

Two 24" frosted acrylic segments on top



ESS

One 8" & Two 16" frosted acrylic segments on top



SSS

Three 16" frosted acrylic segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

ELEVATED FABRIC/FROSTED ACRYLIC PANEL

Code	H (in.)	W (in.)
One 8" frosted acrylic segment		
L-PEFFA-4224-00E	42	24
L-PEFFA-4230-00E	42	30
L-PEFFA-4236-00E	42	36
L-PEFFA-4242-00E	42	42
L-PEFFA-4248-00E	42	48
L-PEFFA-4254-00E	42	54
L-PEFFA-4260-00E	42	60
L-PEFFA-5024-00E	50	24
L-PEFFA-5030-00E	50	30
L-PEFFA-5036-00E	50	36
L-PEFFA-5042-00E	50	42
L-PEFFA-5048-00E	50	48
L-PEFFA-5054-00E	50	54
L-PEFFA-5060-00E	50	60
One 16" frosted acrylic segment		
L-PEFFA-5024-00S	50	24
L-PEFFA-5030-00S	50	30
L-PEFFA-5036-00S	50	36
L-PEFFA-5042-00S	50	42
L-PEFFA-5048-00S	50	48
L-PEFFA-5054-00S	50	54
L-PEFFA-5060-00S	50	60
L-PEFFA-6624-00S	66	24
L-PEFFA-6630-00S	66	30
L-PEFFA-6636-00S	66	36
L-PEFFA-6642-00S	66	42
L-PEFFA-6648-00S	66	48
L-PEFFA-6654-00S	66	54
L-PEFFA-6660-00S	66	60
L-PEFFA-8224-00S	82	24

Code	H (in.)	W (in.)
L-PEFFA-8230-00S	82	30
L-PEFFA-8236-00S	82	36
L-PEFFA-8242-00S	82	42
L-PEFFA-8248-00S	82	48
One 24" frosted acrylic segment		
L-PEFFA-6624-00T	66	24
L-PEFFA-6630-00T	66	30
L-PEFFA-6636-00T	66	36
L-PEFFA-6642-00T	66	42
L-PEFFA-6648-00T	66	48
L-PEFFA-6654-00T	66	54
L-PEFFA-6660-00T	66	60
Two 8" frosted acrylic segments		
L-PEFFA-6624-0EE	66	24
L-PEFFA-6630-0EE	66	30
L-PEFFA-6636-0EE	66	36
L-PEFFA-6642-0EE	66	42
L-PEFFA-6648-0EE	66	48
L-PEFFA-6654-0EE	66	54
L-PEFFA-6660-0EE	66	60
One 8" & one 16" frosted acrylic segment		
L-PEFFA-6624-0ES	66	24
L-PEFFA-6630-0ES	66	30
L-PEFFA-6636-0ES	66	36
L-PEFFA-6642-0ES	66	42
L-PEFFA-6648-0ES	66	48
L-PEFFA-6654-0ES	66	54
L-PEFFA-6660-0ES	66	60
Two 16" frosted acrylic segments		
L-PEFFA-8224-0SS	82	24
L-PEFFA-8230-0SS	82	30

Code	H (in.)	W (in.)
L-PEFFA-8236-0SS	82	36
L-PEFFA-8242-0SS	82	48
L-PEFFA-8248-0SS	82	48
One 24" & one 16" frosted acrylic segment		
L-PEFFA-8224-0TS	82	24
L-PEFFA-8230-0TS	82	30
L-PEFFA-8236-0TS	82	36
L-PEFFA-8242-0TS	82	42
L-PEFFA-8248-0TS	82	48
Two 24" frosted acrylic segments		
L-PEFFA-8224-0TT	82	24
L-PEFFA-8230-0TT	82	30
L-PEFFA-8236-0TT	82	36
L-PEFFA-8242-0TT	82	42
L-PEFFA-8248-0TT	82	48
One 8" & two 16" frosted acrylic segments		
L-PEFFA-8224-ESS	82	24
L-PEFFA-8230-ESS	82	30
L-PEFFA-8236-ESS	82	36
L-PEFFA-8242-ESS	82	42
L-PEFFA-8248-ESS	82	48
Three 16" frosted acrylic segments		
L-PEFFA-8224-SSS	82	24
L-PEFFA-8230-SSS	82	30
L-PEFFA-8236-SSS	82	36
L-PEFFA-8242-SSS	82	36
L-PEFFA-8248-SSS	82	48

ELEVATED FABRIC/CLEAR GLASS PANEL



OOE

One 8" clear glass segment on top



OOS

One 16" clear glass segment on top



OOT

One 24" clear glass segment on top



OEE

Two 8" clear glass segments on top



OES

One 8" & One 16" clear glass segment on top



OSS

Two 16" clear glass segments on top



OTS

One 24" & One 16" clear glass segment on top



OTT

Two 24" clear glass segments on top



ESS

One 8" & Two 16" clear glass segments on top



SSS

Three 16" clear glass segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

ELEVATED FABRIC/CLEAR GLASS PANEL

Code	H (in.)	W (in.)
One 8" clear glass segment		
L-PEFCG-4224-00E	42	24
L-PEFCG-4230-00E	42	30
L-PEFCG-4236-00E	42	36
L-PEFCG-4242-00E	42	42
L-PEFCG-4248-00E	42	48
L-PEFCG-4254-00E	42	54
L-PEFCG-4260-00E	42	60
L-PEFCG-5024-00E	50	24
L-PEFCG-5030-00E	50	30
L-PEFCG-5036-00E	50	36
L-PEFCG-5042-00E	50	42
L-PEFCG-5048-00E	50	48
L-PEFCG-5054-00E	50	54
L-PEFCG-5060-00E	50	60
One 16" clear glass segment		
L-PEFCG-5024-00S	50	24
L-PEFCG-5030-00S	50	30
L-PEFCG-5036-00S	50	36
L-PEFCG-5042-00S	50	42
L-PEFCG-5048-00S	50	48
L-PEFCG-5054-00S	50	54
L-PEFCG-5060-00S	50	60
L-PEFCG-6624-00S	66	24
L-PEFCG-6630-00S	66	30
L-PEFCG-6636-00S	66	36
L-PEFCG-6642-00S	66	42
L-PEFCG-6648-00S	66	48
L-PEFCG-6654-00S	66	54
L-PEFCG-6660-00S	66	60
L-PEFCG-8224-00S	82	24

Code	H (in.)	W (in.)
L-PEFCG-8230-00S	82	30
L-PEFCG-8236-00S	82	36
L-PEFCG-8242-00S	82	42
L-PEFCG-8248-00S	82	48
One 24" clear glass segment		
L-PEFCG-6624-00T	66	24
L-PEFCG-6630-00T	66	30
L-PEFCG-6636-00T	66	36
L-PEFCG-6642-00T	66	42
L-PEFCG-6648-00T	66	48
L-PEFCG-6654-00T	66	54
L-PEFCG-6660-00T	66	60
Two 8" clear glass segments		
L-PEFCG-6624-0EE	66	24
L-PEFCG-6630-0EE	66	30
L-PEFCG-6636-0EE	66	36
L-PEFCG-6642-0EE	66	42
L-PEFCG-6648-0EE	66	48
L-PEFCG-6654-0EE	66	54
L-PEFCG-6660-0EE	66	60
One 8" & one 16" clear glass segment		
L-PEFCG-6624-0ES	66	24
L-PEFCG-6630-0ES	66	30
L-PEFCG-6636-0ES	66	36
L-PEFCG-6642-0ES	66	42
L-PEFCG-6648-0ES	66	48
L-PEFCG-6654-0ES	66	54
L-PEFCG-6660-0ES	66	60
Two 16" clear glass segments		
L-PEFCG-8224-0SS	82	24
L-PEFCG-8230-0SS	82	30

Code	H (in.)	W (in.)
L-PEFCG-8236-0SS	82	36
L-PEFCG-8242-0SS	82	42
L-PEFCG-8248-0SS	82	48
One 24" & one 16" clear glass segment		
L-PEFCG-8224-0TS	82	24
L-PEFCG-8230-0TS	82	30
L-PEFCG-8236-0TS	82	36
L-PEFCG-8242-0TS	82	42
L-PEFCG-8248-0TS	82	48
Two 24" clear glass segments		
L-PEFCG-8224-0TT	82	24
L-PEFCG-8230-0TT	82	30
L-PEFCG-8236-0TT	82	36
L-PEFCG-8242-0TT	82	42
L-PEFCG-8248-0TT	82	48
One 8" & two 16" clear glass segments		
L-PEFCG-8224-ESS	82	24
L-PEFCG-8230-ESS	82	30
L-PEFCG-8236-ESS	82	36
L-PEFCG-8242-ESS	82	42
L-PEFCG-8248-ESS	82	48
Three 16" clear glass segments		
L-PEFCG-8224-SSS	82	24
L-PEFCG-8230-SSS	82	30
L-PEFCG-8236-SSS	82	36
L-PEFCG-8242-SSS	82	42
L-PEFCG-8248-SSS	82	48

ELEVATED FABRIC/FROSTED GLASS PANEL



OOE

One 8" frosted glass segment on top



OOS

One 16" frosted glass segment on top



OOT

One 24" frosted glass segment on top



OEE

Two 8" frosted glass segments on top



OES

One 8" & One 16" frosted glass segment on top



OSS

Two 16" frosted glass segments on top



OTS

One 24" & One 16" frosted glass segment on top



OTT

Two 24" frosted glass segments on top



ESS

One 8" & Two 16" frosted glass segments on top



SSS

Three 16" frosted glass segments on top

What's Included:

One (1) 2" thick fabric panel with 1" incremented slotted channels, One (1) top trim

How to Specify:

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for Panel Frame color

Notes:

Non-power capable panel.

Can be used in run with power-capable panels and allows wires to pass through.

Panels are non tackable. For tackable option see Panel Add-On section.

Options:

Height*: 42", 50", 66", 82"

Width: 24", 30", 36", 42", 48", 54", 60"

Fabric: Refer to Fabric Cards

Metal Powder Coat Paint: White, Black, Silver, Charcoal

*82" high available up to 48" wide

ELEVATED FABRIC/FROSTED GLASS PANEL


Code	H (in.)	W (in.)
One 8" frosted glass segment		
L-PEFFG-4224-00E	42	24
L-PEFFG-4230-00E	42	30
L-PEFFG-4236-00E	42	36
L-PEFFG-4242-00E	42	42
L-PEFFG-4248-00E	42	48
L-PEFFG-4254-00E	42	54
L-PEFFG-4260-00E	42	60
L-PEFFG-5024-00E	50	24
L-PEFFG-5030-00E	50	30
L-PEFFG-5036-00E	50	36
L-PEFFG-5042-00E	50	42
L-PEFFG-5048-00E	50	48
L-PEFFG-5054-00E	50	54
L-PEFFG-5060-00E	50	60
One 16" frosted glass segment		
L-PEFFG-5024-00S	50	24
L-PEFFG-5030-00S	50	30
L-PEFFG-5036-00S	50	36
L-PEFFG-5042-00S	50	42
L-PEFFG-5048-00S	50	48
L-PEFFG-5054-00S	50	54
L-PEFFG-5060-00S	50	60
L-PEFFG-6624-00S	66	24
L-PEFFG-6630-00S	66	30
L-PEFFG-6636-00S	66	36
L-PEFFG-6642-00S	66	42
L-PEFFG-6648-00S	66	48
L-PEFFG-6654-00S	66	54
L-PEFFG-6660-00S	66	60
L-PEFFG-8224-00S	82	24

Code	H (in.)	W (in.)
L-PEFFG-8230-00S	82	30
L-PEFFG-8236-00S	82	36
L-PEFFG-8242-00S	82	42
L-PEFFG-8248-00S	82	48
One 24" frosted glass segment		
L-PEFFG-6624-00T	66	24
L-PEFFG-6630-00T	66	30
L-PEFFG-6636-00T	66	36
L-PEFFG-6642-00T	66	42
L-PEFFG-6648-00T	66	48
L-PEFFG-6654-00T	66	54
L-PEFFG-6660-00T	66	60
Two 8" frosted glass segments		
L-PEFFG-6624-0EE	66	24
L-PEFFG-6630-0EE	66	30
L-PEFFG-6636-0EE	66	36
L-PEFFG-6642-0EE	66	42
L-PEFFG-6648-0EE	66	48
L-PEFFG-6654-0EE	66	54
L-PEFFG-6660-0EE	66	60
One 8" & one 16" frosted glass segment		
L-PEFFG-6624-0ES	66	24
L-PEFFG-6630-0ES	66	30
L-PEFFG-6636-0ES	66	36
L-PEFFG-6642-0ES	66	42
L-PEFFG-6648-0ES	66	48
L-PEFFG-6654-0ES	66	54
L-PEFFG-6660-0ES	66	60
Two 16" frosted glass segments		
L-PEFFG-8224-0SS	82	24
L-PEFFG-8230-0SS	82	30

Code	H (in.)	W (in.)
L-PEFFG-8236-0SS	82	36
L-PEFFG-8242-0SS	82	42
L-PEFFG-8248-0SS	82	48
One 24" & one 16" frosted glass segment		
L-PEFFG-8224-0TS	82	24
L-PEFFG-8230-0TS	82	30
L-PEFFG-8236-0TS	82	36
L-PEFFG-8242-0TS	82	42
L-PEFFG-8248-0TS	82	48
Two 24" frosted glass segments		
L-PEFFG-8224-0TT	82	24
L-PEFFG-8230-0TT	82	30
L-PEFFG-8236-0TT	82	36
L-PEFFG-8242-0TT	82	42
L-PEFFG-8248-0TT	82	48
One 8" & two 16" frosted glass segments		
L-PEFFG-8224-ESS	82	24
L-PEFFG-8230-ESS	82	30
L-PEFFG-8236-ESS	82	36
L-PEFFG-8242-ESS	82	42
L-PEFFG-8248-ESS	82	48
Three 16" frosted glass segments		
L-PEFFG-8224-SSS	82	24
L-PEFFG-8230-SSS	82	30
L-PEFFG-8236-SSS	82	36
L-PEFFG-8242-SSS	82	42
L-PEFFG-8248-SSS	82	48

GALLERY HORIZONTAL WOODGRAIN PANELS

HORIZONTAL GRAIN SINGLE SPAN MIDDLE



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56", 62", 68", 74


Laminate: Refer to Laminate Cards

Code	H (in.)	W (in.)
L-PYHM-3426-S1	34	26
L-PYHM-3432-S1	34	32
L-PYHM-3438-S1	34	38
L-PYHM-3444-S1	34	44
L-PYHM-3450-S1	34	50
L-PYHM-3456-S1	34	56
L-PYHM-3462-S1	34	62
L-PYHM-3468-S1	34	68
L-PYHM-3474-S1	34	74


Code	H (in.)	W (in.)
L-PYHM-4226-S1	42	26
L-PYHM-4232-S1	42	32
L-PYHM-4238-S1	42	38
L-PYHM-4244-S1	42	44
L-PYHM-4250-S1	42	50
L-PYHM-4256-S1	42	56
L-PYHM-4262-S1	42	62
L-PYHM-4268-S1	42	68
L-PYHM-4274-S1	42	74

Code	H (in.)	W (in.)
L-PYHM-5026-S1	50	26
L-PYHM-5032-S1	50	32
L-PYHM-5038-S1	50	38
L-PYHM-5044-S1	50	44
L-PYHM-5050-S1	50	50
L-PYHM-5056-S1	50	56
L-PYHM-5062-S1	50	62
L-PYHM-5068-S1	50	68
L-PYHM-5074-S1	50	74

HORIZONTAL GRAIN DOUBLE SPAN MIDDLE



One Piece



Two Pieces

What's Included:

42" - 86" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

98" - 146" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74", 86", 98", 110", 122", 134", 146"

Laminate: Refer to Laminate Cards

*98" width and above is 2 pieces

Code	H (in.)	W (in.)
1 Piece		
L-PYHM-3442-D1	34	42
L-PYHM-3450-D1	34	50
L-PYHM-3462-D1	34	62
L-PYHM-3474-D1	34	74
L-PYHM-3486-D1	34	86
L-PYHM-4242-D1	42	42
L-PYHM-4250-D1	42	50
L-PYHM-4262-D1	42	62
L-PYHM-4274-D1	42	74
L-PYHM-4286-D1	42	86

Code	H (in.)	W (in.)
L-PYHM-5042-D1	50	42
L-PYHM-5050-D1	50	50
L-PYHM-5062-D1	50	62
L-PYHM-5074-D1	50	74
L-PYHM-5086-D1	50	86
2 Pieces		
L-PYHM-3498-D2	34	98
L-PYHM-34110-D2	34	110
L-PYHM-34122-D2	34	122
L-PYHM-34134-D2	34	134
L-PYHM-34146-D2	34	146

Code	H (in.)	W (in.)
L-PYHM-4298-D2	42	98
L-PYHM-42110-D2	42	110
L-PYHM-42122-D2	42	122
L-PYHM-42134-D2	42	134
L-PYHM-42146-D2	42	146
L-PYHM-5098-D2	50	98
L-PYHM-50110-D2	50	110
L-PYHM-50122-D2	50	122
L-PYHM-50134-D2	50	134
L-PYHM-50146-D2	50	146

HORIZONTAL GRAIN SINGLE SPAN END NO CUTOUT



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56", 62", 68", 74"

Laminate: Refer to Laminate Cards

Code	H (in.)	W (in.)
Left Hand		
L-PYHE-3426-SIL	34	26
L-PYHE-3432-SIL	34	32
L-PYHE-3438-SIL	34	38
L-PYHE-3444-SIL	34	44
L-PYHE-3450-SIL	34	50
L-PYHE-3456-SIL	34	56
L-PYHE-3462-SIL	34	62
L-PYHE-3468-SIL	34	68
L-PYHE-3474-SIL	34	74
L-PYHE-4226-SIL	42	26
L-PYHE-4232-SIL	42	32
L-PYHE-4238-SIL	42	38
L-PYHE-4244-SIL	42	44
L-PYHE-4250-SIL	42	50
L-PYHE-4256-SIL	42	56
L-PYHE-4262-SIL	42	62
L-PYHE-4268-SIL	42	68
L-PYHE-4274-SIL	42	74

Code	H (in.)	W (in.)
L-PYHE-5026-SIL	50	26
L-PYHE-5032-SIL	50	32
L-PYHE-5038-SIL	50	38
L-PYHE-5044-SIL	50	44
L-PYHE-5050-SIL	50	50
L-PYHE-5056-SIL	50	56
L-PYHE-5062-SIL	50	62
L-PYHE-5068-SIL	50	68
L-PYHE-5074-SIL	50	74
Right Hand		
L-PYHE-3426-SIR	34	26
L-PYHE-3432-SIR	34	32
L-PYHE-3438-SIR	34	38
L-PYHE-3444-SIR	34	44
L-PYHE-3450-SIR	34	50
L-PYHE-3456-SIR	34	56
L-PYHE-3462-SIR	34	62
L-PYHE-3468-SIR	34	68
L-PYHE-3474-SIR	34	74

Code	H (in.)	W (in.)
L-PYHE-4226-SIR	42	26
L-PYHE-4232-SIR	42	32
L-PYHE-4238-SIR	42	38
L-PYHE-4244-SIR	42	44
L-PYHE-4250-SIR	42	50
L-PYHE-4256-SIR	42	56
L-PYHE-4262-SIR	42	62
L-PYHE-4268-SIR	42	68
L-PYHE-4274-SIR	42	74
L-PYHE-5026-SIR	50	26
L-PYHE-5032-SIR	50	32
L-PYHE-5038-SIR	50	38
L-PYHE-5044-SIR	50	44
L-PYHE-5050-SIR	50	50
L-PYHE-5056-SIR	50	56
L-PYHE-5062-SIR	50	62
L-PYHE-5068-SIR	50	68
L-PYHE-5074-SIR	50	74

HORIZONTAL GRAIN SINGLE SPAN END WITH CUTOUT



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height:	34", 42", 50"
Width:	26", 32", 38", 44", 50", 56", 62", 68", 74
Laminate:	Refer to Laminate Cards

Code	H (in.)	W (in.)
Left Hand		
L-PCHE-3426-S1L	34	26
L-PCHE-3432-S1L	34	32
L-PCHE-3438-S1L	34	38
L-PCHE-3444-S1L	34	44
L-PCHE-3450-S1L	34	50
L-PCHE-3456-S1L	34	56
L-PCHE-3462-S1L	34	62
L-PCHE-3468-S1L	34	68
L-PCHE-3474-S1L	34	74
L-PCHE-4226-S1L	42	26
L-PCHE-4232-S1L	42	32
L-PCHE-4238-S1L	42	38
L-PCHE-4244-S1L	42	44
L-PCHE-4250-S1L	42	50
L-PCHE-4256-S1L	42	56
L-PCHE-4262-S1L	42	62
L-PCHE-4268-S1L	42	68
L-PCHE-4274-S1L	42	74

Code	H (in.)	W (in.)
L-PCHE-5026-S1L	50	26
L-PCHE-5032-S1L	50	32
L-PCHE-5038-S1L	50	38
L-PCHE-5044-S1L	50	44
L-PCHE-5050-S1L	50	50
L-PCHE-5056-S1L	50	56
L-PCHE-5062-S1L	50	62
L-PCHE-5068-S1L	50	68
L-PCHE-5074-S1L	50	74
Right Hand		
L-PCHE-3426-S1R	34	26
L-PCHE-3432-S1R	34	32
L-PCHE-3438-S1R	34	38
L-PCHE-3444-S1R	34	44
L-PCHE-3450-S1R	34	50
L-PCHE-3456-S1R	34	56
L-PCHE-3462-S1R	34	62
L-PCHE-3468-S1R	34	68
L-PCHE-3474-S1R	34	74

Code	H (in.)	W (in.)
L-PCHE-4226-S1R	42	26
L-PCHE-4232-S1R	42	32
L-PCHE-4238-S1R	42	38
L-PCHE-4244-S1R	42	44
L-PCHE-4250-S1R	42	50
L-PCHE-4256-S1R	42	56
L-PCHE-4262-S1R	42	62
L-PCHE-4268-S1R	42	68
L-PCHE-4274-S1R	42	74
L-PCHE-5026-S1R	50	26
L-PCHE-5032-S1R	50	32
L-PCHE-5038-S1R	50	38
L-PCHE-5044-S1R	50	44
L-PCHE-5050-S1R	50	50
L-PCHE-5056-S1R	50	56
L-PCHE-5062-S1R	50	62
L-PCHE-5068-S1R	50	68
L-PCHE-5074-S1R	50	74

HORIZONTAL GRAIN DOUBLE SPAN END NO CUTOUT



One Piece



Two Pieces

What's Included:

42" - 86" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

98" - 146" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74", 86", 98", 110", 122", 134", 146"

Laminate: Refer to Laminate Cards

*98" width and above is 2 pieces

Code	H (in.)	W (in.)
1 Piece		
L-PYHE-3442-D1	34	42
L-PYHE-3450-D1	34	50
L-PYHE-3462-D1	34	62
L-PYHE-3474-D1	34	74
L-PYHE-3486-D1	34	86
L-PYHE-4242-D1	42	42
L-PYHE-4250-D1	42	50
L-PYHE-4262-D1	42	62
L-PYHE-4274-D1	42	74
L-PYHE-4286-D1	42	86

Code	H (in.)	W (in.)
L-PYHE-5042-D1	50	42
L-PYHE-5050-D1	50	50
L-PYHE-5062-D1	50	62
L-PYHE-5074-D1	50	74
L-PYHE-5086-D1	50	86
2 Pieces		
L-PYHE-3498-D2	34	98
L-PYHE-34110-D2	34	110
L-PYHE-34122-D2	34	122
L-PYHE-34134-D2	34	134
L-PYHE-34146-D2	34	146

Code	H (in.)	W (in.)
L-PYHE-4298-D2	42	98
L-PYHE-42110-D2	42	110
L-PYHE-42122-D2	42	122
L-PYHE-42134-D2	42	134
L-PYHE-42146-D2	42	146
L-PYHE-5098-D2	50	98
L-PYHE-50110-D2	50	110
L-PYHE-50122-D2	50	122
L-PYHE-50134-D2	50	134
L-PYHE-50146-D2	50	146

HORIZONTAL GRAIN DOUBLE SPAN END WITH CUTOUT



One Piece



Two Pieces

What's Included:

42" - 86" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

98" - 146" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74", 86", 98", 110", 122", 134", 146"

Laminate: Refer to Laminate Cards

*98" width and above is 2 pieces


Code	H (in.)	W (in.)
1 Piece		
L-PCHE-3442-D1	34	42
L-PCHE-3450-D1	34	50
L-PCHE-3462-D1	34	62
L-PCHE-3474-D1	34	74
L-PCHE-3486-D1	34	86
L-PCHE-4242-D1	42	42
L-PCHE-4250-D1	42	50
L-PCHE-4262-D1	42	62
L-PCHE-4274-D1	42	74
L-PCHE-4286-D1	42	86

Code	H (in.)	W (in.)
L-PCHE-5042-D1	50	42
L-PCHE-5050-D1	50	50
L-PCHE-5062-D1	50	62
L-PCHE-5074-D1	50	74
L-PCHE-5086-D1	50	86
2 Pieces		
L-PCHE-3498-D2	34	98
L-PCHE-34110-D2	34	110
L-PCHE-34122-D2	34	122
L-PCHE-34134-D2	34	134
L-PCHE-34146-D2	34	146

Code	H (in.)	W (in.)
L-PCHE-4298-D2	42	98
L-PCHE-42110-D2	42	110
L-PCHE-42122-D2	42	122
L-PCHE-42134-D2	42	134
L-PCHE-42146-D2	42	146
L-PCHE-5098-D2	50	98
L-PCHE-50110-D2	50	110
L-PCHE-50122-D2	50	122
L-PCHE-50134-D2	50	134
L-PCHE-50146-D2	50	146

GALLERY VERTICAL WOODGRAIN PANELS

VERTICAL GRAIN SINGLE SPAN MIDDLE



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56"


Laminate: Refer to Laminate Cards

Code	H (in.)	W (in.)
L-PYGM-3426-S1	34	26
L-PYGM-3432-S1	34	32
L-PYGM-3438-S1	34	38
L-PYGM-3444-S1	34	44
L-PYGM-3450-S1	34	50
L-PYGM-3456-S1	34	56


Code	H (in.)	W (in.)
L-PYGM-4226-S1	42	26
L-PYGM-4232-S1	42	32
L-PYGM-4238-S1	42	38
L-PYGM-4244-S1	42	44
L-PYGM-4250-S1	42	50
L-PYGM-4256-S1	42	56

Code	H (in.)	W (in.)
L-PYGM-5026-S1	50	26
L-PYGM-5032-S1	50	32
L-PYGM-5038-S1	50	38
L-PYGM-5044-S1	50	44
L-PYGM-5050-S1	50	50
L-PYGM-5056-S1	50	56

VERTICAL GRAIN DOUBLE SPAN MIDDLE



One Piece



Two Pieces

What's Included:

42" - 50" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

62" - 110" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74, 86", 98", 110"

Laminate: Refer to Laminate Cards


*62" width and above is 2 pieces

Code	H (in.)	W (in.)
1 Piece		
L-PYGM-3442-D1	34	42
L-PYGM-3450-D1	34	50
L-PYGM-4242-D1	42	42
L-PYGM-4250-D1	42	50
L-PYGM-5042-D1	50	42
L-PYGM-5050-D1	50	50
2 Pieces		
L-PYGM-3462-D2	34	62
L-PYGM-3474-D2	34	74

Code	H (in.)	W (in.)
L-PYGM-3486-D2	34	86
L-PYGM-3498-D2	34	98
L-PYGM-4262-D2	42	62
L-PYGM-4274-D2	42	74
L-PYGM-4286-D2	42	86
L-PYGM-4298-D2	42	98
L-PYGM-5062-D2	50	62
L-PYGM-5074-D2	50	74
L-PYGM-5086-D2	50	86
L-PYGM-5098-D2	50	98

Code	H (in.)	W (in.)
L-PYGM-34110-D2	34	110
L-PYGM-42110-D2	42	110
L-PYGM-50110-D2	50	110

VERTICAL GRAIN SINGLE SPAN END NO CUTOUT



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56"


Laminate: Refer to Laminate Cards

Code	H (in.)	W (in.)
Left Hand		
L-PYGE-3426-S1L	34	26
L-PYGE-3432-S1L	34	32
L-PYGE-3438-S1L	34	38
L-PYGE-3444-S1L	34	44
L-PYGE-3450-S1L	34	50
L-PYGE-3456-S1L	34	56
L-PYGE-4226-S1L	42	26
L-PYGE-4232-S1L	42	32
L-PYGE-4238-S1L	42	38
L-PYGE-4244-S1L	42	44
L-PYGE-4250-S1L	42	50
L-PYGE-4256-S1L	42	56

Code	H (in.)	W (in.)
L-PYGE-5026-S1L	50	26
L-PYGE-5032-S1L	50	32
L-PYGE-5038-S1L	50	38
L-PYGE-5044-S1L	50	44
L-PYGE-5050-S1L	50	50
L-PYGE-5056-S1L	50	56
Right Hand		
L-PYGE-3426-S1R	34	26
L-PYGE-3432-S1R	34	32
L-PYGE-3438-S1R	34	38
L-PYGE-3444-S1R	34	44
L-PYGE-3450-S1R	34	50
L-PYGE-3456-S1R	34	56

Code	H (in.)	W (in.)
L-PYGE-4226-S1R	42	26
L-PYGE-4232-S1R	42	32
L-PYGE-4238-S1R	42	38
L-PYGE-4244-S1R	42	44
L-PYGE-4250-S1R	42	50
L-PYGE-4256-S1R	42	56
L-PYGE-5026-S1R	50	26
L-PYGE-5032-S1R	50	32
L-PYGE-5038-S1R	50	38
L-PYGE-5044-S1R	50	44
L-PYGE-5050-S1R	50	50
L-PYGE-5056-S1R	50	56

VERTICAL GRAIN SINGLE SPAN END WITH CUTOUT



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56"


Laminate: Refer to Laminate Cards

Code	H (in.)	W (in.)
Left Hand		
L-PCGE-3426-S1L	34	26
L-PCGE-3432-S1L	34	32
L-PCGE-3438-S1L	34	38
L-PCGE-3444-S1L	34	44
L-PCGE-3450-S1L	34	50
L-PCGE-3456-S1L	34	56
L-PCGE-4226-S1L	42	26
L-PCGE-4232-S1L	42	32
L-PCGE-4238-S1L	42	38
L-PCGE-4244-S1L	42	44
L-PCGE-4250-S1L	42	50
L-PCGE-4256-S1L	42	56


Code	H (in.)	W (in.)
L-PCGE-5026-S1L	50	26
L-PCGE-5032-S1L	50	32
L-PCGE-5038-S1L	50	38
L-PCGE-5044-S1L	50	44
L-PCGE-5050-S1L	50	50
L-PCGE-5056-S1L	50	56
Right Hand		
L-PCGE-3426-S1R	34	26
L-PCGE-3432-S1R	34	32
L-PCGE-3438-S1R	34	38
L-PCGE-3444-S1R	34	44
L-PCGE-3450-S1R	34	50
L-PCGE-3456-S1R	34	56

Code	H (in.)	W (in.)
L-PCGE-4226-S1R	42	26
L-PCGE-4232-S1R	42	32
L-PCGE-4238-S1R	42	38
L-PCGE-4244-S1R	42	44
L-PCGE-4250-S1R	42	50
L-PCGE-4256-S1R	42	56
L-PYGE-5026-S1R	50	26
L-PYGE-5032-S1R	50	32
L-PYGE-5038-S1R	50	38
L-PYGE-5044-S1R	50	44
L-PYGE-5050-S1R	50	50
L-PYGE-5056-S1R	50	56

VERTICAL GRAIN DOUBLE SPAN END NO CUTOUT



One Piece



Two Pieces

What's Included:

42" - 50" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

62" - 110" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74, 86", 98", 110"

Laminate: Refer to Laminate Cards


*62" width and above is 2 pieces

Code	H (in.)	W (in.)
1 Piece		
L-PYGE-3442-D1	34	42
L-PYGE-3450-D1	34	50
L-PYGE-4242-D1	42	42
L-PYGE-4250-D1	42	50
L-PYGE-5042-D1	50	42
L-PYGE-5050-D1	50	50
2 Pieces		
L-PYGE-3462-D2	34	62
L-PYGE-3474-D2	34	74


Code	H (in.)	W (in.)
L-PYGE-3486-D2	34	86
L-PYGE-3498-D2	34	98
L-PYGE-4262-D2	42	62
L-PYGE-4274-D2	42	74
L-PYGE-4286-D2	42	86
L-PYGE-4298-D2	42	98
L-PYGE-5062-D2	50	62
L-PYGE-5074-D2	50	74
L-PYGE-5086-D2	50	86
L-PYGE-5098-D2	50	98

Code	H (in.)	W (in.)
L-PYGE-34110-D2	34	110
L-PYGE-42110-D2	42	110
L-PYGE-50110-D2	50	110

VERTICAL GRAIN DOUBLE SPAN END WITH CUTOUT



One Piece



Two Pieces

What's Included:

42" - 50" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

62" - 110" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74, 86", 98", 110"

Laminate: Refer to Laminate Cards

*62" width and above is 2 pieces


Code	H (in.)	W (in.)
1 Piece		
L-PCGE-3442-D1	34	42
L-PCGE-3450-D1	34	50
L-PCGE-4242-D1	42	42
L-PCGE-4250-D1	42	50
L-PCGE-5042-D1	50	42
L-PCGE-5050-D1	50	50
2 Pieces		
L-PCGE-3462-D2	34	62
L-PCGE-3474-D2	34	74

Code	H (in.)	W (in.)
L-PCGE-3486-D2	34	86
L-PCGE-3498-D2	34	98
L-PCGE-34110-D2	34	110
L-PCGE-4262-D2	42	62
L-PCGE-4274-D2	42	74
L-PCGE-4286-D2	42	86
L-PCGE-4298-D2	42	98
L-PCGE-42110-D2	42	110
L-PCGE-5062-D2	50	62
L-PCGE-5074-D2	50	74

Code	H (in.)	W (in.)
L-PCGE-5086-D2	50	86
L-PCGE-5098-D2	50	98
L-PCGE-50110-D2	50	110

GALLERY SOLID PANELS

SOLID SINGLE SPAN MIDDLE



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56", 62", 68", 74"


Laminate: Refer to Laminate Cards

Code	H (in.)	W (in.)
L-PYSM-3426-S1	34	26
L-PYSM-3432-S1	34	32
L-PYSM-3438-S1	34	38
L-PYSM-3444-S1	34	44
L-PYSM-3450-S1	34	50
L-PYSM-3456-S1	34	56
L-PYSM-3462-S1	34	62
L-PYSM-3468-S1	34	68
L-PYSM-3474-S1	34	74


Code	H (in.)	W (in.)
L-PYSM-4226-S1	42	26
L-PYSM-4232-S1	42	32
L-PYSM-4238-S1	42	38
L-PYSM-4244-S1	42	44
L-PYSM-4250-S1	42	50
L-PYSM-4256-S1	42	56
L-PYSM-4262-S1	42	62
L-PYSM-4268-S1	42	68
L-PYSM-4274-S1	42	74

Code	H (in.)	W (in.)
L-PYSM-5026-S1	50	26
L-PYSM-5032-S1	50	32
L-PYSM-5038-S1	50	38
L-PYSM-5044-S1	50	44
L-PYSM-5050-S1	50	50
L-PYSM-5056-S1	50	56
L-PYSM-5062-S1	50	62
L-PYSM-5068-S1	50	68
L-PYSM-5074-S1	50	74

SOLID DOUBLE SPAN MIDDLE



One Piece



Two Pieces

What's Included:

42" - 86" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

98" - 146" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74", 86", 98", 110", 122", 134", 146"

Laminate: Refer to Laminate Cards


*98" width and above is 2 pieces

Code	H (in.)	W (in.)
1 Piece		
L-PYSM-3442-D1	34	42
L-PYSM-3450-D1	34	50
L-PYSM-3462-D1	34	62
L-PYSM-3474-D1	34	74
L-PYSM-3486-D1	34	86
L-PYSM-4242-D1	42	42
L-PYSM-4250-D1	42	50
L-PYSM-4262-D1	42	62
L-PYSM-4274-D1	42	74
L-PYSM-4286-D1	42	86

Code	H (in.)	W (in.)
L-PYSM-5042-D1	50	42
L-PYSM-5050-D1	50	50
L-PYSM-5062-D1	50	62
L-PYSM-5074-D1	50	74
L-PYSM-5086-D1	50	86
2 Pieces		
L-PYSM-3498-D2	34	98
L-PYSM-34110-D2	34	110
L-PYSM-34122-D2	34	122
L-PYSM-34134-D2	34	134
L-PYSM-34146-D2	34	146

Code	H (in.)	W (in.)
L-PYSM-4298-D2	42	98
L-PYSM-42110-D2	42	110
L-PYSM-42122-D2	42	122
L-PYSM-42134-D2	42	134
L-PYSM-42146-D2	42	146
L-PYSM-50110-D2	50	110
L-PYSM-5098-D2	50	98
L-PYSM-50122-D2	50	122
L-PYSM-50134-D2	50	134
L-PYSM-50146-D2	50	146

SOLID SINGLE SPAN END NO CUTOUT



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56", 62", 68", 74


Laminate: Refer to Laminate Cards

Code	H (in.)	W (in.)
Left Hand		
L-PYSE-3426-S1L	34	26
L-PYSE-3432-S1L	34	32
L-PYSE-3438-S1L	34	38
L-PYSE-3444-S1L	34	44
L-PYSE-3450-S1L	34	50
L-PYSE-3456-S1L	34	56
L-PYSE-3462-S1L	34	62
L-PYSE-3468-S1L	34	68
L-PYSE-3474-S1L	34	74
L-PYSE-4226-S1L	42	26
L-PYSE-4232-S1L	42	32
L-PYSE-4238-S1L	42	38
L-PYSE-4244-S1L	42	44
L-PYSE-4250-S1L	42	50
L-PYSE-4256-S1L	42	56
L-PYSE-4262-S1L	42	62
L-PYSE-4268-S1L	42	68
L-PYSE-4274-S1L	42	74

Code	H (in.)	W (in.)
L-PYSE-5026-S1L	50	26
L-PYSE-5032-S1L	50	32
L-PYSE-5038-S1L	50	38
L-PYSE-5044-S1L	50	44
L-PYSE-5050-S1L	50	50
L-PYSE-5056-S1L	50	56
L-PYSE-5062-S1L	50	62
L-PYSE-5068-S1L	50	68
L-PYSE-5074-S1L	50	74
Right Hand		
L-PYSE-3426-S1R	34	26
L-PYSE-3432-S1R	34	32
L-PYSE-3438-S1R	34	38
L-PYSE-3444-S1R	34	44
L-PYSE-3450-S1R	34	50
L-PYSE-3456-S1R	34	56
L-PYSE-3462-S1R	34	62
L-PYSE-3468-S1R	34	68
L-PYSE-3474-S1R	34	74

Code	H (in.)	W (in.)
L-PYSE-4226-S1R	42	26
L-PYSE-4232-S1R	42	32
L-PYSE-4238-S1R	42	38
L-PYSE-4244-S1R	42	44
L-PYSE-4250-S1R	42	50
L-PYSE-4256-S1R	42	56
L-PYSE-4262-S1R	42	62
L-PYSE-4268-S1R	42	68
L-PYSE-4274-S1R	42	74
L-PYSE-5026-S1R	50	26
L-PYSE-5032-S1R	50	32
L-PYSE-5038-S1R	50	38
L-PYSE-5044-S1R	50	44
L-PYSE-5050-S1R	50	50
L-PYSE-5056-S1R	50	56
L-PYSE-5062-S1R	50	62
L-PYSE-5068-S1R	50	68
L-PYSE-5074-S1R	50	74

SOLID SINGLE SPAN END WITH CUTOUT



What's Included:

One (1) 1" thick laminate gallery panel, Two (2) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width: 26", 32", 38", 44", 50", 56", 62", 68", 74

Laminate: Refer to Laminate Cards

Code	H (in.)	W (in.)
Left Hand		
L-PCSE-3426-S1L	34	26
L-PCSE-3432-S1L	34	32
L-PCSE-3438-S1L	34	38
L-PCSE-3444-S1L	34	44
L-PCSE-3450-S1L	34	50
L-PCSE-3456-S1L	34	56
L-PCSE-3462-S1L	34	62
L-PCSE-3468-S1L	34	68
L-PCSE-3474-S1L	34	74
L-PCSE-4226-S1L	42	26
L-PCSE-4232-S1L	42	32
L-PCSE-4238-S1L	42	38
L-PCSE-4244-S1L	42	44
L-PCSE-4250-S1L	42	50
L-PCSE-4256-S1L	42	56
L-PCSE-4262-S1L	42	62
L-PCSE-4268-S1L	42	68
L-PCSE-4274-S1L	42	74


Code	H (in.)	W (in.)
L-PCSE-5026-S1L	50	26
L-PCSE-5032-S1L	50	32
L-PCSE-5038-S1L	50	38
L-PCSE-5044-S1L	50	44
L-PCSE-5050-S1L	50	50
L-PCSE-5056-S1L	50	56
L-PCSE-5062-S1L	50	62
L-PCSE-5068-S1L	50	68
L-PCSE-5074-S1L	50	74
Right Hand		
L-PCSE-3426-S1R	34	26
L-PCSE-3432-S1R	34	32
L-PCSE-3438-S1R	34	38
L-PCSE-3444-S1R	34	44
L-PCSE-3450-S1R	34	50
L-PCSE-3456-S1R	34	56
L-PCSE-3462-S1R	34	62
L-PCSE-3468-S1R	34	68
L-PCSE-3474-S1R	34	74

Code	H (in.)	W (in.)
L-PCSE-4226-S1R	42	26
L-PCSE-4232-S1R	42	32
L-PCSE-4238-S1R	42	38
L-PCSE-4244-S1R	42	44
L-PCSE-4250-S1R	42	50
L-PCSE-4256-S1R	42	56
L-PCSE-4262-S1R	42	62
L-PCSE-4268-S1R	42	68
L-PCSE-4274-S1R	42	74
L-PCSE-5026-S1R	50	26
L-PCSE-5032-S1R	50	32
L-PCSE-5038-S1R	50	38
L-PCSE-5044-S1R	50	44
L-PCSE-5050-S1R	50	50
L-PCSE-5056-S1R	50	56
L-PCSE-5062-S1R	50	62
L-PCSE-5068-S1R	50	68
L-PCSE-5074-S1R	50	74

SOLID DOUBLE SPAN END NO CUTOUT



One Piece



Two Pieces

What's Included:

42" - 86" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

98" - 146" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74", 86", 98", 110", 122", 134", 146"

Laminate: Refer to Laminate Cards


*98" width and above is 2 pieces

Code	H (in.)	W (in.)
1 Piece		
L-PYSE-3442-D1	34	42
L-PYSE-3450-D1	34	50
L-PYSE-3462-D1	34	62
L-PYSE-3474-D1	34	74
L-PYSE-3486-D1	34	86
L-PYSE-4242-D1	42	42
L-PYSE-4250-D1	42	50
L-PYSE-4262-D1	42	62
L-PYSE-4274-D1	42	74
L-PYSE-4286-D1	42	86


Code	H (in.)	W (in.)
L-PYSE-5042-D1	50	42
L-PYSE-5050-D1	50	50
L-PYSE-5062-D1	50	62
L-PYSE-5074-D1	50	74
L-PYSE-5086-D1	50	86
2 Pieces		
L-PYSE-3498-D2	34	98
L-PYSE-34110-D2	34	110
L-PYSE-34122-D2	34	122
L-PYSE-34134-D2	34	134
L-PYSE-34146-D2	34	146

Code	H (in.)	W (in.)
L-PYSE-4298-D2	42	98
L-PYSE-42110-D2	42	110
L-PYSE-42122-D2	42	122
L-PYSE-42134-D2	42	134
L-PYSE-42146-D2	42	146
L-PYSE-5098-D2	50	98
L-PYSE-50110-D2	50	110
L-PYSE-50122-D2	50	122
L-PYSE-50134-D2	50	134
L-PYSE-50146-D2	50	146

SOLID DOUBLE SPAN END WITH CUTOUT



One Piece



Two Pieces

What's Included:

42" - 86" width: One (1) 1" thick laminate gallery panel, two (2) gallery panel top brackets

98" - 146" width: Two (2) 1" thick laminate gallery panel, four (4) gallery panel top brackets

How to Specify:

Refer to laminate cards for laminate selections

Notes:

Gallery panels come with pre-drilled holes on each side and bottom notch for wire routing

Gallery panels must be used between two standard fabric or laminate panels

Gallery panels must be the same height or lower than the connecting standard fabric or laminate panel

Options:

Height: 34", 42", 50"

Width*: 42", 50", 62", 74", 86", 98", 110", 122", 134", 146"

Laminate: Refer to Laminate Cards

*98" width and above is 2 pieces


Code	H (in.)	W (in.)
1 Piece		
L-PCSE-3442-D1	34	42
L-PCSE-3450-D1	34	50
L-PCSE-3462-D1	34	62
L-PCSE-3474-D1	34	74
L-PCSE-3486-D1	34	86
L-PCSE-4242-D1	42	42
L-PCSE-4250-D1	42	50
L-PCSE-4262-D1	42	62
L-PCSE-4274-D1	42	74
L-PCSE-4286-D1	42	86

Code	H (in.)	W (in.)
L-PCSE-5042-D1	50	42
L-PCSE-5050-D1	50	50
L-PCSE-5062-D1	50	62
L-PCSE-5074-D1	50	74
L-PCSE-5086-D1	50	86
2 Pieces		
L-PCSE-3498-D2	34	98
L-PCSE-34110-D2	34	110
L-PCSE-34122-D2	34	122
L-PCSE-34134-D2	34	134
L-PCSE-34146-D2	34	146

Code	H (in.)	W (in.)
L-PCSE-4298-D2	42	98
L-PCSE-42110-D2	42	110
L-PCSE-42122-D2	42	122
L-PCSE-42134-D2	42	134
L-PCSE-42146-D2	42	146
L-PCSE-5098-D2	50	98
L-PCSE-50110-D2	50	110
L-PCSE-50122-D2	50	122
L-PCSE-50134-D2	50	134
L-PCSE-50146-D2	50	146

FRAMELESS BLADE PANELS

STANDARD & ELEVATED PANEL MOUNTED ACRYLIC



What's Included:

One (1) acrylic piece, One (1) channel extrusion,
Two (2) end caps, One (1) top trim

How to Specify:

Refer to metal finish card for metal finish options

Notes:

Acrylic Frameless Blade for Standard and Elevated Panels

One (1) acrylic piece can span the width of one or two panels up to 72"W

Options:

Height: 8", 16"

Width: 24", 30", 36", 42", 48", 54", 60", 66", 72"


Transparency: Clear, Frosted

Code	H (in.)	W (in.)
Clear Acrylic Screen		
L-VA-P-0824-C	8	24
L-VA-P-0830-C	8	30
L-VA-P-0836-C	8	36
L-VA-P-0842-C	8	42
L-VA-P-0848-C	8	48
L-VA-P-0854-C	8	54
L-VA-P-0860-C	8	60
L-VA-P-0866-C	8	66
L-VA-P-0872-C	8	72
L-VA-P-1624-C	16	24
L-VA-P-1630-C	16	30
L-VA-P-1636-C	16	36

Code	H (in.)	W (in.)
L-VA-P-1642-C	16	42
L-VA-P-1648-C	16	48
L-VA-P-1654-C	16	54
L-VA-P-1660-C	16	60
L-VA-P-1666-C	16	66
L-VA-P-1672-C	16	72
Frosted Acrylic Screen		
L-VA-P-0824-F	8	24
L-VA-P-0830-F	8	30
L-VA-P-0836-F	8	36
L-VA-P-0842-F	8	42
L-VA-P-0848-F	8	48
L-VA-P-0854-F	8	54

Code	H (in.)	W (in.)
L-VA-P-0860-F	8	60
L-VA-P-0866-F	8	66
L-VA-P-0872-F	8	72
L-VA-P-1624-F	16	24
L-VA-P-1630-F	16	30
L-VA-P-1636-F	16	36
L-VA-P-1642-F	16	42
L-VA-P-1648-F	16	48
L-VA-P-1654-F	16	54
L-VA-P-1660-F	16	60
L-VA-P-1666-F	16	66
L-VA-P-1672-F	16	72

STANDARD & ELEVATED PANEL MOUNTED GLASS



What's Included:

One (1) tempered glass piece, One (1) channel extrusion, Two (2) end caps, One (1) top trim

How to Specify:

Refer to metal finish card for metal finish options

Notes:

Glass Frameless Blade for Standard and Elevated Panels

Double span panel top mounted privacy screen can be placed across the width of two equal sized panels

One (1) glass piece can span the width of one or two panels up to 72"W

Glass is tempered

Options:

Height: 8", 16", 20"

Width: 24", 30", 36", 42", 48", 54", 60", 66", 72"


Transparency: Clear, Frosted

Code	H (in.)	W (in.)
Clear Glass Screen		
L-VG-P-0824-C	8	24
L-VG-P-0830-C	8	30
L-VG-P-0836-C	8	36
L-VG-P-0842-C	8	42
L-VG-P-0848-C	8	48
L-VG-P-0854-C	8	54
L-VG-P-0860-C	8	60
L-VG-P-0866-C	8	66
L-VG-P-0872-C	8	72
L-VG-P-1624-C	16	24
L-VG-P-1630-C	16	30
L-VG-P-1636-C	16	36
L-VG-P-1642-C	16	42
L-VG-P-1648-C	16	48
L-VG-P-1654-C	16	54
L-VG-P-1660-C	16	60
L-VG-P-1666-C	16	66
L-VG-P-1672-C	16	72

Code	H (in.)	W (in.)
L-VG-P-2024-C	20	24
L-VG-P-2030-C	20	30
L-VG-P-2036-C	20	36
L-VG-P-2042-C	20	42
L-VG-P-2048-C	20	48
L-VG-P-2054-C	20	54
L-VG-P-2060-C	20	60
L-VG-P-2066-C	20	66
L-VG-P-2072-C	20	72
Frosted Glass Screen		
L-VG-P-0824-F	8	24
L-VG-P-0830-F	8	30
L-VG-P-0836-F	8	36
L-VG-P-0842-F	8	42
L-VG-P-0848-F	8	48
L-VG-P-0854-F	8	54
L-VG-P-0860-F	8	60
L-VG-P-0866-F	8	66
L-VG-P-0872-F	8	72

Code	H (in.)	W (in.)
L-VG-P-1624-F	16	24
L-VG-P-1630-F	16	30
L-VG-P-1636-F	16	36
L-VG-P-1642-F	16	42
L-VG-P-1648-F	16	48
L-VG-P-1654-F	16	54
L-VG-P-1660-F	16	60
L-VG-P-1666-F	16	66
L-VG-P-1672-F	16	72
L-VG-P-2024-F	20	24
L-VG-P-2030-F	20	30
L-VG-P-2036-F	20	36
L-VG-P-2042-F	20	42
L-VG-P-2048-F	20	48
L-VG-P-2054-F	20	54
L-VG-P-2060-F	20	60
L-VG-P-2066-F	20	66
L-VG-P-2072-F	20	72

GALLERY MOUNTED ACRYLIC



What's Included:

One (1) acrylic piece, One (1) accessory rail channel extrusion, Two (2) end caps

How to Specify:

Refer to metal finish card for metal finish options

Notes:

Acrylic Frameless Blade for Gallery Panels

One (1) acrylic piece can span the width of one or two panels up to 72"W

Accessory rail channel extrusion can accommodate all Compass accessories except for the paper sorter

Options:

Height: 8", 16"

Width: 24", 30", 36", 42", 48", 54", 60"


Transparency: Clear, Frosted

Code	H (in.)	W (in.)
Clear Acrylic Screen		
L-VA-Y-0824-C	8	24
L-VA-Y-0830-C	8	30
L-VA-Y-0836-C	8	36
L-VA-Y-0842-C	8	42
L-VA-Y-0848-C	8	48
L-VA-Y-0854-C	8	54
L-VA-Y-0860-C	8	60
L-VA-Y-1624-C	16	24
L-VA-Y-1630-C	16	30

Code	H (in.)	W (in.)
L-VA-Y-1636-C	16	36
L-VA-Y-1642-C	16	42
L-VA-Y-1648-C	16	48
L-VA-Y-1654-C	16	54
L-VA-Y-1660-C	16	60
Frosted Acrylic Screen		
L-VA-Y-0824-F	8	24
L-VA-Y-0830-F	8	30
L-VA-Y-0836-F	8	36
L-VA-Y-0842-F	8	42

Code	H (in.)	W (in.)
L-VA-Y-0848-F	8	48
L-VA-Y-0854-F	8	54
L-VA-Y-0860-F	8	60
L-VA-Y-1624-F	16	24
L-VA-Y-1630-F	16	30
L-VA-Y-1636-F	16	36
L-VA-Y-1642-F	16	42
L-VA-Y-1648-F	16	48
L-VA-Y-1654-F	16	54
L-VA-Y-1660-F	16	60

GALLERY MOUNTED GLASS



What's Included:

One (1) tempered glass piece, One (1) accessory rail channel extrusion, Two (2) end caps

How to Specify:

Refer to metal finish card for metal finish options

Notes:

Glass Frameless Blade for Gallery Panels

One (1) glass piece can span the width of one or two panels up to 72"W

Glass is tempered

Accessory rail channel extrusion can accommodate all Compass accessories except for the paper sorter

Options:

Height: 8", 16"

Width: 24", 30", 36", 42", 48", 54", 60"

Transparency: Clear, Frosted


Code	H (in.)	W (in.)
Clear Acrylic Screen		
L-VG-Y-0824-C	8	24
L-VG-Y-0830-C	8	30
L-VG-Y-0836-C	8	36
L-VG-Y-0842-C	8	42
L-VG-Y-0848-C	8	48
L-VG-Y-0854-C	8	54
L-VG-Y-0860-C	8	60
L-VG-Y-1624-C	16	24
L-VG-Y-1630-C	16	30

Code	H (in.)	W (in.)
L-VG-Y-1636-C	16	36
L-VG-Y-1642-C	16	42
L-VG-Y-1648-C	16	48
L-VG-Y-1654-C	16	54
L-VG-Y-1660-C	16	60
Frosted Acrylic Screen		
L-VG-Y-0824-F	8	24
L-VG-Y-0830-F	8	30
L-VG-Y-0836-F	8	36
L-VG-Y-0842-F	8	42

Code	H (in.)	W (in.)
L-VG-Y-0848-F	8	48
L-VG-Y-0854-F	8	54
L-VG-Y-0860-F	8	60
L-VG-Y-1624-F	16	24
L-VG-Y-1630-F	16	30
L-VG-Y-1636-F	16	36
L-VG-Y-1642-F	16	42
L-VG-Y-1648-F	16	48
L-VG-Y-1654-F	16	54
L-VG-Y-1660-F	16	60

PANEL MOUNTED ADD-ONS

PANEL MOUNTED WHITEBOARD



What's Included:

One (1) whiteboard, Two (2) slotted channel brackets

How to Specify:

Specify width of whiteboard to match the width of the panel

Choose White, Black, Silver, Charcoal for bracket color

Notes:


Panel Mounted Whiteboard is compatible with fabric and laminate panels only

Options:

Height:	15"
Width:	24", 30", 36", 42", 48", 54", 60"

Code	H (in.)	W (in.)
L-AWP0-1524	15	24
L-AWP0-1530	15	30
L-AWP0-1536	15	36
L-AWP0-1542	15	42
L-AWP0-1548	15	48
L-AWP0-1554	15	54
L-AWP0-1560	15	60

PANEL MOUNTED WHITEBOARD



What's Included:

One (1) tackboard, Two (2) slotted channel brackets

How to Specify:

Specify width of tackboard to match the width of the panel

Refer to panel fabric cards for fabric selections

Choose White, Black, Silver, Charcoal for bracket color

Notes:

Panel Mounted Tackboard is compatible with fabric and laminate panels only

Options:

Height: 7', 15"

Width: 24", 30", 36", 42", 48", 54", 60"

Code	H (in.)	W (in.)
L-ATP0-0724	7	24
L-ATP0-0730	7	30
L-ATP0-0736	7	36
L-ATP0-0742	7	42
L-ATP0-0748	7	48
L-ATP0-0754	7	54
L-ATP0-0760	7	60

Code	H (in.)	W (in.)
L-ATP0-1524	15	24
L-ATP0-1530	15	30
L-ATP0-1536	15	36
L-ATP0-1542	15	42
L-ATP0-1548	15	48
L-ATP0-1554	15	54
L-ATP0-1560	15	60

DOORS

HINGED DOORS



Right Handed



Left Handed

What's Included:

One (1) hinged door

How to Specify:

Hinged Door laminate available in white and black

Choose Left or Right hand and connection type

Options:

Height: 82"

Width: 36", 42"

Hand: **R** right **L** left

Connection: Straight, 3-Way, 4-Way, 90 Degree

Code	H (in.)	W (in.)
Straight Connection		
L-PD00-8236-L	82	36
L-PD00-8236-R	82	36
L-PD00-8242-L	82	42
L-PD00-8242-R	82	42
3-Way Connection		
L-PD00-8236-L-3W	82	36
L-PD00-8236-R-3W	82	36
L-PD00-8242-L-3W	82	42
L-PD00-8242-R-3W	82	42

Code	H (in.)	W (in.)
4-Way Connection		
L-PD00-8236-L-4W	82	36
L-PD00-8236-R-4W	82	36
L-PD00-8242-L-4W	82	42
L-PD00-8242-R-4W	82	42
90 Degree Connection		
L-PD00-8236-L-90	82	36
L-PD00-8236-R-90	82	36
L-PD00-8242-L-90	82	42
L-PD00-8242-R-90	82	42

SLIDING ACRYLIC DOORS



Right Handed



Left Handed

What's Included:

One (1) sliding door

How to Specify:

Sliding door acrylic available in white and black

Choose Left or Right hand and acrylic transparency

Options:

Height:	66"
Bracket Width:	30", 36", 42"
Door Width:	30", 36", 42", 48", 54", 60"
Hand:	R right L left
Transparency:	Clear, Frosted, Fluted

SLIDING ACRYLIC DOORS


Code	H (in.)	W (in.)
Clear Acrylic		
L-PDSC-663030-L	66	30
L-PDSC-663036-L	66	36
L-PDSC-663042-L	66	42
L-PDSC-663048-L	66	48
L-PDSC-663054-L	66	54
L-PDSC-663060-L	66	60
L-PDSC-663636-L	66	36
L-PDSC-663642-L	66	42
L-PDSC-663648-L	66	48
L-PDSC-663654-L	66	54
L-PDSC-663660-L	66	60
L-PDSC-664242-L	66	42
L-PDSC-664248-L	66	48
L-PDSC-664254-L	66	54
L-PDSC-664260-L	66	60
L-PDSC-663030-R	66	30
L-PDSC-663036-R	66	36
L-PDSC-663042-R	66	42
L-PDSC-663048-R	66	48
L-PDSC-663054-R	66	54
L-PDSC-663060-R	66	60
L-PDSC-663636-R	66	36
L-PDSC-663642-R	66	42
L-PDSC-663648-R	66	48
L-PDSC-663654-R	66	54
L-PDSC-663660-R	66	60
L-PDSC-664242-R	66	42
L-PDSC-664248-R	66	48
L-PDSC-664254-R	66	54
L-PDSC-664260-R	66	60

Code	H (in.)	W (in.)
Frosted Acrylic		
L-PDSF-663030-L	66	30
L-PDSF-663036-L	66	36
L-PDSF-663042-L	66	42
L-PDSF-663048-L	66	48
L-PDSF-663054-L	66	54
L-PDSF-663060-L	66	60
L-PDSF-663636-L	66	36
L-PDSF-663642-L	66	42
L-PDSF-663648-L	66	48
L-PDSF-663654-L	66	54
L-PDSF-663660-L	66	60
L-PDSF-664242-L	66	42
L-PDSF-664248-L	66	48
L-PDSF-664254-L	66	54
L-PDSF-664260-L	66	60
L-PDSF-663030-R	66	30
L-PDSF-663036-R	66	36
L-PDSF-663042-R	66	42
L-PDSF-663048-R	66	48
L-PDSF-663054-R	66	54
L-PDSF-663060-R	66	60
L-PDSF-663636-R	66	36
L-PDSF-663642-R	66	42
L-PDSF-663648-R	66	48
L-PDSF-663654-R	66	54
L-PDSF-663660-R	66	60
L-PDSF-664242-R	66	42
L-PDSF-664248-R	66	48
L-PDSF-664254-R	66	54
L-PDSF-664260-R	66	60

Code	H (in.)	W (in.)
Fluted Acrylic		
L-PDSL-663030-L	66	30
L-PDSL-663036-L	66	36
L-PDSL-663042-L	66	42
L-PDSL-663048-L	66	48
L-PDSL-663054-L	66	54
L-PDSL-663060-L	66	60
L-PDSL-663636-L	66	36
L-PDSL-663642-L	66	42
L-PDSL-663648-L	66	48
L-PDSL-663654-L	66	54
L-PDSL-663660-L	66	60
L-PDSL-664242-L	66	42
L-PDSL-664248-L	66	48
L-PDSL-664254-L	66	54
L-PDSL-664260-L	66	60
L-PDSL-663030-R	66	30
L-PDSL-663036-R	66	36
L-PDSL-663042-R	66	42
L-PDSL-663048-R	66	48
L-PDSL-663054-R	66	54
L-PDSL-663060-R	66	60
L-PDSL-663636-R	66	36
L-PDSL-663642-R	66	42
L-PDSL-663648-R	66	48
L-PDSL-663654-R	66	54
L-PDSL-663660-R	66	60
L-PDSL-664242-R	66	42
L-PDSL-664248-R	66	48
L-PDSL-664254-R	66	54
L-PDSL-664260-R	66	60

CONNECTIONS & TRIMS

2-WAY CONNECTIONS



Straight

90 Degree

What's Included:

One (1) 2-way connection bracket, accompanying screws

How to Specify:


- Choose A panel or B panel type
- Choose straight or 90 degree connection

Notes:


Refer to the **Application Guidelines** section starting on page 3 for more info on connection type applications

Code
2-Way Straight Connection
L-HC2W-180-A
L-HC2W-180-B
2-Way 90 Degree Connection
L-HC2W-90-A
L-HC2W-90-B


3-WAY T CONNECTIONS




Type A



Type B



Type C



Type D

What's Included:

One (1) 3-way connection bracket, accompanying screws

How to Specify:


Choose A, B, C, or D panel type

Notes:

Refer to the **Application Guidelines** section starting on page 3 for more info on connection type applications

Code
L-HC3W-A
L-HC3W-B
L-HC3W-C
L-HC3W-D

4-WAY X CONNECTIONS



Type A



Type B



Type C



Type D

What's Included:

One (1) 4-way connection bracket, accompanying screws

How to Specify:


Choose A, B, C, or D panel type

Notes:

Refer to the **Application Guidelines** section starting on page 3 for more info on connection type applications

Code
L-HC4W-A
L-HC4W-B
L-HC4W-C
L-HC4W-D

TOP CAP



What's Included:

One (1) top cap

How to Specify:

Choose White, Black, Silver, or Charcoal


Code

L-HUFC-02

END TRIM



Full Height



Full Height
w/ Coat Hook



Partial Height

What's Included:

One (1) end trim


How to Specify:

Choose White, Black, Silver,
or Charcoal


Code	H (in.)	W (in.)
Full Height		
L-HETF-34	34	2
L-HETF-42	42	2
L-HETF-50	50	2
L-HETF-66	66	2
L-HETF-82	82	2
Full Height w/ Coat Hook		
L-HETF-34-CH	34	2
L-HETF-42-CH	42	2
L-HETF-50-CH	50	2
L-HETF-66-CH	66	2

Code	H (in.)	W (in.)
Partial Height		
L-HETP-08	8	2
L-HETP-16	16	2
L-HETP-24	24	2
L-HETP-32	32	2
L-HETP-40	40	2
L-HETP-48	48	2

T FILLERS



Full Height



Partial Height

What's Included:

One (1) T Filler

How to Specify:

Choose White, Black, Silver, or Charcoal

Code	H (in.)	W (in.)
Full Height		
L-HFTR-34	34	2
L-HFTR-42	42	2
L-HFTR-50	50	2
L-HFTR-66	66	2
L-HFTR-82	82	2
Partial Height		
L-HFTP-08	8	2
L-HFTP-16	16	2
L-HFTP-24	24	2
L-HFTP-32	32	2
L-HFTP-40	40	2

90 DEGREE FILLERS



Full Height



Partial Height

What's Included:


One (1) 90 Degree Filler

How to Specify:

Choose White, Black, Silver, or Charcoal

Code	H (in.)	W (in.)
Full Height		
L-HFNR-34	34	2
L-HFNR-42	42	2
L-HFNR-50	50	2
L-HFNR-66	66	2
L-HFNR-82	82	2
Partial Height		
L-HFNP-08	8	2
L-HFNP-16	16	2
L-HFNP-24	24	2
L-HFNP-32	32	2
L-HFNP-40	40	2
L-HFNP-48	48	2

PARTIAL HEIGHT STRAIGHT FILLER



What's Included:


One (1) Partial Height Straight Filler

How to Specify:

Choose White, Black, Silver, or Charcoal

Code	H (in.)	W (in.)
L-HFSP-08	8	2
L-HFSP-16	16	2
L-HFSP-24	24	2
L-HFSP-32	32	2
L-HFSP-40	40	2
L-HFSP-48	48	2

PARTIAL HEIGHT GALLERY PANEL FILLER



What's Included:

One (1) Partial Height Gallery Panel Filler

Notes:

Gallery Panel Filler matches laminate finish chosen on Gallery Panel

Code	H (in.)	W (in.)
L-HYP-08	8	1
L-HYP-16	16	1
L-HYP-24	24	1
L-HYP-32	32	1
L-HYP-40	40	1
L-HYP-48	48	1

ADJUSTABLE CONNECTIONS & TRIMS



Mount 2



Mount 4



Mount 6


Code	H (in.)	W (in.)	D (in.)
Mount 2			
L-HW2-34	34	2	2
L-HW2-42	42	2	2
L-HW2-50	50	2	2
L-HW2-66	66	2	2

Code	H (in.)	W (in.)	D (in.)
Mount 4			
L-HW4-34	34	2	4
L-HW4-42	42	2	4
L-HW4-50	50	2	4
L-HW4-66	66	2	4

Code	H (in.)	W (in.)	D (in.)
Mount 6			
L-HW6-34	34	2	6
L-HW6-42	42	2	6
L-HW6-50	50	2	6
L-HW6-66	66	2	6

WORKSURFACES

STRAIGHT WORKSURFACE



What’s Included:

Straight Worksurface, grommets (24 to 48-inch worksurfaces include one grommet, 54 to 84-inch worksurfaces include two grommets, 90 to 96-inch worksurfaces include three grommets).

How to Specify:

Specify laminate color.
The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.
All surface sizes are also available without grommets

Options:


Width:	18", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"
Depth:	18", 21", 24", 30", 36"
Laminate:	Refer to Laminate Cards

Code	W (in.)	D (in.)
C-WSOG-1818	18	18
C-WSOG-2418	24	18
C-WSOG-3018	30	18
C-WSOG-3618	36	18
C-WSOG-4218	42	18
C-WSOG-4818	48	18
C-WSOG-5418	54	18
C-WSOG-6018	60	18
C-WSOG-6618	66	18
C-WSOG-7218	72	18
C-WSOG-7818	78	18
C-WSOG-8418	84	18
C-WSOG-9018	90	18
C-WSOG-9618	96	18
C-WSOG-1821	18	21
C-WSOG-2421	24	21
C-WSOG-3021	30	21
C-WSOG-3621	36	21
C-WSOG-4221	42	21
C-WSOG-5421	54	21
C-WSOG-6021	60	21
C-WSOG-6621	66	21
C-WSOG-7221	72	21
C-WSOG-7821	78	21
C-WSOG-8421	84	21
C-WSOG-9021	90	21
C-WSOG-9621	96	21
C-WSOG-1824	18	24
C-WSOG-2424	24	24
C-WSOG-3024	30	24
C-WSOG-3624	36	24


Code	W (in.)	D (in.)
C-WSOG-4224	42	24
C-WSOG-4824	48	24
C-WSOG-5424	54	24
C-WSOG-6024	60	24
C-WSOG-6624	66	24
C-WSOG-7224	72	24
C-WSOG-7824	78	24
C-WSOG-8424	84	24
C-WSOG-9024	90	24
C-WSOG-9624	96	24
C-WSOG-1830	18	30
C-WSOG-2430	24	30
C-WSOG-3030	30	30
C-WSOG-3630	36	30
C-WSOG-4230	42	30
C-WSOG-4830	48	30
C-WSOG-5430	54	30
C-WSOG-6030	60	30
C-WSOG-6630	66	30
C-WSOG-7230	72	30
C-WSOG-7830	78	30
C-WSOG-8430	84	30
C-WSOG-9030	90	30
C-WSOG-9630	96	30
C-WSOG-1836	18	36
C-WSOG-2436	24	36
C-WSOG-3036	30	36
C-WSOG-3636	36	36
C-WSOG-4236	42	36
C-WSOG-4836	48	36
C-WSOG-5436	54	36

Code	W (in.)	D (in.)
C-WSOG-6036	60	36
C-WSOG-6636	66	36
C-WSOG-6636-D with side grommet	66	36
C-WSOG-7236	72	36
C-WSOG-7836	78	36
C-WSOG-8436	84	36
C-WSOG-9036	90	36
C-WSOG-9636	96	36
Tops For Laterals (no grommets)		
C-WS00-3018B	30	18.25
C-WS00-3618B	36	18.25
C-WS00-4218B	42	18.25
C-WS00-6018B	60	18.25
C-WS00-6618B	66	18.25
C-WS00-7218B	72	18.25
C-WS00-8418B	84	18.25
C-WS00-9018B	90	18.25
C-WS00-9618B	96	18.25
C-WS00-3036D	30	36.5
C-WS00-3636D	36	36.5
C-WS00-4236D	42	36.5
C-WS00-6036D	60	36.5
C-WS00-6636D	66	36.5
C-WS00-7236D	72	36.5
C-WS00-8436D	84	36.5
C-WS00-9036D	90	36.5
C-WS00-9636D	96	36.5


EXTENDED CORNER WITH CURVED FRONT



**Straight End
Right Hand**



**Straight End
Left Hand**



What's Included:

Extended Corner with curved front, grommets (48-inch worksurfaces include one grommet, 54-inch worksurfaces and above include two grommets).

How To Specify:

Specify laminate color.

The straight worksurface with curved end must be specified as left or right. When the straight end is specified, the handed end will be longer. When the curved end is specified, the handed end will be longer and curved.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

Worksurfaces 54-inches and longer require a horizontal surface support (L-CH00), which must be specified separately.


Options:

Hand:	R right	L left
Length:	42", 48", 54", 60", 66", 72"	
Width:	36", 42", 48"	
Depth:	18", 24", 30"	
Laminate:	Refer to Laminate Cards	

Code	L (in.)	W (in.)	D (in.)
C-W5E0-4218-L	42	36	18
C-W5E0-4218-R	42	36	18
C-W5E0-4818-L	48	36	18
C-W5E0-4818-R	48	36	18
C-W5E0-4824-L	48	42	24
C-W5E0-4824-R	48	42	24
C-W5E0-5418-L	54	36	18
C-W5E0-5418-R	54	36	18
C-W5E0-5424-L	54	42	24
C-W5E0-5424-R	54	42	24
C-W5E0-5430-L	54	48	30

Code	L (in.)	W (in.)	D (in.)
C-W5E0-5430-R	54	48	30
C-W5E0-6018-L	60	36	18
C-W5E0-6018-R	60	36	18
C-W5E0-6024-L	60	42	24
C-W5E0-6024-R	60	42	24
C-W5E0-6030-L	60	48	30
C-W5E0-6030-R	60	48	30
C-W5E0-6630-L	66	48	30
C-W5E0-6630-R	66	48	30
C-W5E0-7230-L	72	48	30
C-W5E0-7230-R	72	48	30

5-SIDED CORNER WITH STRAIGHT FRONT



What's Included:

5-Sided Corner Worksurface with straight front, grommet

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

Options:


Width: 36", 42", 48"

Depth: 18", 24", 30"

Laminate: Refer to Laminate Cards

Code	W (in.)	D (in.)
C-W5S0-3618	36	18
C-W5S0-3624	36	24
C-W5S0-4224	42	24
C-W5S0-4824	48	24
C-W5S0-4830	48	30

5-SIDED CORNER WITH CURVED FRONT



What's Included:

5-Sided Corner Worksurface with curved front, grommet

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

Options:


Width: 36", 42", 48"

Depth: 18", 24", 30"


Laminate: Refer to Laminate Cards

Code	W (in.)	D (in.)
C-W5C0-3618	36	18
C-W5C0-3624	36	24
C-W5C0-4224	42	24
C-W5C0-4824	48	24
C-W5C0-4830	48	30


PANEL-MOUNTED D-TABLE



30-inches



36-inches



What's Included:

Panel-Mounted D-Table, metal support post, laminate partial modesty panel.

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color and metal support finish.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

The color of the modesty panel will default to match the worksurface.

Options:

Grommet: **O** without **G** with

Width: 60", 66", 72", 78", 84"

Depth: 30", 36"


Laminate: Refer to Laminate Cards

Metal Support: White, Black, Silver Charcoal


Code	W (in.)	D (in.)
Without Grommet		
C-WD00-6030	60	30
C-WD00-6036	60	36
C-WD00-6630	66	30
C-WD00-6636	66	36
C-WD00-7230	72	30
C-WD00-7236	72	36
C-WD00-7830	78	30
C-WD00-7836	78	36
C-WD00-8430	84	30
C-WD00-8436	84	36

Code	W (in.)	D (in.)
With Grommet		
C-WD0G-6030	60	30
C-WD0G-6036	60	36
C-WD0G-6630	66	30
C-WD0G-6636	66	36
C-WD0G-7230	72	30
C-WD0G-7236	72	36
C-WD0G-7830	78	30
C-WD0G-7836	78	36
C-WD0G-8430	84	30
C-WD0G-8436	84	36


PANEL-MOUNTED J-TABLE



right hand



left hand



What's Included:

Panel-Mounted J-Table, grommet, metal support post, laminate partial modesty panel.

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color and metal support finish.

The panel-mounted J-table must be specified as left or right. The handed end is the longer side of the J-tab

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

The color of the modesty will default to match the worksurface.



Options:

Hand:	R right	L left
Length:	60", 66", 72", 78"	
Width:	42", 48"	
Depth:	24", 30"	
Laminate:	Refer to Laminate Cards	
Metal Support:	White, Black, Silver Charcoal	

Code	L (in.)	W (in.)	D (in.)
C-WJ0G-6024-L	60	42	24
C-WJ0G-6024-R	60	42	24
C-WJ0G-6030-L	60	48	30
C-WJ0G-6030-R	60	48	30
C-WJ0G-6624-L	66	42	24
C-WJ0G-6624-R	66	42	24
C-WJ0G-6630-L	66	48	30
C-WJ0G-6630-R	66	48	30

Code	L (in.)	W (in.)	D (in.)
C-WJ0G-7224-L	72	42	24
C-WJ0G-7224-R	72	42	24
C-WJ0G-7230-L	72	48	30
C-WJ0G-7230-R	72	48	30
C-WJ0G-7824-L	78	42	24
C-WJ0G-7824-R	78	42	24
C-WJ0G-7830-L	78	48	30
C-WJ0G-7830-R	78	48	30

C-TABLE EXTENSION



What's Included:

C-Table Extension, metal support post

How To Specify:

Specify laminate color and metal support finish.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Options:

Width: 39", 51", 63"



Depth: 16", 21", 26"

Laminate: Refer to Laminate Cards

Metal Support: White, Black, Silver Charcoal

Code	W (in.)	D (in.)
C-WC00-3916	39	16
C-WC00-5121	51	21
C-WC00-6326	63	26

U-TABLE EXTENSION



What's Included:

U-Table Extension, metal support post

How To Specify:

Specify laminate color and metal support finish.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Options:

Width: 39", 51", 63"


Depth: 18", 24", 28"

Laminate: Refer to Laminate Cards

Metal Support: White, Black, Silver Charcoal

Code	W (in.)	D (in.)
C-WU00-3918	39	18
C-WU00-5124	51	24
C-WU00-6328	63	28

LAMINATE COUNTERTOP



What's Included:

Laminate countertop, installation hardware, two post legs.

How To Specify:

Specify laminate color and metal support finish.

When the laminate countertop is to be mounted over a single panel frame, specify the countertop to be the same width as the panel frame. When it is to be mounted over two panel frames, specify the countertop to be the total width of the two panel frames.

Options:


Width:	24", 30", 36", 42", 48", 54", 60"			
Depth:	15"			
Configuration:	A 90-degree	B 120-degree	C 135-degree	O 180-degree
Laminate:	Refer to Laminate Cards			
Metal Support:	White, Black, Silver Charcoal			

Code	W (in.)	D (in.)
90-degree corner (single)		
C-WTLA-2415-L	24	15
C-WTLA-2415-R	24	15
C-WTLA-3015-L	30	15
C-WTLA-3015-R	30	15
C-WTLA-3615-L	36	15
C-WTLA-3615-R	36	15
C-WTLA-4215-L	42	15
C-WTLA-4215-R	42	15
C-WTLA-4815-L	48	15
C-WTLA-4815-R	48	15
C-WTLA-5415-L	54	15
C-WTLA-5415-R	54	15
C-WTLA-6015-L	60	15
C-WTLA-6015-R	60	15
90-degree corner (dual)		
C-WTLA-2415	24	15
C-WTLA-3015	30	15
C-WTLA-3615	36	15
C-WTLA-4215	42	15
C-WTLA-4815	48	15
C-WTLA-5415	54	15
C-WTLA-6015	60	15
120-degree corner (single)		
C-WTLB-2415-L	24	15
C-WTLB-2415-R	24	15

Code	W (in.)	D (in.)
C-WTLB-3015-L	30	15
C-WTLB-3015-R	30	15
C-WTLB-3615-L	36	15
C-WTLB-3615-R	36	15
C-WTLB-4215-L	42	15
C-WTLB-4215-R	42	15
C-WTLB-4815-L	48	15
C-WTLB-4815-R	48	15
C-WTLB-5415-L	54	15
C-WTLB-5415-R	54	15
C-WTLB-6015-L	60	15
C-WTLB-6015-R	60	15
120-degree corner (dual)		
C-WTLB-2415	24	15
C-WTLB-3015	30	15
C-WTLB-3615	36	15
C-WTLB-4215	42	15
C-WTLB-4815	48	15
C-WTLB-5415	54	15
C-WTLB-6015	60	15
135-degree corner (single)		
C-WTLC-2415-L	24	15
C-WTLC-2415-R	24	15
C-WTLC-3015-L	30	15
C-WTLC-3015-R	30	15
C-WTLC-3615-L	36	15

Code	W (in.)	D (in.)
C-WTLC-3615-R	36	15
C-WTLC-4215-L	42	15
C-WTLC-4215-R	42	15
C-WTLC-4815-L	48	15
C-WTLC-4815-R	48	15
C-WTLC-5415-L	54	15
C-WTLC-5415-R	54	15
C-WTLC-6015-L	60	15
C-WTLC-6015-R	60	15
135-degree corner (dual)		
C-WTLC-2415	24	15
C-WTLC-3015	30	15
C-WTLC-3615	36	15
C-WTLC-4215	42	15
C-WTLC-4815	48	15
C-WTLC-5415	54	15
C-WTLC-6015	60	15
180-Degree		
C-WTLO-2415	24	15
C-WTLO-3015	30	15
C-WTLO-3615	36	15
C-WTLO-4215	42	15
C-WTLO-4815	48	15
C-WTLO-5415	54	15
C-WTLO-6015	60	15

TRANSACTION TOP



What's Included:

One (1) transaction top, Four (4) cantilever brackets

How To Specify:

Match the transaction top to the corresponding panel width

Refer to laminate card for laminate options

Choose White, Black, Silver, Charcoal for cantilever color

Options:

Width: 24", 30", 36", 42", 48", 54", 60"

Depth: 15"

Thickness: 1"


Laminate: Refer to Laminate Cards

Cantilever Finish: White, Black, Silver Charcoal

Code	H (in.)	W (in.)
L-WTT-2415	24	15
L-WTT-3015	30	15
L-WTT-3615	36	15
L-WTT-4215	42	15
L-WTT-4815	48	15
L-WTT-5415	54	15
L-WTT-6015	60	15

SUPPORTS

STANDARD PANEL LADDER GABLE



What's Included:

One (1) ladder gable, one (1) panel mount bracket, one (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, or Charcoal for metal color

Notes:

Gable can be used with worksurface with grommet or without grommet

Mid gable is used at the surface joint

Options:


Height:	28"		
Width:	20", 24", 30"		
Depth:	2"		
End Gable:	R right hand	L left hand	or Mid
Metal Powder Coat Paint:	White, Black, Silver, Charcoal		

Code	H (in.)	W (in.)
Left Hand		
L-HOEG-P-2820-L	28	20
L-HOEG-P-2824-L	28	24
L-HOEG-P-2830-L	28	30

Code	H (in.)	W (in.)
Right Hand		
L-HOEG-P-2820-R	28	20
L-HOEG-P-2824-R	28	24
L-HOEG-P-2830-R	28	30

Code	H (in.)	W (in.)
Mid		
L-HOMG-P-2820	28	20
L-HOMG-P-2824	28	24
L-HOMG-P-2830	28	30

GALLERY PANEL LADDER GABLE



What's Included:

One (1) ladder gable, one (1) panel mount bracket, one (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, or Charcoal for metal color

Notes:

Gable can be used with worksurface with grommet or without grommet

Mid gable is used at the surface joint

Options:


Height:	28"		
Width:	20", 24", 30"		
Depth:	2"		
End Gable:	R right hand	L left hand	or Mid
Metal Powder Coat Paint:	White, Black, Silver, Charcoal		

Code	H (in.)	W (in.)
Left Hand		
L-HOEG-Y-2820-L	28	20
L-HOEG-Y-2824-L	28	24
L-HOEG-Y-2830-L	28	30

Code	H (in.)	W (in.)
Right Hand		
L-HOEG-Y-2820-R	28	20
L-HOEG-Y-2824-R	28	24
L-HOEG-Y-2830-R	28	30

Code	H (in.)	W (in.)
Mid		
L-HOMG-Y-2820	28	20
L-HOMG-Y-2824	28	24
L-HOMG-Y-2830	28	30

FREESTANDING LADDER GABLE



What's Included:

One (1) ladder gable, one (1) panel mount bracket, one (1) surface to gable connector

How to Specify:

Choose White, Black, Silver, or Charcoal for metal color

Notes:

Gable can be used with worksurface with grommet or without grommet


Freestanding gable is used when one side of the surface is connected to a panel and the other is open

Options:

Height:	28"
Width:	20", 24", 30"
Depth:	2"
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

Code	H (in.)	W (in.)
Freestanding		
L-HOEG-S-2820	28	20
L-HOEG-S-2824	28	24
L-HOEG-S-2830	28	30

STANDARD PANEL LAMINATE GABLE



What's Included:

One (1) laminate gable, one (1) panel mount bracket, one (1) surface to gable connector

How to Specify:

Refer to laminate card for laminate options

Choose White, Black, Silver, or Charcoal for metal color

Notes:

Gable can be used with worksurface with grommet or without grommet


Options:

Height:	28"
Width:	12", 20", 24", 30"
Depth:	2"
End Gable:	R right hand L left hand
Laminate:	Refer to Laminate Cards
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

Code	H (in.)	W (in.)
Left Hand		
L-HCEG-P-2812-L	28	12
L-HCEG-P-2820-L	28	20
L-HCEG-P-2824-L	28	24
L-HCEG-P-2830-L	28	30

Code	H (in.)	W (in.)
Right Hand		
L-HCEG-P-2812-R	28	12
L-HCEG-P-2820-R	28	20
L-HCEG-P-2824-R	28	24
L-HCEG-P-2830-R	28	30

GALLERY PANEL LAMINATE GABLE



What's Included:

One (1) laminate gable, one (1) panel mount bracket, one (1) surface to gable connector

How to Specify:

Refer to laminate card for laminate options

Choose White, Black, Silver, or Charcoal for metal color

Notes:

Gable can be used with worksurface with grommet or without grommet


Options:

Height:	28"	
Width:	12", 20", 24", 30"	
Depth:	2"	
End Gable:	R right hand	L left hand
Laminate:	Refer to Laminate Cards	
Metal Powder Coat Paint:	White, Black, Silver, Charcoal	

Code	H (in.)	W (in.)
Left Hand		
L-HCEG-Y-2812-L	28	12
L-HCEG-Y-2820-L	28	20
L-HCEG-Y-2824-L	28	24
L-HCEG-Y-2830-L	28	30

Code	H (in.)	W (in.)
Right Hand		
L-HCEG-Y-2812-R	28	12
L-HCEG-Y-2820-R	28	20
L-HCEG-Y-2824-R	28	24
L-HCEG-Y-2830-R	28	30

FREESTANDING LAMINATE GABLE



What's Included:

One (1) laminate gable, one (1) surface to gable connector

How to Specify:

Refer to laminate card for laminate options

Choose White, Black, Silver, or Charcoal for metal color

Notes:

Gable can be used with worksurface with grommet or without grommet


Freestanding gable is used when one side of the surface is connected to a panel and the other is open

Options:

Height:	28"
Width:	20", 24", 30"
Depth:	2"
Laminate:	Refer to Laminate Cards
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

Code	H (in.)	W (in.)
Freestanding		
L-HCEG-S-2820	28	20
L-HCEG-S-2824	28	24
L-HCEG-S-2830	28	30

STANDARD PANEL WRAP GABLE



What's Included:

One (1) wrap gable, one (1) panel mount bracket, one (1) surface to gable connector

How to Specify:

Refer to laminate card for laminate options

Choose White, Black, Silver, or Charcoal for metal color

Notes:

Gable can be used with worksurface with grommet or without grommet


Options:

Height:	28"
Width:	20", 24", 30"
Depth:	2"
End Gable:	R right hand L left hand
Laminate:	Refer to Laminate Cards
Metal Powder Coat Paint:	White, Black, Silver, Charcoal

Code	H (in.)	W (in.)
Left Hand		
L-HWEG-P-2820-L	28	20
L-HWEG-P-2820-L	28	20
L-HWEG-P-2820-L	28	20

Code	H (in.)	W (in.)
Right Hand		
L-HWEG-P-2820-R	28	20
L-HWEG-P-2824-R	28	24
L-HWEG-P-2830-R	28	30

GALLERY PANEL WRAP GABLE



What's Included:

One (1) wrap gable, one (1) panel mount bracket, one (1) surface to gable connector

How to Specify:

Refer to laminate card for laminate options

Choose White, Black, Silver, or Charcoal for metal color

Notes:

Gable can be used with worksurface with grommet or without grommet


Options:

Height:	28"
Width:	20", 24", 30"
Depth:	2"
End Gable:	R right hand L left hand
Laminate:	Refer to Laminate Cards
Metal Powder Coat Paint:	White, Black, Silver, Charcoal


Code	H (in.)	W (in.)
Left Hand		
L-HWEG-Y-2820-L	28	20
L-HWEG-Y-2824-L	28	24
L-HWEG-Y-2830-L	28	30

Code	H (in.)	W (in.)
Right Hand		
L-HWEG-Y-2820-R	28	20
L-HWEG-Y-2824-R	28	24
L-HWEG-Y-2830-R	28	30

CANTILEVERS



Standard Panel Mounted
Cantilever Arm



Gallery Panel Mounted
Cantilever Arm

What's Included:

One (1) panel mounted cantilever arm

How to Specify:

Choose Left, Right, or Intermediate

Notes:

Cantilever available in black only

Options:


Depth: 16", 22"

End Gable: **R** right hand **L** left hand or Intermediate

Code	D (in.)
Standard Left Hand	
L-CCAB-P-16-L	16
L-CCAB-P-22-L	22
Standard Right Hand	
L-CCAB-P-16-R	16
L-CCAB-P-22-R	22
Standard Intermediate	
L-CCAB-P-16	16
L-CCAB-P-22	22

Code	D (in.)
Gallery Left Hand	
L-CCAB-Y-16-L	16
L-CCAB-Y-22-L	22
Gallery Right Hand	
L-CCAB-Y-16-R	16
L-CCAB-Y-22-R	22
Gallery Intermediate	
L-CCAB-Y-16	16
L-CCAB-Y-22	22

STANDARD PANEL MOUNT CORNER BRACKET



Code
Left Hand
L-HCB-P-L
Right Hand
L-HCB-P-R

What's Included:

One (1) standard panel mounted corner bracket


How to Specify:

Choose Left or Right

Notes:

Corner bracket available in black only

FLUSH PLATE



Code
L-PWW

What's Included:

One (1) flush plate

How to Specify:

Choose White, Black, Silver, or Charcoal for metal color


Notes:

Flush plate is used at surface joint to connect two surfaces together

Options:

Metal Powder Coat Paint: White, Black, Silver, Charcoal

FIXED CREDENZA SUPPORT BRACKET



Code

L-HCFM

What's Included:

One (1) fixed credenza support bracket


How to Specify:

Choose White, Black, Silver, or Charcoal for metal color

Options:

Metal Powder Coat Paint: White, Black, Silver, Charcoal

HORIZONTAL SURFACE SUPPORT



What's Included:

One (1) Horizontal Surface Support, installation hardware

How to Specify:

Available in silver only

Notes:

The horizontal surface support is used to support worksurfaces 54-inches and longer.

This item is mounted to the underside of a worksurface.


Code	W (in.)
L-CH00-54	51
L-CH00-60	57
L-CH00-66	63
L-CH00-72	69
L-CH00-78	75

Options:


Length: 51", 57", 63", 69", 75"

ELECTRICS

POWER MODULE



Single Sided



Double Sided

What's Included:

One (1) single power module with four (4) ac outlets or one (1) double sided power module with eight (8) ac outlets (four on each side)

How to Specify:

Available in grey only
Single sided, double sided

Notes:


Power modules are installed in the center cut out power capable panels only
Double sided power module has four (4) ac outlets on each side
Refer to Compass electrical specification guide for more information

Options:

Width:	6"
Depth:	3"
Sided:	S single D double

Code
Single Sided
L-EM84-S
Double Sided
L-EM84-D

CONNECTOR HARNESS



What's Included:

One (1) connector harness

How to Specify:

Available in grey only

Single sided, double sided

Notes:

Connector harness is used to connect two power modules together


Refer to installation guide for connector harness length calculation

Options:

Length: 22"-181" in 3" increments

Code	L (in.)	Code	L (in.)	Code	L (in.)	Code	L (in.)
L-EH84-22	22	L-EH84-64	64	L-EH84-106	106	L-EH84-148	148
L-EH84-25	25	L-EH84-67	67	L-EH84-109	109	L-EH84-151	151
L-EH84-28	28	L-EH84-70	70	L-EH84-112	112	L-EH84-154	154
L-EH84-31	31	L-EH84-73	73	L-EH84-115	115	L-EH84-157	157
L-EH84-34	34	L-EH84-76	76	L-EH84-118	118	L-EH84-160	160
L-EH84-37	37	L-EH84-79	79	L-EH84-121	121	L-EH84-163	163
L-EH84-40	40	L-EH84-82	82	L-EH84-124	124	L-EH84-166	166
L-EH84-43	43	L-EH84-85	85	L-EH84-127	127	L-EH84-169	169
L-EH84-46	46	L-EH84-88	88	L-EH84-130	130	L-EH84-172	172
L-EH84-49	49	L-EH84-91	91	L-EH84-133	133	L-EH84-175	175
L-EH84-52	52	L-EH84-94	94	L-EH84-136	136	L-EH84-178	178
L-EH84-55	55	L-EH84-97	97	L-EH84-139	139	L-EH84-181	181
L-EH84-58	58	L-EH84-100	100	L-EH84-142	142		
L-EH84-61	61	L-EH84-103	103	L-EH84-145	145		

STARTER HARNESS



What's Included:

One (1) open wire starter harness

How to Specify:

Available in grey only

Single sided, double sided

Notes:

Compass electrical system is rated for 20 amps


Recommended up to 8 workstations hardwired to one power source

Code	L (in.)
L-ES84-072-0	72
L-ES84-168-0	168

Options:

Length: 72", 168"

MALE TO FEMALE EXTENSION HARNESS



What's Included:

One (1) male to female extension harness

How to Specify:

Available in grey only

Single sided, double sided

Notes:


Male to female extension is used to extend length of the starter harness

Code	L (in.)
L-E8FM-044	44
L-E8FM-122	122

Options:

Length: 44", 122"


POWER POLE



For 3-way Connection



For 4-way Connection



For 90 Degree Connection

What's Included:

One (1) power pole, chosen mounting hardware

How to Specify:

Specify type based on panel connection: 90 degree, 3-way T, 4 way X and gallery panel mount

Notes:

90 degree, 3-way T and 4-way X must be used with same height connecting panels

Use gallery panel mount type at the end of a run

Options:


Height: standard panel - 96", 123" gallery panel - 144"

Hand (for standard): **3W** 3-way **4W** 4-way **N** 90 degree


Code	H (in.)
Standard Panel	
L-EP-P-120-3W	120
L-EP-P-120-4W	120
L-EP-P-120-N	120
L-EP-P-96-3W	96
L-EP-P-96-4W	96
L-EP-P-96-N	96

Code	H (in.)
Gallery Panel	
L-EP-Y-144	144

COMMUNICATION KIT



Type 1 - RJ11/45



Type 6 - RJ45/45

What's Included:

One (1) data plate with three (3) openings and chosen combination of RJ11/RJ45

How to Specify:

Specify RJ11 for phone connection

Specify RJ45 for data connection

Notes:

Data is placed on the right hand side of the cutout in the panel raceway

Code

Type 1

L-ECK1

Type 6

L-ECK6


Options:

Height: 2"

Width: 4"

Panel Cutout: width - 2 3/4" height 1 3/8"

CONVERSION KIT



What's Included:

One (1) power module mounting bracket

Notes:

Used to convert a non-power capable panel to a power capable panel
To be placed in the of the non-power capable panel raceway to convert to a power capable


Power module to be specified separately

Code

RI-0300

STORAGE

OVERHEAD FLIPPER CABINET



What's Included:

One (1) flipper cabinet

How to Specify:

Choose white, black, silver, charcoal for metal face and body

Notes:

Cabinets are panel mounted
Locks can be keyed alike or random
Flipper cabinet slides are easy-down pneumatic


Options:

Height*:	16"
Width:	30", 36", 42", 48", 54", 60"
Depth*:	15"
Metal:	White, Black, Silver, Charcoal

*Internal cabinet height and width is 13"

Code	W (in.)
L-SPFM-1530-P	30
L-SPFM-1536-P	36
L-SPFM-1542-P	42
L-SPFM-1548-P	48
L-SPFM-1554-P	54
L-SPFM-1560-P	60

OVERHEAD METAL SHELF



What's Included:

One (1) metal shelf

How to Specify:

Choose white, black, silver, or charcoal for metal shelf

Notes:

Shelves are panel mounted


Options:

Height:	6"
Width:	30", 36", 42", 48", 54", 60"
Depth:	12"
Metal:	White, Black, Silver, Charcoal

Code	W (in.)
L-SOOM-1230	30
L-SOOM-1236	36
L-SOOM-1242	42
L-SOOM-1248	48
L-SOOM-1254	54
L-SOOM-1260	60

ACCESSORIES

CABLE MANAGER



What's Included:

One (1) cable manager

How to Specify:


Available in black only

Options:

Length: 12", 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"

Code	W (in.)
L-EWHB-12	12
L-EWHB-18	18
L-EWHB-24	24
L-EWHB-30	30
L-EWHB-36	36
L-EWHB-42	42
L-EWHB-48	48
L-EWHB-54	54
L-EWHB-60	60
L-EWHB-66	66
L-EWHB-72	72

STORAGE MOUNTED TASK LIGHT



Mocha Lighting

What's Included:

One (1) Task Light, installation hardware

How to Specify:

This product is available only in silver

Notes:

The task light can be mounted beneath an overhead cabinet or shelf to provide focused lighting within the workstation


Simple plug-in daisy chain configuration. No configuration required

Options:


Width:	12", 22", 31", 40"
Cable:	optional 18" cable

Code	W (in.)
569100	12
569101	22
569102	31
569103	40


WORK ORGANIZERS




Pencil Holder



Paper Tray - Legal



Paper Tray - Letter



Document Sorter

What's Included:


One (1) specified work organizer

How to Specify:

Choose white, black, silver, or charcoal metal finish

Product	Code	H (in.)	W (in.)	D (in.)
Pen Holder	L-AAP0	6	4	2
Legal Paper Tray	L-AAP-13	11	13	1
Letter Paper Tray	L-AAP-9	11	9	1
Paper Sorter	L-AAS	10	10	10

ACCESSORY RAIL



What's Included:

One (1) accessory rail

How to Specify:

Choose white, black, silver, or charcoal metal finish

Notes:


Accessory rail is panel mounted

Options:


Height:	3"
Width:	24", 30", 36", 42", 48", 54", 60"

Code	W (in.)
L-AR-24	24
L-AR-30	30
L-AR-36	36
L-AR-42	42
L-AR-48	48
L-AR-54	54
L-AR-60	60

DRAWERS



Pencil Tray



Personal Locking

What's Included:

One (1) Drawer, installation hardware, mounting slides

Notes:

Drawers provide compartmentalized storage below the worksurface.

Options:

Finish: pencil tray - black only personal locking - metal colors

Product	Code	W (in.)	D (in.)
Pencil Tray	L-ADPP	21	16.125
Personal Locking	NFC7657889-LL	21.75	17.25