

GALAXY

SPEC GUIDE & PARTS LIST

CALCTRA
Career Training | Quality Products | Changed Lives

OVERVIEW

Variable Height Panel Combinations.....	2
Maximum Span of Panels	3
Electrical Cable Length Calculation	4

PANEL FRAMES & CONNECTORS

Panel Frame	5
Panel Frame for Full Acrylic Panel	7
Panel Frame with Countertop Capability	9
Panel Frame with Flip-Up Capability	11
Stack-On Panel Frame	13
Panel Door	15
Acrylic Sliding Door	16
End Trim	17
Wall-To-Panel Connector.....	18
T-Connection Filler.....	19
90-Degree Filler	20
180-Degree Straight Filler	21
180-Degree 2-Way Connector	22
120-Degree 2-Way Connection Filler	23
120-Degree 3-Way Connection Filler	24
4-Way Connection Filler.....	25
Floor Grippers.....	26

TILES

Acoustic Tackable Fabric Tile	27
Monolithic Fabric Tile	28
Acrylic Tile.....	29
Magnetic Whiteboard Tile	30
Laminate Tile.....	31
Monolithic Laminate Tile	32
Extended Monolithic Laminate Tile	33
Perforated Metal Tile.....	34
Pass-Through Tile.....	35
Fabric Flip-Up Belt Line.....	36
Accessory Tile.....	37

WORKSURFACES

Straight Worksurface.....	38
Extended Corner with Curved Front.....	40
5-Sided Corner with Straight Front	41

5-Sided Corner with Curved Front	42
Panel Mounted D-Table.....	43
Panel Mounted J-Table	44
C-Table Extension	45
U-Table Extension	46
Tempered Glass Transaction Top.....	47
Laminate Counter Top.....	48

WORKSURFACE SUPPORTS

Cantilever Arm	50
Universal Bracket.....	51
Single Post.....	59
Laminate Gable.....	52
Intermediate Gable.....	53
Open Metal Gable.....	54

MOUNTED STORAGE

Panel Mounted Flipper Cabinet	55
Suspended Flipper Cabinet.....	56
Open Metal Shelf.....	57

ACCESSORIES


Work Organizers.....	58
Accessory Bar.....	59
Drawers.....	60
Coat Hook.....	60
Name Plate Holders.....	60
Top Trim Mounted Privacy Screen	61
Worksurface Edge Mounted Screen.....	62
Panel Mounted Privacy Screen.....	63

ELECTRICS, COMMUNICATION, & LIGHTING

Storage Mounted Task Light.....	65
Power Modules.....	66
Electric Starter Harness.....	67
Communication Kit.....	68
Power Pole.....	69
Belt-Line Electrics Power Module	70
Horizontal Wire Manager	71
Connector Harness	72
Male/Female Extension Harness.....	73


VARIABLE HEIGHT PANEL COMBINATIONS

Galaxy offers the flexibility of 90, 180, 120, and 135 degree connections at varying heights. Illustrated below are a few connection possibilities for Galaxy panel frames.



MAXIMUM SPAN OF PANELS



When specifying Galaxy, it is important to be mindful of the width that panels are required to span. The following examples illustrate the maximum width that panels can span before they need to be supported by a return panel or wall.



ELECTRICAL CABLE LENGTH CALCULATION

Use the following diagrams to calculate baseline and belt-line cabling requirements.



electrical cable length calculation
on a straight panel connection



$$L_{\text{BASE}} = \frac{M1 + M2}{2} - 8"$$

$$L_{\text{BELT}} = \frac{M1 + M2}{2} + 3" - A2 - A2 (A3) (A3)$$



electrical cable length calculation
on a corner, T- or X-panel connection



$$L_{\text{BASE}} = \frac{M1 + M2}{2} + 3" - 8"$$

$$L_{\text{BELT}} = \frac{M1 + M2}{2} + 6" - A2 - A2 (A3) (A3)$$



electrical cable length calculation
on a straight panel connection



$$L_A = \frac{M1 + M2}{2} + 24" - A1 - A2 (A3)$$

$$L_B = M + 21" - A1 - A2 (A3)$$

electrical cable length calculation
on a corner, T- or X-panel connection




$$L_A = \frac{M1 + M2}{2} + 24" + 3" - A1 - A2 (A3)$$

$$L_B = M + 21" - A1 - A2 (A3)$$

PANEL FRAMES & CONNECTORS

PANEL FRAME



What's Included:

Panel frame, metal base raceway, metal to metal connection hardware

How to Specify:

Specify panel trim finish.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

Any Galaxy stack-on frame of the same width can be stacked on top of this panel frame.

An 8 wire, 4 circuit electrical system is available for the base-line or belt-line. 37-inch panel frames do not accommodate a flip-up belt-line tile. See the **Panel Frame With Flip-Up Capability** page when this function is required.

Power and communications can be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section for details.

29" height not pictured (no horizontal cross bar)

Options:


height	29, 37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors
panel trim	style
power	8 wire 4 circuit electrical system (to be specified separately)

PANEL FRAME


Code	H (In.)	W (In.)
C-PF00-2918	29	18
C-PF00-2924	29	24
C-PF00-2930	29	30
C-PF00-2936	29	36
C-PF00-2942	29	42
C-PF00-2948	29	48
C-PF00-2954	29	54
C-PF00-2960	29	60
C-PF00-3718	37	18
C-PF00-3724	37	24
C-PF00-3730	37	30
C-PF00-3736	37	36
C-PF00-3742	37	42
C-PF00-3748	37	48
C-PF00-3754	37	54
C-PF00-3760	37	60
C-PF00-4518	45	18
C-PF00-4524	45	24
C-PF00-4530	45	30
C-PF00-4536	45	36
C-PF00-4542	45	42
C-PF00-4548	45	48
C-PF00-4554	45	54
C-PF00-4560	45	60
C-PF00-5318	53	18
C-PF00-5324	53	24
C-PF00-5330	53	30
C-PF00-5336	53	36
C-PF00-5342	53	42
C-PF00-5348	53	48
C-PF00-5354	53	54
C-PF00-5360	53	60

Code	H (In.)	W (In.)
C-PF00-6118	61	18
C-PF00-6124	61	24
C-PF00-6130	61	30
C-PF00-6136	61	36
C-PF00-6142	61	42
C-PF00-6148	61	48
C-PF00-6154	61	54
C-PF00-6160	61	60
C-PF00-6918	69	18
C-PF00-6924	69	24
C-PF00-6930	69	30
C-PF00-6936	69	36
C-PF00-6942	69	42
C-PF00-6948	69	48
C-PF00-6954	69	54
C-PF00-6960	69	60
C-PF00-7718	77	18
C-PF00-7724	77	24
C-PF00-7730	77	30
C-PF00-7736	77	36
C-PF00-7742	77	42
C-PF00-7748	77	48
C-PF00-7754	77	54
C-PF00-7760	77	60
C-PF00-8518	85	18
C-PF00-8524	85	24
C-PF00-8530	85	30
C-PF00-8536	85	36
C-PF00-8542	85	42
C-PF00-8548	85	48
C-PF00-8554	85	54
C-PF00-8560	85	60


PANEL FRAME FOR FULL ACRYLIC PANEL




37-inch




45-inch



53-inch




61-inch



69-inch



77-inch



85-inch

What's Included:

Panel frame for acrylic panel, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

An 8 wire, 4 circuit electrical system is available at the base-line.

Power and communications can be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section for details.

Options:


height	37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors
panel trim	style
power	8 wire 4 circuit electrical system (to be specified separately)

PANEL FRAME FOR FULL ACRYLIC PANEL


Code	H (in.)	W (in.)
C-PFG0-3718	37	18
C-PFG0-3724	37	24
C-PFG0-3730	37	30
C-PFG0-3736	37	30
C-PFG0-3742	37	42
C-PFG0-3748	37	48
C-PFG0-3754	37	54
C-PFG0-3760	37	60
C-PFG0-4518	45	18
C-PFG0-4524	45	24
C-PFG0-4530	45	30
C-PFG0-4536	45	36
C-PFG0-4542	45	42
C-PFG0-4548	45	48
C-PFG0-4554	45	54
C-PFG0-4560	45	60
C-PFG0-5318	53	18
C-PFG0-5324	53	24
C-PFG0-5330	53	30
C-PFG0-5336	53	36
C-PFG0-5342	53	42
C-PFG0-5348	53	48
C-PFG0-5354	53	54
C-PFG0-5360	53	60
C-PFG0-6118	61	18
C-PFG0-6124	61	24
C-PFG0-6130	61	30
C-PFG0-6136	61	36

Code	H (in.)	W (in.)
C-PFG0-6142	61	42
C-PFG0-6148	61	48
C-PFG0-6154	61	54
C-PFG0-6160	61	60
C-PFG0-6918	69	18
C-PFG0-6924	69	24
C-PFG0-6930	69	30
C-PFG0-6936	69	36
C-PFG0-6942	69	42
C-PFG0-6948	69	48
C-PFG0-6954	69	54
C-PFG0-6960	69	60
C-PFG0-7718	77	18
C-PFG0-7724	77	24
C-PFG0-7730	77	30
C-PFG0-7736	77	36
C-PFG0-7742	77	42
C-PFG0-7748	77	48
C-PFG0-7754	77	54
C-PFG0-7760	77	60
C-PFG0-8518	85	18
C-PFG0-8524	85	24
C-PFG0-8530	85	30
C-PFG0-8536	85	36
C-PFG0-8542	85	42
C-PFG0-8548	85	48
C-PFG0-8554	85	54
C-PFG0-8560	85	60


PANEL FRAME WITH COUNTERTOP CAPABILITY



2 holes



1 hole
6" from end of panel



1 hole
9" from end of panel

What's Included:

Panel frame with countertop capability, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

Specify this item when a 37-inch high or 45-inch high panel with countertop capabilities is required, but an electrical access door is not needed.

When a 54-inch countertop is supported by a 30-inch wide panel and a 24-inch wide panel, the hole in the 30-inch panel will be located 6 inches away from the end of the panel. When two 30-inch wide panels are used to support a 54-inch wide countertop, the holes will be located 9 inches away from the end of the panel. A 60-inch panel has two holes located 9 inches away from the ends of the panel to accommodate 54-inch wide countertops.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

An 8 wire, 4 circuit electrical system is available at the base-line. For belt-line, specify the panel frame with flip-up capabilities. See the **Panel Frame With Flip-Up Capability** page when this function is required.

Power and communications can be run into the panel frame using either a power pole or an electrical harness. See the **Electrics, Communication, and Lighting** section for details.

2 holes are used when a single panel frame is supporting a countertop of the same width.

1 hole, 6 inches away from the end of the panel frame is used when two panels are supporting a countertop equal to the sum of their widths.

1 hole, 9 inches away from the end of the panel frame is used when two 30-inch wide panels are supporting a 54-inch countertop.

Options:


height	29, 37, 45
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors

PANEL FRAME WITH COUNTERTOP CAPABILITY


Code	H (in.)	W (in.)
Desk HT Beltline - 2 Holes		
C-PF00-2924-C	29	24
C-PF00-2930-C	29	30
C-PF00-2936-C	29	36
C-PF00-2942-C	29	42
C-PF00-2948-C	29	48
C-PF00-2954-C	29	54
C-PF00-2960-C	29	30
C-PF00-3724-C	37	24
C-PF00-3730-C	37	30
C-PF00-3736-C	37	36
C-PF00-3742-C	37	42
C-PF00-3748-C	37	48
C-PF00-3754-C	37	54
C-PF00-3760-C	37	60
C-PF00-4524-C	45	24
C-PF00-4530-C	45	30
C-PF00-4536-C	45	36
C-PF00-4542-C	45	42
C-PF00-4548-C	45	48
C-PF00-4554-C	45	54

Code	H (in.)	W (in.)
C-PF00-4560-C	45	60
Desk HT Beltline - 1 Hole (6" from edge)		
C-PF00-2918-1	29	18
C-PF00-2924-1	29	24
C-PF00-2930-1	29	30
C-PF00-3718-1	37	18
C-PF00-3724-1	37	24
C-PF00-3730-1	37	30
C-PF00-4518-1	45	18
C-PF00-4524-1	45	24
C-PF00-4530-1	45	30
Desk HT Beltline - 1 Hole (9" from edge)		
C-PF00-2930-1-P	29	30
C-PF00-3730-1-P	37	30
C-PF00-3724-1-P	45	30


PANEL FRAME WITH FLIP-UP CAPABILITY




no countertop
capability



2 holes



1 hole
6" from end of panel



1 hole
9" from end of panel

What's Included:

Panel frame with flip-up capability, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

Specify this product when a 37-inch high panel frame with a flip-up belt line is required.

When a countertop is supported by a single panel (C), the holes will be located six inches away from the end of the panel.

When a 54-inch countertop is supported by a 30-inch wide panel and a 24-inch wide panel, the holes in the 30-inch panel will be located 6 inches away from the end of the panel. When two 30-inch wide panels are used to support a 54-inch wide countertop, the holes will be located 9 inches away from the end of the panel. A 60-inch panel has 2 holes located 9 inches away from the ends of the panel to accommodate 54-inch wide countertops.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

An 8 wire, 4 circuit electrical system is available for the base-line or belt-line.

Power and communications can be run into the panel frame using either a power pole or an electrical harness. See the **Electrics, Communication, and Lighting** section for details.

2 holes are used when a single panel frame is supporting a countertop of the same width.

1 hole, 6 inches away from the end of the panel frame is used when two panels are supporting a countertop equal to the sum of their widths.

1 hole, 9 inches away from the end of the panel frame is used when two 30-inch wide panels are supporting a 54-inch countertop.

Options:

height	37
width	18, 24, 30, 36, 42, 48, 54, 60
capability	without countertop with countertop
top cap finish	metal colors
raceway finish	metal colors


PANEL FRAME WITH FLIP-UP CAPABILITY

Code	H (in.)	W (in.)
No Countertop Capability - Desk HT Beltline		
C-PF0F-3718	37	18
C-PF0F-3724	37	24
C-PF0F-3730	37	30
C-PF0F-3736	37	36
C-PF0F-3742	37	42
C-PF0F-3748	37	48
C-PF0F-3754	37	54
C-PF0F-3760	37	60
No Countertop Capability - Counter HT Beltline		
C-PF8F-4518	45	18
C-PF8F-4524	45	24
C-PF8F-4530	45	30
C-PF8F-4536	45	36
C-PF8F-4542	45	42
C-PF8F-4548	45	48
C-PF8F-4554	45	54
C-PF8F-4560	45	60
Desk HT Beltline - 2 Holes		
C-PF0F-3724-C	37	24
C-PF0F-3730-C	37	30
C-PF0F-3736-C	37	36
C-PF0F-3742-C	37	42
C-PF0F-3748-C	37	48
C-PF0F-3754-C	37	54
C-PF0F-3760-C	37	60


Code	H (in.)	W (in.)
Desk HT Beltline - 1 Hole (6" from edge)		
C-PF0F-3718-1	37	18
C-PF0F-3724-1	37	24
C-PF0F-3730-1	37	30
Desk HT Beltline - 1 Hole (9" from edge)		
C-PF0F-3730-1-P	37	30
Counter HT Beltline - 2 Holes		
C-PF8F-4524-C	45	24
C-PF8F-4530-C	45	30
C-PF8F-4536-C	45	36
C-PF8F-4542-C	45	42
C-PF8F-4548-C	45	48
C-PF8F-4554-C	45	54
C-PF8F-4560-C	45	60
Counter HT Beltline - 1 Hole (6" from edge)		
C-PF8F-4518-1	45	18
C-PF8F-4524-1	45	24
C-PF8F-4530-1	45	30
Counter HT Beltline - 1 Hole (9" from edge)		
C-PF8F-4530-1-P	45	30

STACK-ON PANEL FRAME

regular frames



door frames



What's Included:

Stack-on panel frame, metal to metal connection hardware.

Notes:

Top trim is not included. Install the top trim from the panel below.

Regular stack-on panel frame can be installed on any panel frame of the same width. Door stack-on panel frame June be installed on a door of the same width between two other stackable frames or between a stackable panel frame and a panel filler.


Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60


STACK-ON PANEL FRAME

Code	H (in.)	W (in.)
Regular Frame		
C-PS00-0818	8	18
C-PS00-0824	8	24
C-PS00-0830	8	30
C-PS00-0836	8	36
C-PS00-0842	8	42
C-PS00-0848	8	48
C-PS00-0854	8	54
C-PS00-0860	8	60
C-PS00-1618	16	18
C-PS00-1624	16	24
C-PS00-1630	16	30
C-PS00-1636	16	36
C-PS00-1642	16	42
C-PS00-1648	16	48
C-PS00-1654	16	54
C-PS00-1660	16	60
C-PS00-2418	24	18
C-PS00-2424	24	24
C-PS00-2430	24	30
C-PS00-2436	24	36
C-PS00-2442	24	42
C-PS00-2448	24	48
C-PS00-2454	24	54
C-PS00-2460	24	60
When Used Above Door Frame		
C-PS01-0836	8	36
C-PS01-0842	8	42
C-PS01-1636	16	36
C-PS01-1642	16	42
C-PS01-2436	24	36
C-PS01-2442	24	42

PANEL DOOR



right hand
solid



left hand
solid

What's Included:

Panel door, door frame, lever type handle, connection hardware.

How to Specify:

Specify panel trim finish.

The panel trim finish must be specified. The door and door frame are available in all paint colors and will match the color of the top trim.

Right or left hand must be specified.

Notes:

Door is powder painted MDF.


The door must be connected to 85-inch high panel frames or panel fillers.

Options:


height	85
width	36, 42
hand	R right L left
type	with window, solid
door & door frame finish	black, silver, white
top cap finish	black, silver, white

Code	H (in.)	W (in.)
C-PD00-8536-L	85	36
C-PD00-8542-L	85	42
C-PD00-8536-R	85	36
C-PD00-8542-R	85	42

ACRYLIC SLIDING DOOR



right hand



left hand

What's Included:

Acrylic sliding door, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim.

Right or left hand must be specified.

The acrylic option must be specified. When frosted or clear acrylic is specified, an upcharge is applicable.

Notes:

The sliding door height must be connected to a panel of equal height.

The acrylic sliding door provides visual privacy for individual stations.

Sliding doors must always be connected to a panel.

Doors come standard non-locking. Locking is available on request.

Options:

height	61, 69		
width	30, 36, 42		
hand	R right L left		
acrylic option	Fluted	Frosted	Clear
frame finish	metal colors		

Code	H (in.)	W (in.)
C-PDSG-6130-L	61	30
C-PDSG-6136-L	61	36
C-PDSG-6142-L	61	42
C-PDSG-6930-L	69	30
C-PDSG-6936-L	69	36
C-PDSG-6942-L	69	42

Code	H (in.)	W (in.)
C-PDSG-6130-R	61	30
C-PDSG-6136-R	61	36
C-PDSG-6142-R	61	42
C-PDSG-6930-R	69	30
C-PDSG-6936-R	69	36
C-PDSG-6942-R	69	42

END TRIM



full end trim



partial end trim

What's Included:

Full End Trim: full end trim, connection hardware.

Partial End Trim: partial end trim, connection hardware, bottom plastic connector trim.

How to Specify:

Specify panel trim finish.

A metal color must be specified.

Notes:

Use the full end trim to finish a panel at the end of a run.

Use the partial end trim to finish a panel where a change of height occurs

Options:

height 8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109

type **O** full end trim **P** partial end trim

end trim finish metal colors

Code	H (in.)
Full End Trim	
C-HETO-37	37
C-HETO-45	45
C-HETO-53	53
C-HETO-61	61
C-HETO-69	69
C-HETO-77	77
C-HETO-85	85
C-HETO-93	93
C-HETO-101	101
C-HETO-109	109

Code	H (in.)
Partial End Trim	
C-HETP-08	8
C-HETP-16	16
C-HETP-24	24
C-HETP-32	32
C-HETP-40	40
C-HETP-48	48
C-HETP-56	56
C-HETP-64	64

WALL-TO-PANEL CONNECTOR



type 1



type 2



type 3

What's Included:

Wall-to-Panel Connector (Type 1, 2 or 3, as specified), top cap, connection hardware for drywall applications.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

The wall-to-panel connector finish color defaults to match the top cap.

Notes:

Wall-to-panel connectors fill in the gap between the wall and the panel.

Type 1 connectors allow for an adjustment range of 2.25" - 3.25"

Type 2 connectors allow for an adjustment range of 3" - 4.25"

Type 3 connectors allow for an adjustment range of 4" - 5.25"

The top cap is 66" and must be cut to the proper size on-site.

Options:

type	1 type 1	2 type 2	3 type 3
height	29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109		
top cap finish	metal colors		
panel trim	style		

Code	H (in.)
Type 1 (2.25 to 3.25-inches)	
C-HWA1-29	29
C-HWA1-37	37
C-HWA1-45	45
C-HWA1-53	53
C-HWA1-61	61
C-HWA1-69	69
C-HWA1-77	77
C-HWA1-85	85
C-HWA1-93	93
C-HWA1-101	101
C-HWA1-109	109

Code	H (in.)
Type 2 (3.00 to 4.25-inches)	
C-HWA2-29	29
C-HWA2-37	37
C-HWA2-45	45
C-HWA2-53	53
C-HWA2-61	61
C-HWA2-69	69
C-HWA2-77	77
C-HWA2-85	85
C-HWA2-93	93
C-HWA2-101	101
C-HWA2-109	109

Code	H (in.)
Type 3 (4.00 to 5.25-inches)	
C-HWA3-29	29
C-HWA3-37	37
C-HWA3-45	45
C-HWA3-53	53
C-HWA3-61	61
C-HWA3-69	69
C-HWA3-77	77
C-HWA3-85	85
C-HWA3-93	93
C-HWA3-101	101
C-HWA3-109	109

T-CONNECTION FILLER



full t-connection
filler



partial t-connection
filler

What's Included:

Full Filler: full t-connection filler, top cap, connection hardware.

Partial Filler: partial t-connection filler, top cap, bottom plastic connector trim, connection hardware

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

Notes:

Use the full t-connection filler to connect two panel frames that are the same height.

Use the partial t-connection filler to connect two panel frames where a change of height occurs.

Options:

type	R full filler P partial filler
height	8, 16, 24, 29, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 80, 85, 93, 101, 109
top cap finish	metal colors
panel trim	style

Code	H (in.)
Full T-Connection Filler	
C-HFTR-29	29
C-HFTR-37	37
C-HFTR-45	45
C-HFTR-53	53
C-HFTR-61	61
C-HFTR-69	69
C-HFTR-77	77
C-HFTR-85	85
C-HFTR-93	93
C-HFTR-101	101
C-HFTR-109	109

Code	H (in.)
Partial T-Connection Filler	
C-HFTP-08	8
C-HFTP-16	16
C-HFTP-24	24
C-HFTP-32	32
C-HFTP-40	40
C-HFTP-48	48
C-HFTP-56	56
C-HFTP-64	64
C-HFTP-72	72
C-HFTP-80	80

90-DEGREE FILLER



full 90-degree filler



partial 90-degree filler

What's Included:

Full 90-degree filler: Full 90-degree filler, top cap, connection hardware.

Partial 90-degree filler: Partial 90-degree filler, top cap, bottom plastic connector trim, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim finish.

Notes:

Use the full 90-degree filler to connect two panel frames that are the same height.

Use the partial 90-degree filler to connect two panel frames where a change of height occurs.

Options:

type	R full filler P partial filler
height	8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 80, 85, 93, 101, 109
top cap finish	metal colors
panel trim	style

Code	H (in.)
Full 90-degree Filler	
C-HFNR-37	37
C-HFNR-45	45
C-HFNR-53	53
C-HFNR-61	61
C-HFNR-69	69
C-HFNR-77	77
C-HFNR-85	85
C-HFNR-93	93
C-HFNR-101	101
C-HFNR-109	109

Code	H (in.)
Partial 90-degree Filler	
C-HFNP-08	8
C-HFNP-16	16
C-HFNP-24	24
C-HFNP-32	32
C-HFNP-40	40
C-HFNP-48	48
C-HFNP-56	56
C-HFNP-64	64
C-HFNP-72	72
C-HFNP-80	80

180-DEGREE STRAIGHT CONNECTION FILLER



full 180-degree
connection filler



partial 180-degree
connection filler

What's Included:

Two 180-degree connection filler covers (full or partial, as specified), top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim finish.

Notes:

Use the full 180-degree filler to connect two panels that are the same height.

Use the partial 180-degree filler to connect two panel frames where a change of height occurs.

Options:

type	R full filler P partial filler
height	8, 16, 24, 29, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 80, 85, 93, 101, 109
top cap finish	metal colors
panel trim	style

Code	H (in.)
Full 180-degree Filler	
C-HFSR-29	29
C-HFSR-37	37
C-HFSR-45	45
C-HFSR-53	53
C-HFSR-61	61
C-HFSR-69	69
C-HFSR-77	77
C-HFSR-85	85
C-HFSR-93	93
C-HFSR-101	101
C-HFSR-109	109

Code	H (in.)
Partial 180-degree Filler	
C-HFSP-08	8
C-HFSP-16	16
C-HFSP-24	24
C-HFSP-32	32
C-HFSP-40	40
C-HFSP-48	48
C-HFSP-56	56
C-HFSP-64	64
C-HFSP-72	72
C-HFSP-80	80

135-DEGREE 2-WAY CONNECTOR



135-degree
2-way connector

What's Included:

135-degree 2-way connector, top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

Notes:

Use the 135-degree 2-way connector to connect two panel frames that are the same height.

Options:

height 29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finish metal colors

panel trim style

Code	H (in.)
C-HF1R-29	29
C-HF1R-37	37
C-HF1R-45	45
C-HF1R-53	53
C-HF1R-61	61
C-HF1R-69	69
C-HF1R-77	77
C-HF1R-85	85
C-HF1R-93	93
C-HF1R-101	101
C-HF1R-109	109

120-DEGREE 2-WAY CONNECTION FILLER



full 120-degree 2-way
connection filler



partial 120-degree
2-way connection filler

What's Included:

Full Filler: full 120-degree 2-way connection filler, top cap, connection hardware.

Partial Filler: partial 120-degree 2-way connection filler, top cap, bottom plastic connector trim, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color and panel trim style must be specified for the top cap finish.

Notes:

Use the full 120-degree 2-way connection filler to connect two panel frames that are the same height.

Use the partial 120-degree 2-way connection filler to connect two panel frames where a change of height occurs.

Options:

type	R full filler	P partial filler
height	8, 16, 24, 29, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 80, 85, 93, 101, 109	
top cap finish	metal colors	
panel trim	style	

Code	H (in.)
Full 120-degree 2-way Connection Filler	
C-HF2R-29	29
C-HF2R-37	37
C-HF2R-45	45
C-HF2R-53	53
C-HF2R-61	61
C-HF2R-69	69
C-HF2R-77	77
C-HF2R-85	85
C-HF2R-93	93
C-HF2R-101	101
C-HF2R-109	109

Code	H (in.)
Partial 120-degree 2-way Connection Filler	
C-HF2P-08	8
C-HF2P-16	16
C-HF2P-24	24
C-HF2P-32	32
C-HF2P-40	40
C-HF2P-48	48
C-HF2P-56	56
C-HF2P-64	64
C-HF2P-72	72
C-HF2P-80	80

120-DEGREE 3-WAY CONNECTION FILLER



120-degree 3-way
connection filler

What's Included:

120-degree 3-way connection filler, top cap, connection hardware

How to Specify:

Specify panel trim finish.

A metal color and panel trim style must be specified for the top cap finish.

Notes:

Use the 120-degree 3-way connection filler to connect three panel frames that are the same height.

Options:

height 29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finish metal colors

Code	H (in.)
C-HF3R-29	29
C-HF3R-37	37
C-HF3R-45	45
C-HF3R-53	53
C-HF3R-61	61
C-HF3R-69	69
C-HF3R-77	77
C-HF3R-85	85
C-HF3R-93	93
C-HF3R-101	101
C-HF3R-109	109

4-WAY CONNECTION FILLER



4-way
connection filler

What's Included:

4-way connection filler, top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color and panel trim style must be specified for the top cap finish.

Notes:

Use 4-way connection filler to connect four panel frames that are the same height.


Options:

height 29, 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finish metal colors

Code	H (in.)
C-HF4R-29	29
C-HF4R-37	37
C-HF4R-45	45
C-HF4R-53	53
C-HF4R-61	61
C-HF4R-69	69
C-HF4R-77	77
C-HF4R-85	85
C-HF4R-93	93
C-HF4R-101	101
C-HF4R-109	109

FLOOR GRIPPERS



carpet floors



non-carpet floors

What's Included:

Floor Gripper (for carpet floors or non-carpet floors, as specified)

How to Specify:

There are no color options for floor grippers.

Notes:

Floor grippers stabilize panels on either carpet floors or non-carpet floors.

Options:

type


C carpeted floors

N non-carpeted floors


Code
carpeted floors
C-HGCO
non carpeted floors
C-HGNO

TILES


ACOUSTIC TACKABLE FABRIC TILE



8-inch



16-inch



24-inch

What's Included:

Acoustic Tackable Fabric Tile,
installation hardware.

How to Specify:

Refer to the finish card for a complete
listing of metal colors.

Notes:

Acoustic tackable fabric tiles provide
acoustical privacy and a tackable
vertical surface.


Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	panel fabrics


Code	H (in.)	W (in.)
C-PTAI-0818	8	18
C-PTAI-0824	8	24
C-PTAI-0836	8	36
C-PTAI-0848	8	48
C-PTAI-0860	8	60
C-PTAI-1624	16	24
C-PTAI-1630	16	30
C-PTAI-1636	16	36
C-PTAI-1642	16	42
C-PTAI-1648	16	48

Code	H (in.)	W (in.)
C-PTAI-1654	16	54
C-PTAI-1660	16	60
C-PTAI-2418	24	18
C-PTAI-2424	24	24
C-PTAI-2430	24	30
C-PTAI-2436	24	36
C-PTAI-2442	24	42
C-PTAI-2448	24	48
C-PTAI-2454	24	54
C-PTAI-2460	24	60


MONOLITHIC FABRIC TILE




32-inch




40-inch




48-inch



56-inch



64-inch



72-inch



80-inch

What's Included:

Monolithic fabric tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of fabric colors.

Notes:

Monolithic fabric tiles are solid-faced, tackable and offer visual and acoustical privacy.

Monolithic tiles are five inches less than the complete height of the panel frame.

Options:


height	32, 40, 48, 56, 64, 72, 80
width	18, 24, 30, 36, 42, 48, 54, 60
finish	panel fabrics

Code	H (in.)	W (in.)
C-PMAI-3218	32	18
C-PMAI-3224	32	24
C-PMAI-3230	32	30
C-PMAI-3236	32	36
C-PMAI-3242	32	42
C-PMAI-3248	32	48
C-PMAI-3254	32	54
C-PMAI-3260	32	60
C-PMAI-4018	40	18
C-PMAI-4024	40	24
C-PMAI-4030	40	30
C-PMAI-4036	40	36
C-PMAI-4042	40	42
C-PMAI-4048	40	48
C-PMAI-4054	40	54
C-PMAI-4060	40	60
C-PMAI-4818	48	18
C-PMAI-4824	48	24


Code	H (in.)	W (in.)
C-PMAI-4830	48	30
C-PMAI-4836	48	36
C-PMAI-4842	48	42
C-PMAI-4848	48	48
C-PMAI-4854	48	54
C-PMAI-4860	48	60
C-PMAI-5618	56	18
C-PMAI-5624	56	24
C-PMAI-5630	56	30
C-PMAI-5636	56	36
C-PMAI-5642	56	42
C-PMAI-5648	56	48
C-PMAI-5654	56	54
C-PMAI-5660	56	60
C-PMAI-6418	64	18
C-PMAI-6424	64	24
C-PMAI-6430	64	30
C-PMAI-6436	64	36

Code	H (in.)	W (in.)
C-PMAI-6442	64	42
C-PMAI-6448	64	48
C-PMAI-6454	64	54
C-PMAI-6460	64	60
C-PMAI-7218	72	18
C-PMAI-7224	72	24
C-PMAI-7230	72	30
C-PMAI-7236	72	36
C-PMAI-7242	72	42
C-PMAI-7248	72	48
C-PMAI-8018	80	18
C-PMAI-8024	80	24
C-PMAI-8030	80	30
C-PMAI-8036	80	36
C-PMAI-8042	80	42
C-PMAI-8048	80	48


ACRYLIC TILE



8-inch



16-inch



24-inch

What's Included:

Acrylic tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of metal colors.

Notes:

Acrylic tiles are priced by piece, not by pair.

Fluted acrylic is available by request.

Options:


acrylic options	C clear F frosted L fluted (available by request)
height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
tile frame finish	metal colors

Code	H (in.)	W (in.)
Clear Acrylic		
C-PTGC-0818	8	18
C-PTGC-0824	8	24
C-PTGC-0830	8	30
C-PTGC-0836	8	36
C-PTGC-0842	8	42
C-PTGC-0848	8	48
C-PTGC-0854	8	54
C-PTGC-0860	8	60
C-PTGC-1618	16	18
C-PTGC-1624	16	24
C-PTGC-1630	16	30
C-PTGC-1636	16	36
C-PTGC-1642	16	42
C-PTGC-1648	16	48
C-PTGC-1654	16	54
C-PTGC-1660	16	60


Code	H (in.)	W (in.)
C-PTGC-2418	24	18
C-PTGC-2424	24	24
C-PTGC-2430	24	30
C-PTGC-2436	24	36
C-PTGC-2442	24	42
C-PTGC-2448	24	48
C-PTGC-2454	24	54
C-PTGC-2460	24	60
Frosted Acrylic		
C-PTGF-0818	8	18
C-PTGF-0824	8	24
C-PTGF-0830	8	30
C-PTGF-0836	8	36
C-PTGF-0842	8	42
C-PTGF-0848	8	48
C-PTGF-0854	8	54
C-PTGF-0860	8	60

Code	H (in.)	W (in.)
C-PTGF-1618	16	18
C-PTGF-1624	16	24
C-PTGF-1630	16	30
C-PTGF-1636	16	36
C-PTGF-1642	16	42
C-PTGF-1648	16	48
C-PTGF-1654	16	54
C-PTGF-1660	16	60
C-PTGF-2418	24	18
C-PTGF-2424	24	24
C-PTGF-2430	24	30
C-PTGF-2436	24	36
C-PTGF-2442	24	42
C-PTGF-2448	24	48
C-PTGF-2454	24	54
C-PTGF-2460	24	60

MAGNETIC WHITEBOARD TILE



16-inch



24-inch

What's Included:

Magnetic whiteboard tile, installation hardware, eraser support.

How to Specify:

Refer to the metal card for a complete listing of metal colors.

Notes:

Only dry erase markers should be used on magnetic whiteboard tiles.


Options:

height	16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors


Code	H (in.)	W (in.)
C-PTWM-1618	16	18
C-PTWM-1624	16	24
C-PTWM-1630	16	30
C-PTWM-1636	16	36
C-PTWM-1642	16	42
C-PTWM-1648	16	48
C-PTWM-1654	16	54
C-PTWM-1660	16	60

Code	H (in.)	W (in.)
C-PTWM-2418	24	18
C-PTWM-2424	24	24
C-PTWM-2430	24	30
C-PTWM-2436	24	36
C-PTWM-2442	24	42
C-PTWM-2448	24	48
C-PTWM-2454	24	54
C-PTWM-2460	24	60


LAMINATE TILE



8-inch



16-inch



24-inch

What's Included:

Laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminates.

Notes:

Laminate tiles provide an easy to clean hard surface.

Grain direction is vertical.


Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	laminate colors

Code	H (in.)	W (in.)
C-PTLO-0818	8	18
C-PTLO-0824	8	24
C-PTLO-0830	8	30
C-PTLO-0836	8	36
C-PTLO-0842	8	42
C-PTLO-0848	8	48
C-PTLO-0854	8	54
C-PTLO-0860	8	60
C-PTLO-1618	16	18
C-PTLO-1624	16	24
C-PTLO-1630	16	30
C-PTLO-1636	16	36

Code	H (in.)	W (in.)
C-PTLO-1642	16	42
C-PTLO-1648	16	48
C-PTLO-1654	16	54
C-PTLO-1660	16	60
C-PTLO-2418	24	18
C-PTLO-2424	24	24
C-PTLO-2430	24	30
C-PTLO-2436	24	36
C-PTLO-2442	24	42
C-PTLO-2448	24	48
C-PTLO-2454	24	54
C-PTLO-2460	24	60

MONOLITHIC LAMINATE TILE



32-inch




40-inch



48-inch



56-inch



64-inch



72-inch



80-inch

What's Included:

Monolithic laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminate colors.

Notes:

Monolithic laminate tiles provide an easy to clean hard surface.

Monolithic laminate tiles are five inches less than the complete height of the panel frame.

Grain direction is vertical.

Options:

height 32, 40, 48, 56, 64, 72, 80

width 18, 24, 30, 36, 42, 48, 60


finish laminate colors

Code	H (in.)	W (in.)
C-PTL0-3218	32	18
C-PTL0-3224	32	24
C-PTL0-3230	32	30
C-PTL0-3236	32	36
C-PTL0-3242	32	42
C-PTL0-3248	32	48
C-PTL0-3254	32	54
C-PTL0-3260	32	60
C-PTL0-4018	40	18
C-PTL0-4024	40	24
C-PTL0-4030	40	30
C-PTL0-4036	40	36
C-PTL0-4042	40	42
C-PTL0-4048	40	48
C-PTL0-4054	40	54
C-PTL0-4060	40	60

Code	H (in.)	W (in.)
C-PTL0-4818	48	18
C-PTL0-4824	48	24
C-PTL0-4830	48	30
C-PTL0-4836	48	36
C-PTL0-4842	48	42
C-PTL0-4848	48	48
C-PTL0-4854	48	54
C-PTL0-4860	48	60
C-PTL0-5618	56	18
C-PTL0-5624	56	24
C-PTL0-5630	56	30
C-PTL0-5636	56	36
C-PTL0-5642	56	42
C-PTL0-5648	56	48
C-PTL0-6418	64	18
C-PTL0-6424	64	24

Code	H (in.)	W (in.)
C-PTL0-6430	64	30
C-PTL0-6436	64	36
C-PTL0-6442	64	42
C-PTL0-6448	64	48
C-PTL0-7218	72	18
C-PTL0-7224	72	24
C-PTL0-7230	72	30
C-PTL0-7236	72	36
C-PTL0-7242	72	42
C-PTL0-7248	72	48
C-PTL0-8018	80	18
C-PTL0-8024	80	24
C-PTL0-8030	80	30
C-PTL0-8036	80	36
C-PTL0-8042	80	42
C-PTL0-8048	80	48

EXTENDED MONOLITHIC LAMINATE TILE



What's Included:

Laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminate colors.

Notes:

Laminate tiles provide an easy to clean hard surface.

Grain direction is vertical.

Options:

height	21, 29, 37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
finish	laminate colors


Code	H (in.)	W (in.)
C-PTLX-2118	21	18
C-PTLX-2124	21	24
C-PTLX-2130	21	30
C-PTLX-2136	21	36
C-PTLX-2142	21	42
C-PTLX-2148	21	48
C-PTLX-2154	21	54
C-PTLX-2160	21	60
C-PTLX-2918	29	18
C-PTLX-2924	29	24
C-PTLX-2930	29	30
C-PTLX-2936	29	36
C-PTLX-2942	29	42
C-PTLX-2948	29	48
C-PTLX-2954	29	54
C-PTLX-2960	29	60

Code	H (in.)	W (in.)
C-PTLX-3718	37	18
C-PTLX-3724	37	24
C-PTLX-3730	37	30
C-PTLX-3736	37	36
C-PTLX-3742	37	42
C-PTLX-3748	37	48
C-PTLX-3754	37	54
C-PTLX-3760	37	60
C-PTLX-4518	45	18
C-PTLX-4524	45	24
C-PTLX-4530	45	30
C-PTLX-4536	45	36
C-PTLX-4542	45	42
C-PTLX-4548	45	48
C-PTLX-4554	45	54
C-PTLX-4560	45	60


Code	H (in.)	W (in.)
C-PTLX-5318	53	18
C-PTLX-5324	53	24
C-PTLX-5330	53	30
C-PTLX-5336	53	36
C-PTLX-5342	53	42
C-PTLX-5348	53	48
C-PTLX-5354	53	54
C-PTLX-5360	53	60
C-PTLX-6118	61	18
C-PTLX-6124	61	24
C-PTLX-6130	61	30
C-PTLX-6136	61	36
C-PTLX-6142	61	42
C-PTLX-6148	61	48
C-PTLX-6918	69	18
C-PTLX-6924	69	24

Code	H (in.)	W (in.)
C-PTLX-6930	69	30
C-PTLX-6936	69	36
C-PTLX-6942	69	42
C-PTLX-6948	69	48
C-PTLX-7718	77	18
C-PTLX-7724	77	24
C-PTLX-7730	77	30
C-PTLX-7736	77	36
C-PTLX-7742	77	42
C-PTLX-7748	77	48
C-PTLX-8518	85	18
C-PTLX-8524	85	24
C-PTLX-8530	85	30
C-PTLX-8536	85	36
C-PTLX-8542	85	42
C-PTLX-8548	85	48


PERFORATED METAL TILE



8-inch



16-inch



24-inch

What's Included:

Perforated metal tile, installation hardware.

How to Specify:

Refer to the metal card for a complete listing of metal colors.

Notes:

Perforated metal tiles provide a unique architectural element, while allowing for airflow.

Options:


height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	H (in.)	W (in.)
C-PTM0-0818	8	18
C-PTM0-0824	8	24
C-PTM0-0830	8	30
C-PTM0-0836	8	36
C-PTM0-0842	8	42
C-PTM0-0848	8	48
C-PTM0-0854	8	54
C-PTM0-0860	8	60


Code	H (in.)	W (in.)
C-PTM0-1618	16	18
C-PTM0-1624	16	24
C-PTM0-1630	16	30
C-PTM0-1636	16	36
C-PTM0-1642	16	42
C-PTM0-1648	16	48
C-PTM0-1654	16	54
C-PTM0-1660	16	60

Code	H (in.)	W (in.)
C-PTM0-2418	24	18
C-PTM0-2424	24	24
C-PTM0-2430	24	30
C-PTM0-2436	24	36
C-PTM0-2442	24	42
C-PTM0-2448	24	48
C-PTM0-2454	24	54
C-PTM0-2460	24	60


PASS-THROUGH TILE



8-inch



16-inch



24-inch

What's Included:

Pass-Through Tile, installation hardware.

How to Specify:

Refer to the metal card for a complete listing of metal colors.

Notes:

The pass-through tile allows data and communication cables to be shared between workstations.

Options:


height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	H (in.)	W (in.)
C-PTO0-0818	8	18
C-PTO0-0824	8	24
C-PTO0-0830	8	30
C-PTO0-0836	8	36
C-PTO0-0842	8	42
C-PTO0-0848	8	48
C-PTO0-0854	8	54
C-PTO0-0860	8	60

Code	H (in.)	W (in.)
C-PTO0-1618	16	18
C-PTO0-1624	16	24
C-PTO0-1630	16	30
C-PTO0-1636	16	36
C-PTO0-1642	16	42
C-PTO0-1648	16	48
C-PTO0-1654	16	54
C-PTO0-1660	16	60

Code	H (in.)	W (in.)
C-PTO0-2418	24	18
C-PTO0-2424	24	24
C-PTO0-2430	24	30
C-PTO0-2436	24	36
C-PTO0-2442	24	42
C-PTO0-2448	24	48
C-PTO0-2454	24	54
C-PTO0-2460	24	60

FABRIC FLIP-UP BELT LINE TILE



8-inch

What's Included:

Fabric Flip-Up Belt-Line Tile, installation hardware.

Notes:

The fabric flip-up belt-line tile can be used in place of an 8-inch high tile at desk height when access to power, data and communication is required at the belt-line.


The fabric flip-up belt-line tile is compatible with panel frames that have flip-up capability.

Options:

height	8
width	18, 24, 30, 36, 42, 48, 54, 60
finish	panel fabrics

Code	H (in.)	W (in.)
C-PTB0-0818	8	18
C-PTB0-0824	8	24
C-PTB0-0830	8	30
C-PTB0-0836	8	36
C-PTB0-0842	8	42
C-PTB0-0848	8	48
C-PTB0-0854	8	54
C-PTB0-0860	8	60

ACCESSORY TILE



8-inch

What’s Included:

Accessory Tile, installation hardware.

How to Specify:

Refer to the metal/vinyl card for a complete listing of metal colors

Notes:

The accessory tile supports all personal organizers. Please refer to the **Accessories** section for details.


Options:

height	8
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal

Code	H (in.)	W (in.)
C-PTA0-0818	8	18
C-PTA0-0824	8	24
C-PTA0-0830	8	30
C-PTA0-0836	8	36
C-PTA0-0842	8	42
C-PTA0-0848	8	48
C-PTA0-0854	8	54
C-PTA0-0860	8	60

WORKSURFACES

STRAIGHT WORKSURFACE



What's Included:

Straight Worksurface, grommets (24 to 48-inch worksurfaces include one grommet, 54 to 84-inch worksurfaces include two grommets, 90 to 96-inch worksurfaces include three grommets).

How to Specify:

Specify laminate color.
The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.
All surface sizes are also available without grommets

Options:


width	18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96
depth	18, 21, 24, 30, 36
surface finish	laminate colors

Code	W (in.)	D (in.)
C-WS0G-1818	18	18
C-WS0G-2418	24	18
C-WS0G-3018	30	18
C-WS0G-3618	36	18
C-WS0G-4218	42	18
C-WS0G-4818	48	18
C-WS0G-5418	54	18
C-WS0G-6018	60	18
C-WS0G-6618	66	18
C-WS0G-7218	72	18
C-WS0G-7818	78	18
C-WS0G-8418	84	18
C-WS0G-9018	90	18
C-WS0G-9618	96	18
C-WS0G-1821	18	21
C-WS0G-2421	24	21
C-WS0G-3021	30	21
C-WS0G-3621	36	21
C-WS0G-4221	42	21
C-WS0G-5421	54	21
C-WS0G-6021	60	21
C-WS0G-6621	66	21
C-WS0G-7221	72	21
C-WS0G-7821	78	21
C-WS0G-8421	84	21
C-WS0G-9021	90	21
C-WS0G-9621	96	21
C-WS0G-1824	18	24
C-WS0G-2424	24	24
C-WS0G-3024	30	24
C-WS0G-3624	36	24


Code	W (in.)	D (in.)
C-WS0G-4224	42	24
C-WS0G-4824	48	24
C-WS0G-5424	54	24
C-WS0G-6024	60	24
C-WS0G-6624	66	24
C-WS0G-7224	72	24
C-WS0G-7824	78	24
C-WS0G-8424	84	24
C-WS0G-9024	90	24
C-WS0G-9624	96	24
C-WS0G-1830	18	30
C-WS0G-2430	24	30
C-WS0G-3030	30	30
C-WS0G-3630	36	30
C-WS0G-4230	42	30
C-WS0G-4830	48	30
C-WS0G-5430	54	30
C-WS0G-6030	60	30
C-WS0G-6630	66	30
C-WS0G-7230	72	30
C-WS0G-7830	78	30
C-WS0G-8430	84	30
C-WS0G-9030	90	30
C-WS0G-9630	96	30
C-WS0G-1836	18	36
C-WS0G-2436	24	36
C-WS0G-3036	30	36
C-WS0G-3636	36	36
C-WS0G-4236	42	36
C-WS0G-4836	48	36
C-WS0G-5436	54	36

Code	W (in.)	D (in.)
C-WS0G-6036	60	36
C-WS0G-6636	66	36
C-WS0G-6636-D with side grommet	66	36
C-WS0G-7236	72	36
C-WS0G-7836	78	36
C-WS0G-8436	84	36
C-WS0G-9036	90	36
C-WS0G-9636	96	36
Tops For Laterals (no grommets)		
C-WS00-3018B	30	18.25
C-WS00-3618B	36	18.25
C-WS00-4218B	42	18.25
C-WS00-6018B	60	18.25
C-WS00-6618B	66	18.25
C-WS00-7218B	72	18.25
C-WS00-8418B	84	18.25
C-WS00-9018B	90	18.25
C-WS00-9618B	96	18.25
C-WS00-3036D	30	36.5
C-WS00-3636D	36	36.5
C-WS00-4236D	42	36.5
C-WS00-6036D	60	36.5
C-WS00-6636D	66	36.5
C-WS00-7236D	72	36.5
C-WS00-8436D	84	36.5
C-WS00-9036D	90	36.5
C-WS00-9636D	96	36.5


EXTENDED CORNER WITH CURVED FRONT



straight end
right hand



straight end
left hand



What's Included:

Extended Corner with curved front, grommets (48-inch worksurfaces include one grommet, 54-inch worksurfaces and above include two grommets).

How To Specify:

Specify laminate color.

The straight worksurface with curved end must be specified as left or right. When the straight end is specified, the handed end will be longer. When the curved end is specified, the handed end will be longer and curved.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

Worksurfaces 54-inches and longer require a horizontal surface support (CH00), which must be specified separately.


Options:

hand	R right	L left
length	42, 48, 54, 60, 66, 72	
width	36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	

Code	L (in.)	W (in.)	D (in.)
C-W5E0-4218-L	42	36	18
C-W5E0-4218-R	42	36	18
C-W5E0-4818-L	48	36	18
C-W5E0-4818-R	48	36	18
C-W5E0-4824-L	48	42	24
C-W5E0-4824-R	48	42	24
C-W5E0-5418-L	54	36	18
C-W5E0-5418-R	54	36	18
C-W5E0-5424-L	54	42	24
C-W5E0-5424-R	54	42	24
C-W5E0-5430-L	54	48	30

Code	L (in.)	W (in.)	D (in.)
C-W5E0-5430-R	54	48	30
C-W5E0-6018-L	60	36	18
C-W5E0-6018-R	60	36	18
C-W5E0-6024-L	60	42	24
C-W5E0-6024-R	60	42	24
C-W5E0-6030-L	60	48	30
C-W5E0-6030-R	60	48	30
C-W5E0-6630-L	66	48	30
C-W5E0-6630-R	66	48	30
C-W5E0-7230-L	72	48	30
C-W5E0-7230-R	72	48	30

5-SIDED CORNER WITH STRAIGHT FRONT



What's Included:

5-Sided Corner Worksurface with straight front, grommet

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

Options:


width 36, 42, 48

depth 18, 24, 30

surface finish laminate colors

Code	W (in.)	D (in.)
C-W5S0-3618	36	18
C-W5S0-3624	36	24
C-W5S0-4224	42	24
C-W5S0-4824	48	24
C-W5S0-4830	48	30

5-SIDED CORNER WITH CURVED FRONT



What's Included:

5-Sided Corner Worksurface with curved front, grommet

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

Options:


width 36, 42, 48

depth 18, 24, 30


surface finish laminate colors

Code	W (in.)	D (in.)
C-W5C0-3618	36	18
C-W5C0-3624	36	24
C-W5C0-4224	42	24
C-W5C0-4824	48	24
C-W5C0-4830	48	30


PANEL-MOUNTED D-TABLE



30-inches



36-inches



What's Included:

Panel-Mounted D-Table, metal support post, laminate partial modesty panel.

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

The color of the modesty panel will default to match the worksurface.


Options:

grommet	O without	G with
width	60, 66, 72, 78, 84	
depth	30, 36	
surface finish	laminate colors	
support finish	metal colors	


Code	W (in.)	D (in.)
Without Grommet		
C-WD00-6030	60	30
C-WD00-6036	60	36
C-WD00-6630	66	30
C-WD00-6636	66	36
C-WD00-7230	72	30
C-WD00-7236	72	36
C-WD00-7830	78	30
C-WD00-7836	78	36
C-WD00-8430	84	30
C-WD00-8436	84	36

Code	W (in.)	D (in.)
With Grommet		
C-WD0G-6030	60	30
C-WD0G-6036	60	36
C-WD0G-6630	66	30
C-WD0G-6636	66	36
C-WD0G-7230	72	30
C-WD0G-7236	72	36
C-WD0G-7830	78	30
C-WD0G-7836	78	36
C-WD0G-8430	84	30
C-WD0G-8436	84	36


PANEL-MOUNTED J-TABLE



right hand



left hand



What's Included:

Panel-Mounted J-Table, grommet, metal support post, laminate partial modesty panel.

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color.

Specify metal color for support posts.

The panel-mounted J-table must be specified as left or right. The handed end is the longer side of the J-tab

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

The color of the modesty will default to match the worksurface.


Options:

hand	R right	L left
length	60, 66, 72, 78	
width	42, 48	
depth	24, 30	
surface finish	laminate colors	
support finish	metal colors	

Code	L (in.)	W (in.)	D (in.)
C-WJ0G-6024-L	60	42	24
C-WJ0G-6024-R	60	42	24
C-WJ0G-6030-L	60	48	30
C-WJ0G-6030-R	60	48	30
C-WJ0G-6624-L	66	42	24
C-WJ0G-6624-R	66	42	24
C-WJ0G-6630-L	66	48	30
C-WJ0G-6630-R	66	48	30

Code	L (in.)	W (in.)	D (in.)
C-WJ0G-7224-L	72	42	24
C-WJ0G-7224-R	72	42	24
C-WJ0G-7230-L	72	48	30
C-WJ0G-7230-R	72	48	30
C-WJ0G-7824-L	78	42	24
C-WJ0G-7824-R	78	42	24
C-WJ0G-7830-L	78	48	30
C-WJ0G-7830-R	78	48	30

C-TABLE EXTENSION



What's Included:

C-Table Extension, metal support post

Notes:

Grain direction is indicated in the above illustration.

How To Specify:



- Specify laminate color.
- Specify metal color for support posts.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Options:

width	39, 51, 63
depth	16, 21, 26
surface finish	laminate colors
support finish	metal colors

Code	W (in.)	D (in.)
C-WC00-3916	39	16
C-WC00-5121	51	21
C-WC00-6326	63	26

U-TABLE EXTENSION



What's Included:

U-Table Extension, metal support post

Notes:

Grain direction is indicated in the above illustration.

How To Specify:

Specify laminate color.

Specify metal color for support posts.


The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Options:

width	39, 51, 63
depth	18, 24, 28
surface finish	laminate colors
support finish	metal colors

Code	W (in.)	D (in.)
C-WU00-3918	39	18
C-WU00-5124	51	24
C-WU00-6328	63	28

TEMPERED GLASS TRANSACTION TOP



What's Included:

Tempered Glass transaction top, installation hardware, two post legs.

Notes:

The tempered glass transaction top can be mounted on top of one or two 37-inch high panel frames to provide a transaction surface for a reception station or between two workstations in a team environment.

The tempered glass transaction top is not applicable on 90, 120, or 135-degree configurations.

How To Specify:

Specify metal finish.

When the tempered glass transaction top is to be mounted over a single panel frame, specify the transaction top to be the same width as the panel frame. When it is to be mounted over two panel frames, specify the transaction top to be the total width of the two panel frames.

Options:


width 24, 30, 36, 42, 48, 54,

depth 12

metal finish metal colors

Code	W (in.)	D (in.)
C-WTGS-2412	24	12
C-WTGS-3012	30	12
C-WTGS-3612	36	12
C-WTGS-4212	42	12
C-WTGS-4812	48	12
C-WTGS-5412	54	12

LAMINATE COUNTERTOP



What's Included:

Laminate countertop, installation hardware, two post legs.

How To Specify:

Specify laminate color.

Specify metal finish.

When the laminate countertop is to be mounted over a single panel frame, specify the countertop to be the same width as the panel frame. When it is to be mounted over two panel frames, specify the countertop to be the total width of the two panel frames.

Options:

width	24, 30, 36, 42, 48, 54, 60			
depth	15			
configuration	A 90-degree	B 120-degree	C 135-degree	O 180-degree
end shape	S straight right 90-degree corner right 120-degree corner right 135-degree corner	left 90-degree corner left 120-degree corner left 135-degree corner	dual 90-degree corner dual 120-degree corner dual 135-degree corner	
surface finish	laminate colors			
metal finish	metal colors			


Code	W (in.)	D (in.)
90-degree corner (single)		
C-WTLA-2415-L	24	15
C-WTLA-2415-R	24	15
C-WTLA-3015-L	30	15
C-WTLA-3015-R	30	15
C-WTLA-3615-L	36	15
C-WTLA-3615-R	36	15
C-WTLA-4215-L	42	15
C-WTLA-4215-R	42	15
C-WTLA-4815-L	48	15
C-WTLA-4815-R	48	15
C-WTLA-5415-L	54	15
C-WTLA-5415-R	54	15
C-WTLA-6015-L	60	15
C-WTLA-6015-R	60	15
90-degree corner (dual)		
C-WTLA-2415	24	15
C-WTLA-3015	30	15
C-WTLA-3615	36	15
C-WTLA-4215	42	15
C-WTLA-4815	48	15
C-WTLA-5415	54	15
C-WTLA-6015	60	15
120-degree corner (single)		
C-WTLB-2415-L	24	15
C-WTLB-2415-R	24	15

Code	W (in.)	D (in.)
C-WTLB-3015-L	30	15
C-WTLB-3015-R	30	15
C-WTLB-3615-L	36	15
C-WTLB-3615-R	36	15
C-WTLB-4215-L	42	15
C-WTLB-4215-R	42	15
C-WTLB-4815-L	48	15
C-WTLB-4815-R	48	15
C-WTLB-5415-L	54	15
C-WTLB-5415-R	54	15
C-WTLB-6015-L	60	15
C-WTLB-6015-R	60	15
120-degree corner (dual)		
C-WTLB-2415	24	15
C-WTLB-3015	30	15
C-WTLB-3615	36	15
C-WTLB-4215	42	15
C-WTLB-4815	48	15
C-WTLB-5415	54	15
C-WTLB-6015	60	15
135-degree corner (single)		
C-WTLC-2415-L	24	15
C-WTLC-2415-R	24	15
C-WTLC-3015-L	30	15
C-WTLC-3015-R	30	15
C-WTLC-3615-L	36	15

Code	W (in.)	D (in.)
C-WTLC-3615-R	36	15
C-WTLC-4215-L	42	15
C-WTLC-4215-R	42	15
C-WTLC-4815-L	48	15
C-WTLC-4815-R	48	15
C-WTLC-5415-L	54	15
C-WTLC-5415-R	54	15
C-WTLC-6015-L	60	15
C-WTLC-6015-R	60	15
135-degree corner (dual)		
C-WTLC-2415	24	15
C-WTLC-3015	30	15
C-WTLC-3615	36	15
C-WTLC-4215	42	15
C-WTLC-4815	48	15
C-WTLC-5415	54	15
C-WTLC-6015	60	15
180-Degree		
C-WTLO-2415	24	15
C-WTLO-3015	30	15
C-WTLO-3615	36	15
C-WTLO-4215	42	15
C-WTLO-4815	48	15
C-WTLO-5415	54	15
C-WTLO-6015	60	15

WORKSURFACE SUPPORTS

CANTILEVER ARM



What’s Included:

Cantilever Arm, installation hardware.

How to Specify:

Specify left or right.

Notes:

- The cantilever arm mounts to the panel frame to support worksurfaces.
- Worksurfaces 24 inches and greater require the 22-inch cantilever to be used.
- Cantilever arms are available only in black.

Options:

size	16, 22	
position	R right	L left

Code	D (in.)
C-CCAB-16	16
C-CCAB-16-L	16
C-CCAB-16-R	16
C-CCAB-22	22
C-CCAB-22-L	22
C-CCAB-22-R	22

UNIVERSAL BRACKET



right hand



left hand

What's Included:

Universal Bracket, installation hardware.

How to Specify:

Specify right or left hand according to the position of the worksurface.

Notes:

The universal bracket is primarily used for end or side corner support and must be used in conjunction with other primary supports, such as gables, cantilever arms, or single posts.

The universal bracket is available only in black.

Options:

hand

R right

L left

Code
C-CB01-L
C-CB01-R

SINGLE POST



What's Included:

Single Post, leveler, installation hardware.

How to Specify:

Specify metal finish. See the metal finish card for details.

Notes:

The single post is 28-inch in height and includes an integral leveler that provides a 3-inch leveling range.

This item should be used together with panel-mounted worksurface supports to support semi-suspended worksurfaces.

Options:

size


28

finish


metal finish colors

Code
C-CPIG-03

LAMINATE GABLE



left



right

What's Included:

Gable, installation hardware.

How to Specify:

Specify laminate color.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

Gables can be used for single or dual worksurface support in the left, right and center positions.

The left and right gables are designed to match the depth of standard worksurfaces. The center gable will be slightly shorter than the depth of the worksurface to allow for below worksurface leg room.

Options:


position	R right	L left	C center (right or left)	U universal
height	28, 35			
depth	12, 18, 21, 24, 30, 36			

Code	H (in.)	D (in.)
Left Support Gable		
C-CGL0-12	28	12
C-CGL0-18	28	18
C-CGL0-24	28	24
C-CGL0-30	28	30
C-CGL0-36	28	36
C-CGL0-1235	35	12
C-CGL0-1835	35	18
C-CGL0-2135	35	21
C-CGL0-2435	35	24
C-CGL0-3035	35	30
Center Left Support Gable		
C-CGLC-12	28	12
C-CGLC-18	28	18

Code	H (in.)	D (in.)
Right Support Gable		
C-CGR0-12	28	12
C-CGR0-18	28	18
C-CGR0-24	28	24
C-CGR0-30	28	30
C-CGR0-36	28	36
C-CGR0-1235	35	12
C-CGR0-1835	35	18
C-CGR0-2135	35	21
C-CGR0-2435	35	24
C-CGR0-3035	35	30
Center Right Support Gable		
C-CGLC-12	28	12
C-CGLC-18	28	18

Code	H (in.)	D (in.)
Universal End Gable		
C-CGU0-12	28	12
C-CGU0-18	28	18
C-CGU0-24	28	24
C-CGU0-30	28	30
C-CGU0-36	28	36

INTERMEDIATE GABLE



What's Included:

Gable, installation hardware.

How to Specify:

Specify laminate color.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Grain direction is indicated in the above illustration.

Gables can be used for single or dual worksurface support in the left, right and center positions.

Gable will be slightly shorter than the depth of the worksurface to allow for below worksurface leg room.

Options:


height 28

depth 12, 18, 24


finish laminate colors

Code	H (in.)	D (in.)
C-CGUC-12	28	12
C-CGUC-18	28	18
C-CGUC-24	28	24

OPEN METAL GABLE



right hand



left hand

What's Included:

Open metal gable, installation hardware.

How to Specify:

Specify metal color.

Notes:

Open metal gables can be used to support worksurfaces in the left or right position.

The depth of the open metal gable should match the depth of the worksurface that it will support at the end of a run.

Use the 12 or 18-inch pen metal gable to support worksurface in the middle of a run.

Open metal gables cannot be used in freestanding applications.


Options:

position	R right	L left
height	28	
depth	12, 18, 24, 30	
finish	metal colors	

Code	H (in.)	D (in.)
Left Hand		
C-CGLM-12	28	12
C-CGLM-18	28	18
C-CGLM-24	28	24
C-CGLM-30	28	30
Right Hand		
C-CGRM-12	28	12
C-CGRM-18	28	18
C-CGRM-24	28	24
C-CGRM-30	28	30

MOUNTED STORAGE

PANEL MOUNTED FLIPPER CABINET



What's Included:

Panel-Mounted Flipper Cabinet, installation hardware.

How to Specify:

Specify metal color.

Specify option P for pneumatic slides.

Notes:

The panel-mounted flipper cabinet mounts on-module to panel frames of the same width.

The optional pneumatic slide allows the flipper door to come down slowly and quietly.


Options:

height	16
depth	14
width	30, 36, 42, 48, 54, 60
door finish	M metal colors
enhancements	P pneumatic (an upcharge is applicable when this option is specified)
case finish	metal colors

Code	H (in.)	W (in.)	D (in.)
Standard			
C-SOFM-1430	16	30	14
C-SOFM-1436	16	36	14
C-SOFM-1442	16	42	14
C-SOFM-1448	16	48	14
C-SOFM-1454	16	54	14
C-SOFM-1460	16	60	14

Code	H (in.)	W (in.)	D (in.)
Pneumatic			
C-SOFM-1430-P	16	30	14
C-SOFM-1436-P	16	36	14
C-SOFM-1442-P	16	42	14
C-SOFM-1448-P	16	48	14
C-SOFM-1454-P	16	54	14
C-SOFM-1460-P	16	60	14

SUSPENDED FLIPPER CABINET



What's Included:

Suspended flipper cabinet, installation hardware.

How to Specify:

Specify metal color.

Specify option P for pneumatic slides.

Notes:

The suspended flipper cabinet mounts on-module to panel frames of the same width.

The optional pneumatic slide allows the flipper door to come down slowly and quietly.


Options:

height	16
depth	14
width	30, 36, 42, 48, 54, 60
door finish	M metal colors
enhancements	P pneumatic (an upcharge is applicable when this option is specified)
case finish	metal colors

Code	H (in.)	W (in.)	D (in.)
Standard			
C-SSFM-1430	16	30	14
C-SSFM-1436	16	36	14
C-SSFM-1442	16	42	14
C-SSFM-1448	16	48	14
C-SSFM-1454	16	54	14
C-SSFM-1460	16	60	14

Code	H (in.)	W (in.)	D (in.)
Pneumatic			
C-SSFM-1430-P	16	30	14
C-SSFM-1436-P	16	36	14
C-SSFM-1442-P	16	42	14
C-SSFM-1448-P	16	48	14
C-SSFM-1454-P	16	54	14
C-SSFM-1460-P	16	60	14

OPEN METAL SHELF



What's Included:

Open Metal Shelf, installation hardware

How to Specify:

Specify metal color.

Notes:

The open metal shelf is panel-mounted on-module, and provides open storage within the workstation.

Options:

width 24, 30, 36, 42, 48, 54, 60


depth 12

case finish metal colors


Code	W (in.)	D (in.)
C-SOOM-1224	24	12
C-SOOM-1230	30	12
C-SOOM-1236	36	12
C-SOOM-1242	42	12
C-SOOM-1248	48	12
C-SOOM-1254	54	12
C-SOOM-1260	60	12

ACCESSORIES


WORK ORGANIZERS



pen holder



paper sorter



paper tray

What's Included:

One work organizer, as specified.

How to Specify:

Work organizers are available in a variety of metal finish colors. Refer to the metal accent and metal finish card for a complete listing of metal colors.

Notes:


Work organizers hang from accessory tile, accessory bar, and surface mounted work organizer support. Paper trays are available in letter and legal sizes.

Options:

accessory type	S paper sorter	P 9 paper tray (letter)	P 13 paper tray (legal)	H pen holder
finish	metal colors (except chrome)			

Product	Code	H (in.)	W (in.)
Paper Sorter	C-AAS	11	10
Paper Tray (letter)	C-AAP-9	2	12
Paper Tray (legal)	C-AAP-13	2	15
Pen Holder	C-AAH	4	4

ACCESSORY BAR



What's Included:

Accessory Bar.

How to Specify:

Specify metal color.

Notes:


Accessory bars are installed over panel tiles in 1-inch increments.

Options:


height	8
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	H (in.)	W (in.)
C-AAB0-18	8	18
C-AAB0-24	8	24
C-AAB0-30	8	30
C-AAB0-36	8	36
C-AAB0-42	8	42
C-AAB0-48	8	48
C-AAB0-54	8	54
C-AAB0-60	8	60

DRAWERS



pencil tray
drawer



personal locking
metal drawer

What's Included:

Drawer, installation hardware, mounting slides.

Notes:


Drawers provide compartmentalized storage below the worksurface.

Options:

finish pencil tray - black only personal locking - metal colors

Product	Code	W (in.)	D (in.)
Pencil Tray	L-ADPP	21	16.125
Personal Locking	NFC7657889-LL	21.75	17.25

COAT HOOK



Notes:

The coat hook can be attached to the hingeway between Galaxy panel frames.

How to Specify:

Specify metal color.

Options:


finish metal colors

Code
C-ACH0

NAME PLATE HOLDERS



panel mounted



hanging

How to Specify:


Specify metal color.

Options:

finish metal colors

Product	Code	W (in.)
Panel Mounted	8192	8.5
Hanging	C-ANPS	8.5

TOP TRIM MOUNTED PRIVACY SCREEN



What's Included:

Top trim mounted privacy screen, two clamps.

How to Specify:

Specify metal color.

Specify the width of the top trim mounted privacy screen to be the same width of less than the panel frame that it is to be mounted to.

Notes:

The top trim mounted privacy screen is off-module and can be specified the same width as the worksurface it is to be mounted to, or smaller.

The top trim mounted privacy screen does not provide acoustical privacy.

The top trim mounted privacy screen is not load bearing.

60-inch top trim mounted privacy screens come with 3 clamps.


Options:

height	8, 16	
width	18, 24, 30, 36, 42, 48, 54, 60	
top screen finish	F frosted	C clear
metal finish	metal colors	

Code	H (in.)	W (in.)
Frosted Acrylic		
C-VGGP-0818-F	8	18
C-VGGP-0824-F	8	24
C-VGGP-0830-F	8	30
C-VGGP-0836-F	8	36
C-VGGP-0842-F	8	42
C-VGGP-0848-F	8	48
C-VGGP-0854-F	8	54
C-VGGP-0860-F	8	60
C-VGGP-1618-F	16	18
C-VGGP-1624-F	16	24
C-VGGP-1630-F	16	30
C-VGGP-1636-F	16	36
C-VGGP-1642-F	16	42
C-VGGP-1648-F	16	48
C-VGGP-1654-F	16	54
C-VGGP-1660-F	16	60

Code	H (in.)	W (in.)
Clear Acrylic		
C-VGGP-0818-C	8	18
C-VGGP-0824-C	8	24
C-VGGP-0830-C	8	30
C-VGGP-0836-C	8	36
C-VGGP-0842-C	8	42
C-VGGP-0848-C	8	48
C-VGGP-0854-C	8	54
C-VGGP-0860-C	8	60
C-VGGP-1618-C	16	18
C-VGGP-1624-C	16	24
C-VGGP-1630-C	16	30
C-VGGP-1636-C	16	36
C-VGGP-1642-C	16	42
C-VGGP-1648-C	16	48
C-VGGP-1654-C	16	54
C-VGGP-1660-C	16	60

WORKSURFACE EDGE MOUNTED SCREEN



What's Included:

Worksurface edge mounted screen, two clamps.

How to Specify:

The worksurface edge mounted screen is off-module and can be specified the same width as the worksurface it is to be mounted to, or smaller.

The worksurface edge mounted screen does not provide acoustical privacy.

Notes:

The clamps on the worksurface edge mounted screens are finished in silver only.

Specify the width of the worksurface screen to be the same width or less than the worksurface or table that it is to be mounted to.

Options:


width 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90

screen finish **F** frosted

metal finish metal colors

Code	H (in.)	W (in.)
C-VGGW-24-F	24	24
C-VGGW-30-F	24	30
C-VGGW-36-F	24	36
C-VGGW-42-F	24	42
C-VGGW-48-F	24	48
C-VGGW-54-F	24	54
C-VGGW-60-F	24	60
C-VGGW-66-F	24	66
C-VGGW-72-F	24	72
C-VGGW-78-F	24	78
C-VGGW-84-F	24	84
C-VGGW-90-F	24	90

PANEL MOUNTED PRIVACY SCREEN



What's Included:

Panel mounted acrylic screen, installation hardware.

How to Specify:

Specify metal color.

Specify the width of the panel top mounted privacy screen to be the same width of the panel frame that it is to be mounted to.

Notes:

The panel top mounted privacy screen is on-module to panel frames of the same width.

The panel top mounted privacy screen does not provide acoustical privacy.

Double span panel top mounted privacy screen can be placed across the width of two equal sized panels

Options:

height	8, 16			
width	18, 24, 30, 36, 42, 48, 54, 60			
finish	F frosted acrylic	C clear acrylic	C-G clear glass	F-G frosted glass
metal	metal colors			

PANEL MOUNTED PRIVACY SCREEN


Code	H (in.)	W (in.)
Clear Acrylic		
C-VUCP-0818-C	8	18
C-VUCP-0824-C	8	24
C-VUCP-0830-C	8	30
C-VUCP-0836-C	8	36
C-VUCP-0842-C	8	42
C-VUCP-0848-C	8	48
C-VUCP-0854-C	8	54
C-VUCP-0860-C	8	60
C-VUCP-1618-C	16	18
C-VUCP-1624-C	16	24
C-VUCP-1630-C	16	30
C-VUCP-1636-C	16	36
C-VUCP-1642-C	16	42
C-VUCP-1648-C	16	48
C-VUCP-1654-C	16	54
C-VUCP-1660-C	16	60
Double Span Clear Acrylic		
C-VUCP-0872-C	8	72
C-VUCP-1672-C	16	72
Frosted Acrylic		
C-VUCP-0818-F	8	18
C-VUCP-0824-F	8	24
C-VUCP-0830-F	8	30
C-VUCP-0836-F	8	36
C-VUCP-0842-F	8	42
C-VUCP-0848-F	8	48
C-VUCP-0854-F	8	54

Code	H (in.)	W (in.)
C-VUCP-0860-F	8	60
C-VUCP-1618-F	16	18
C-VUCP-1624-F	16	24
C-VUCP-1630-F	16	30
C-VUCP-1636-F	16	36
C-VUCP-1642-F	16	42
C-VUCP-1648-F	16	48
C-VUCP-1654-F	16	54
C-VUCP-1660-F	16	60
Double Span Frosted Acrylic		
C-VUCP-0872-F	8	72
C-VUCP-1672-F	16	72
Clear Tempered Glass		
C-VUCP-0818-C-G	8	18
C-VUCP-0824-C-G	8	24
C-VUCP-0830-C-G	8	30
C-VUCP-0836-C-G	8	36
C-VUCP-0842-C-G	8	42
C-VUCP-0848-C-G	8	48
C-VUCP-0854-C-G	8	54
C-VUCP-0860-C-G	8	60
C-VUCP-1618-C-G	16	18
C-VUCP-1624-C-G	16	24
C-VUCP-1630-C-G	16	30
C-VUCP-1636-C-G	16	36
C-VUCP-1642-C-G	16	42
C-VUCP-1648-C-G	16	48
C-VUCP-1654-C-G	16	54

Code	H (in.)	W (in.)
C-VUCP-1660-C-G	16	60
Double Span Clear Tempered Glass		
C-VUCP-0872-C-G	8	72
C-VUCP-1672-C-G	16	72
Frosted Tempered Glass		
C-VUCP-0818-F-G	8	18
C-VUCP-0824-F-G	8	24
C-VUCP-0830-F-G	8	30
C-VUCP-0836-F-G	8	36
C-VUCP-0842-F-G	8	42
C-VUCP-0848-F-G	8	48
C-VUCP-0854-F-G	8	54
C-VUCP-0860-F-G	8	60
C-VUCP-1618-F-G	16	18
C-VUCP-1624-F-G	16	24
C-VUCP-1630-F-G	16	30
C-VUCP-1636-F-G	16	36
C-VUCP-1642-F-G	16	42
C-VUCP-1648-F-G	16	48
C-VUCP-1654-F-G	16	54
C-VUCP-1660-F-G	16	60
Double Span Frosted Tempered Glass		
C-VUCP-0872-F-G	8	72
C-VUCP-1672-F-G	16	72

ELECTRICS, COMMUNICATION, & LIGHTING

STORAGE MOUNTED TASK LIGHT



mocha lighting

What's Included:

Task Light, installation hardware.

How to Specify:

This product is available only in silver.

Notes:

The task light can be mounted beneath an overhead cabinet or shelf to provide focused lighting within the workstation.


Simple plug-in daisy chain configuration. No configuration required.

Options:


width	12, 22, 31, 40
cable	optional 18" cable

Code	W (in.)
569100	12
569101	22
569102	31
569103	40

POWER MODULES



single sided



double sided

What's Included:

Base electrics power module as specified.

How to Specify:

This product is available only in black.

Notes:


- 8 wire 4 circuit electrical system.
- The base electrics power module can be retrofitted into the base raceway of existing Galaxy panel frames.
- Base electrics power modules can be single-sided or double-sided.
- 18-inch wide panel frame does not accommodate a base power module.
- 24-inch wide panel frames placed side-by-side only accommodates one base power module in one panel.
- 24-inch wide panel frame with base power module does not accommodate base data/communication kits.

Options:

type **S** single-sided **D** double-sided

Code
Single sided
C-EM84-S
Double sided
C-EM84-D

ELECTRIC STARTER HARNESS



What's Included:

Electric Starter Harness, as specified.

How to Specify:

This product is available only in black.

Notes:

8 wire 4 circuit electrical system.


The starter harness is available in 72-inch and 168-inch lengths.

Options:


configuration	B14 4 outlets (14")	B20 8 outlets (20")
accessibility	S single-sided	D double-sided

Code
Base-line
C-ES84-072-S
C-ES84-168-S
C-ES84-072-D
C-ES84-168-D
Belt-line
C-ES84-072-B14
C-ES84-168-B14
C-ES84-072-B20
C-ES84-168-B20


COMMUNICATION KIT



ECK1



ECK2



ECK23

What's Included:

Communication kit, face plate, and jacks, as specified.

How to Specify:

This product is available only in black.

Specify configuration.

Notes:

Config 1: one communication outlet (RJ11), one data outlet (RJ45)

Config 2: two communication outlets (RJ11), one data outlet (RJ45)

Config 3: one communication outlet (RJ11), two data outlets (RJ45)

Options:

configuration **1** config 1

2 config 2


3 config 3

type base-line


B belt-line

Code
Base-line
C-ECK1
C-ECK2
C-ECK3
Belt-line
C-ECK1-B
C-ECK2-B
C-ECK3-B


POWER POLE




90-degree connection



t-connection



straight connection



4-way connection

What's Included:

Power pole, top cap, ceiling grommet.

How to Specify:

Specify vinyl color.

Refer to the vinyl/metal finish card for details.

Notes:

8 wire 4 circuit electrical system.

The vinyl power pole attaches to panel connectors in 90-degree connections, T-connections, straight connections or 4-way connections.

144-inch power poles have the option of being divided.


Options:

type	D divided	0 non-divided
height	72, 144	
connection	N 90-degree connection	T t-connection S straight connection 4 4-way connection
finish	vinyl colors	


Code
90-degree connection
C-EPVD-144-N
C-EPV0-072-N
C-EPV0-144-N
t-connection
C-EPVD-144-T
C-EPV0-072-T
C-EPV0-144-T

Code
straight connection
C-EPVD-144-S
C-EPV0-072-S
C-EPV0-144-S
4-way connection
C-EPVD-144-4
C-EPV0-072-4
C-EPV0-144-4

BELT-LINE ELECTRICS POWER MODULE



4 outlets



8 outlets

What's Included:

Belt-line electrics power module as specified.

How to Specify:

This product is available only in black.

Notes:

8 wire 4 circuit electrical system.

Belt-line electrics power modules are available with four outlets or eight outlets.

18-inch and 24-inch wide panel frames do not accommodate a belt-line power module.

30-inch wide panel frame accommodates belt-line power module with 4 outlets only.

30-inch wide panel frames placed side-by-side can only accommodate one 4 outlet module in one of the panel frames.

30-inch wide panel frame with a belt-line power module does not accommodate belt-line data/communication kits.

36-inch wide panel frame with a belt-line power module (8 outlets) does not accommodate belt-line data/communication kits.

Options:


type

B14 4 outlets (14")


B20 8 outlets (20")

Code
4 outlets
C-EM84-B14
8 outlets
C-EM84-B20

HORIZONTAL WIRE MANAGER



wire manager



wire clip

What's Included:

Wire Manager, installation hardware.

How to Specify:

Specify the length of the wire manager to be 6-inches less than the width of the workstation to which it will be mounted.

Notes:

The horizontal wire manager attaches to the underside of a worksurface.


Options:

width 12, 18, 24, 30, 36, 42, 48, 54, 60, 66, 72

Code	W (in.)
horizontal wire manager	
V-EWHB-12	12
V-EWHB-18	18
V-EWHB-24	24
V-EWHB-30	30
V-EWHB-36	36
V-EWHB-42	42

Code	W (in.)
V-EWHB-48	48
V-EWHB-54	54
V-EWHB-60	60
V-EWHB-66	66
V-EWHB-72	72
worksurface wire clips	
V-EWHC	

CONNECTOR HARNESS



What's Included:

Connector Harness, as specified.

Notes:

8 wire 4 circuit electrical system.

The connector harness is equipped with two male ends.

Connector harnesses, 148-inches and longer are comprised of two pieces connected together.

Options:

length


22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76, 79, 82, 85, 88, 91, 94, 97, 100, 103, 106, 109, 112, 115, 118, 121, 124, 127, 130, 133, 136, 139, 142, 145, 148, 151, 154, 157, 160, 163, 166, 169, 172, 175, 178, 181

Code	L (in.)
one piece harness	
C-EH84-22	22
C-EH84-25	25
C-EH84-28	28
C-EH84-31	31
C-EH84-34	34
C-EH84-37	37
C-EH84-40	40
C-EH84-43	43
C-EH84-46	46
C-EH84-49	49
C-EH84-52	52
C-EH84-55	55
C-EH84-58	58
C-EH84-61	61
C-EH84-64	64
C-EH84-67	67
C-EH84-70	70
C-EH84-73	73

Code	L (in.)
C-EH84-76	76
C-EH84-79	79
C-EH84-82	82
C-EH84-85	85
C-EH84-88	88
C-EH84-91	91
C-EH84-94	94
C-EH84-97	97
C-EH84-100	100
C-EH84-103	103
C-EH84-106	106
C-EH84-109	109
C-EH84-112	112
C-EH84-115	115
C-EH84-118	118
C-EH84-121	121
C-EH84-124	124
C-EH84-127	127
C-EH84-130	130

Code	L (in.)
C-EH84-133	133
C-EH84-136	136
C-EH84-139	139
C-EH84-142	142
C-EH84-145	145
two piece harnesses	
C-EH84-148	148
C-EH84-151	151
C-EH84-154	154
C-EH84-157	157
C-EH84-160	160
C-EH84-163	163
C-EH84-166	166
C-EH84-169	169
C-EH84-172	172
C-EH84-175	175
C-EH84-178	178
C-EH84-181	181

MALE/FEMALE EXTENSION HARNESS



What's Included:

Harness, as specified.

How to Specify:

This product is available only in black.

Notes:

8 wire 4 circuit electrical system.

The harness is equipped with one male end and one female end. The harness connects connector harnesses to electrical power modules.

Options:

length 44, 122

Code	L (in.)
C-E8FM-044	44
C-E8FM-122	122